

**2004**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report  
61**

City of Suffolk

Prepared By  
**Virginia Department of Transportation  
Mobility Management Division**

In Cooperation With  
**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Mobility Management Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

North 	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Secondary Route	

### Special Routes

Bus 	Bus - Business Route
	Bypass - Bypass Route
Truck 	Truck - Truck Route
ALT 	ALT - Alternate Route
	Wve - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
10 32	City of Suffolk (Maint: 61)	From: Isle of Wight County Line	1.31	10000	G	91%	1%	3%	1%	4%	0%	F	0.085	F	0.56	11000	G	
10 32	Godwin Blvd	To: SR 125 Chuckatuck	7.04	10000	G	91%	1%	3%	1%	4%	0%	C	0.087	F	0.545	11000	G	
10 32	Godwin Blvd	From: US 58 Suffolk Bypass	0.54	18000	G	91%	1%	3%	1%	4%	0%	F	0.086	F	0.511	20000	G	
10 460 32	City of Suffolk (Maint: 61)	To: Pruden Blvd US 460	From: Bus US 460 Elephant Fork	1.49	28000	A	97%	0%	2%	0%	1%	0%	C	0.099	A	0.527	30000	A
10 460	City of Suffolk	From: Bus US 460, Bus US 58	0.09	31000	G	97%	0%	2%	0%	0%	0%	F	0.084	F	0.519	34000	G	
10 32 13	City of Suffolk	From: Bus US 58	0.68	22000	G	97%	0%	2%	0%	0%	0%	C	0.084	F	0.548	24000	G	
13	Whaleyville Blvd	To: SR 337 Washington St	From: North Carolina State Line	5.37	5500	A	88%	1%	0%	1%	10%	0%	C	0.097	A	0.587	5200	A
13	Whaleyville Blvd	From: 61-616 Mineral Spring Rd	To: City of Suffolk (Maint: 61)	1.28	6300	G	88%	1%	0%	1%	10%	0%	F	0.086	F	0.645	5900	G
13	Whaleyville Blvd	From: 61-677 Great Fork Rd	To: City of Suffolk (Maint: 61)	0.82	7900	G	88%	1%	0%	1%	10%	0%	F	0.084	F	0.669	7400	G
13	Whaleyville Blvd	From: 61-675 Cypress Chapel Rd	To: City of Suffolk (Maint: 61)	2.22	7900	G	88%	1%	0%	1%	10%	0%	F	0.086	F	0.656	7400	G
13	Whaleyville Blvd	From: 61-759 S. West Liberty Spring Rd	To: City of Suffolk (Maint: 61)	1.06	9000	G	88%	1%	0%	1%	10%	0%	F	0.086	F	0.649	8400	G
13	Whaleyville Blvd	From: 61-759 Babtown Rd	To: City of Suffolk (Maint: 61)	2.56	9400	G	88%	1%	0%	1%	10%	0%	F	0.088	F	0.647	8800	G
13 32	Carolina Rd	From: SR 32 Carolina Rd	To: City of Suffolk (Maint: 61)	1.64	15000	G	88%	1%	0%	1%	10%	0%	F	0.085	F	0.672	14000	G
13	Southwest Suffolk Bypass	From: SR 32 Whaleyville Blvd	To: City of Suffolk (Maint: 61)	2.80	8200	G							0.094	F			7700	G
13 58	Suffolk Bypass	From: BUS US 13	To: City of Suffolk (Maint: 61)	1.41	30000	G	84%	1%	1%	1%	14%	0%	F	0.076	F	0.583	28000	G
13 58	Suffolk Bypass	From: BUS US 13, SR 32 Carolina Rd	To: City of Suffolk (Maint: 61)	1.88	32000	G	92%	0%	1%	1%	6%	0%	F	0.077	F	0.586	33000	G
13 58 460	Suffolk Bypass	From: US 460 Pruden Blvd	To: City of Suffolk (Maint: 61)	0.93	41000	G	92%	0%	1%	1%	6%	0%	F	0.078	F	0.645	42000	G
		From: SR 10 SR 32 Godwin Blvd																

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
13 58 460 Suffolk Bypass	City of Suffolk (Maint: 61)	From: SR 10 SR 32 Godwin Blvd	1.87	49000	G	92%	0%	1%	1%	6%	0%	F	0.080	F	0.546	50000	G
13 58 460 Suffolk Bypass	City of Suffolk (Maint: 61)	To: 61-642 Wilroy Rd	2.30	39000	G	92%	0%	1%	1%	6%	0%	F	0.081	F	0.574	40000	G
13 58 460 Military Hwy	City of Suffolk (Maint: 61)	From: Bus US 13,Bus US 58 Military Hwy	3.24	56000	G	92%	0%	1%	1%	6%	0%	F	0.087	F	0.593	57000	G
		To: WCL Chesapeake															
Bus 13 32 Carolina Rd	City of Suffolk (Maint: 61)	From: US 13 Southwest Suffok Bypass	1.17	13000	G	88%	1%	0%	1%	10%	0%	F	0.083	F	0.649	12000	G
		To: Old SCL Suffolk															
Bus 13 32 Carolina Rd	City of Suffolk	From: Fayette St	0.54	15000	G	88%	1%	0%	1%	10%	0%	F	0.089	F	0.678	14000	G
Bus 13 32 Main St	City of Suffolk	From: US 13; SR 32 Fayette St	0.34	14000	G	97%	0%	2%	0%	0%	0%	F	0.087	F	0.66	15000	G
		To: Begin SR 10															
Bus 13 32 10 Main St	City of Suffolk	From: US 58; Bus US 460	0.68	22000	G	97%	0%	2%	0%	0%	0%	C	0.084	F	0.548	24000	G
Bus 13 58 460 Constance Road	City of Suffolk	From: SR 32 Main St	0.66	15000	G	91%	0%	2%	2%	4%	0%	F	0.086	F	0.564	16000	G
Bus 13 58 460 Portsmouth Blvd	City of Suffolk (Maint: 61)	From: Pinner St	1.60	19000	G	91%	0%	2%	2%	4%	0%	C	0.088	F	0.562	21000	G
		To: SR 337 Washington St															
Bus 13 58 460 Portsmouth Blvd	City of Suffolk (Maint: 61)	From: US 13, US 58, US 460	1.22	24000	G	92%	0%	3%	1%	3%	0%	C	0.087	F	0.638	26000	G
		To: WCL Chesapeake															
17 Bridge Rd	City of Suffolk (Maint: 61)	From: I-664	0.66	19000	G	98%	0%	1%	0%	0%	0%	F	0.089	F	0.512	19000	G
		To: 61-627 Bennetts Pasture Rd															
17 Carrollton Blvd	City of Suffolk (Maint: 61)	From: Isle of Wight County Line	2.47	16000	G	96%	0%	0%	2%	2%	0%	F	0.088	F	0.575	17000	G
		To: 61-628 Crittenden Rd															
17	City of Suffolk (Maint: 61)	From: North Carolina State Line	1.17	13000	G	96%	0%	0%	2%	2%	0%	F	0.084	F	0.509	13000	G
		To: 61-642 Adams Swamp Rd															
32 Carolina Rd	City of Suffolk (Maint: 61)	From: 61-675 Cypress Chapel Rd	2.07	4000	G	89%	0%	2%	1%	8%	0%	C	0.104	F	0.762	3900	G
		To: 61-642 Wilroy Rd															

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
32 Carolina Rd	City of Suffolk (Maint: 61)	From: 61-675 Cypress Chapel Rd	1.40	4400	G	89%	1%	3%	0%	7%	0%	C	0.104	F	0.763	4400	G	
32 Carolina Rd	City of Suffolk (Maint: 61)	To: 61-759 Babtown Rd	0.65	4500	G	89%	1%	3%	0%	7%	0%	F	0.091	F	0.761	4500	G	
32 Carolina Rd	City of Suffolk (Maint: 61)	From: 61-647 Copeland Rd	2.45	4700	G	89%	1%	3%	0%	7%	0%	F	0.1	F	0.638	4800	G	
32 13 Carolina Rd	City of Suffolk (Maint: 61)	To: US 13 South of Suffolk	From: Whaleyville Blvd	1.64	15000	G	88%	1%	0%	1%	10%	0%	F	0.085	F	0.672	14000	G
32 Bus 13 Carolina Rd	City of Suffolk (Maint: 61)	From: 61-731 Dill Rd	1.17	13000	G	88%	1%	0%	1%	10%	0%	F	0.083	F	0.649	12000	G	
32 Bus 13 Carolina Rd	City of Suffolk	To: Old SCL Suffolk	From: Bus US 58 Constance Rd	0.54	15000	G	88%	1%	0%	1%	10%	0%	F	0.089	F	0.678	14000	G
32 Bus 13 Main St	City of Suffolk	From: Bus US 58 Constance Rd	To: SR 337 Washington St	0.34	14000	G	97%	0%	2%	0%	0%	0%	F	0.087	F	0.66	15000	G
32 Bus 13 10 Main St	City of Suffolk	To: SR 337 Washington St	From: Bus US 58, Bus US 460	0.68	22000	G	97%	0%	2%	0%	0%	0%	C	0.084	F	0.548	24000	G
32 Bus 460 10 Main St	City of Suffolk	From: Bus US 58, Bus US 460	To: Old NCL of Suffolk	0.09	31000	G	97%	0%	2%	0%	0%	0%	F	0.084	F	0.519	34000	G
32 Bus 460 10	City of Suffolk (Maint: 61)	To: Old NCL of Suffolk	From: Bus US 460; SR 10 Elephant Fork	1.49	28000	A	97%	0%	2%	0%	1%	0%	C	0.099	A	0.527	30000	A
32 10 Godwin Blvd	City of Suffolk (Maint: 61)	From: Bus US 460; SR 10 Elephant Fork	To: Bus US 460; SR 10 Elephant Fork	0.54	18000	G	91%	1%	3%	1%	4%	0%	F	0.086	F	0.511	20000	G
32 10 Godwin Blvd	City of Suffolk (Maint: 61)	To: US 58 Suffolk Bypass	From: US 58 Suffolk Bypass	7.04	10000	G	91%	1%	3%	1%	4%	0%	C	0.087	F	0.545	11000	G
32 10	City of Suffolk (Maint: 61)	To: SR 125 Chuckatuck	From: SR 125 Chuckatuck	1.31	10000	G	91%	1%	3%	1%	4%	0%	F	0.085	F	0.56	11000	G
32 10	City of Suffolk (Maint: 61)	To: Isle of Wight County Line	From: Isle of Wight County Line															
58 258 Franklin Bypass	City of Suffolk (Maint: 61)	From: Isle of Wight County Line	To: Southampton County Line	1.20	18000	G	84%	1%	1%	1%	14%	0%	F	0.067	F	0.534	17000	G
58 189 Franklin Bypass	City of Suffolk (Maint: 61)	To: Southampton County Line	From: US 258	1.26	18000	G	84%	1%	1%	1%	14%	0%	F	0.068	F	0.519	17000	G
58 189	City of Suffolk (Maint: 61)	To: US 258	From: SR 272	4.17	19000	G	84%	1%	1%	1%	14%	0%	F	0.069	F	0.553	18000	G
58 Holland Bypass	City of Suffolk (Maint: 61)	To: SR 272	From: SR 189	1.11	20000	G	84%	1%	1%	1%	14%	0%	F	0.069	F	0.56	19000	G
		To: SR 189	From: Bus US 58															

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
58	City of Suffolk (Maint: 61)	From: 1.32	Bus US 58	<b>23000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.073	F	0.593	22000	G
58	City of Suffolk (Maint: 61)	From: 2.77	61-610 West	<b>23000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.072	F	0.563	22000	G
58	Holland Road	From: 2.05	61-647 Lummis Rd	<b>25000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.071	F	0.572	23000	G
58	Holland Road	From: 0.67	61-643 Manning Bridge Rd	<b>24000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.079	F	0.587	22000	G
58	Holland Road	From: 0.38	61-738 Kenyon Rd	<b>30000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.078	F	0.517	28000	G
58	Holland Road	From: 1.15	Cove Point Rd	<b>30000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.076	F	0.548	28000	G
58	Suffolk Bypass	From: 1.41	US 13	<b>30000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	0.076	F	0.583	28000	G
58	Suffolk Bypass	From: 1.88	Bus US 58	<b>32000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.077	F	0.586	33000	G
58	Suffolk Bypass	From: 0.93	61-604 Pitchkittle Rd	<b>41000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.078	F	0.645	42000	G
58	Suffolk Bypass	From: 1.87	US 460 Pruden Blvd	<b>49000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.080	F	0.546	50000	G
58	Suffolk Bypass	From: 2.30	SR 10 SR 32 Godwin Blvd	<b>39000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.081	F	0.574	40000	G
58	Military Hwy	From: 3.46	Bus US 13, Bus US 58 Military Hwy	<b>56000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.087	F	0.593	57000	G
Bus 58	City of Suffolk (Maint: 61)	From: 2.65	Isle of Wight County Line	<b>3200</b>	<b>G</b>	92%	1%	3%	2%	3%	0%	C	0.087	F	0.58	3300	G
Bus 58	City of Suffolk (Maint: 61)	From: 0.26	SR 189	<b>3700</b>	<b>G</b>	93%	1%	3%	1%	2%	0%	F	0.092	F	0.618	3700	G
Bus 58	City of Suffolk (Maint: 61)	From: 0.46	61-653	<b>4100</b>	<b>G</b>	93%	1%	3%	1%	2%	0%	C	0.092	F	0.679	4100	G
Bus 58	Holland Road	From: 0.05	US 58 East of Holland	<b>16000</b>	<b>G</b>	94%	1%	3%	1%	1%	0%	F	0.091	F	0.513	17000	G
Bus 58	Holland Road	From: 1.79	61-1722 Kilby Shores Rd	<b>13000</b>	<b>G</b>	94%	1%	3%	1%	1%	0%	C	0.097	F	0.595	14000	G

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
Bus 58 Constance Road	City of Suffolk	From: 0.29	SR 337 Holland Rd	To: 10000 G	94%	1%	2%	1%	2%	0%	C	0.093	F	0.548	11000	G	
Bus 58 Constance Road	City of Suffolk	From: 0.86	WCL Suffolk Pitchkettle Rd	To: 11000 G	96%	0%	1%	1%	1%	0%	C	0.094	F	0.584	12000	G	
Bus 58 Bus 13 Bus 460 Constance Road	City of Suffolk	From: 0.88	SR 32 Main St	To: 15000 G	91%	0%	2%	2%	4%	0%	F	0.086	F	0.564	16000	G	
Bus 58 Bus 13 Bus 460 Portsmouth Blvd	City of Suffolk (Maint: 61)	From: 1.60	Pinner Street	To: Pinner St	19000 G	91%	0%	2%	2%	4%	0%	C	0.088	F	0.562	21000	G
Bus 58 Bus 13 Bus 460 Portsmouth Blvd	City of Suffolk (Maint: 61)	From: 1.22	SR 337 Washington St	To: US 58	24000 G	92%	0%	3%	1%	3%	0%	C	0.087	F	0.638	26000	G
125 Kings Hwy	City of Suffolk (Maint: 61)	From: 6.24	SR 10 SR 32 Godwin Blvd	To: SR 337 Nansemond Pkwy	2700 G	95%	1%	3%	0%	1%	0%	C	0.103	F	0.516	2900	G
135 College Dr	City of Suffolk (Maint: 61)	From: 0.20	US 17 Bridge Rd	To: SR 164 Western Freeway	13000 G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.509	15000	G
135 College Dr	City of Suffolk (Maint: 61)	From: 0.65	SR 164 Western Freeway	To: 61-658 Towne Point Rd	17000 G	97%	0%	1%	0%	1%	0%	C	0.089	F	0.507	18000	G
135 College Dr	City of Suffolk (Maint: 61)	From: 0.76	61-658 Towne Point Rd	To: I-664	20000 G	98%	0%	2%	0%	0%	0%	C	0.088	F	0.584	22000	G
135	City of Suffolk (Maint: 61)	From: 0.59	I-664	To: SR 367	8400 G	94%	1%	2%	0%	3%	0%	C	0.092	F	0.641	9000	G
164 Western Freeway	City of Suffolk (Maint: 61)	From: 0.84	US 17 Bridge Road	To: I-664	9600 G	95%	0%	0%	1%	4%	0%	F	0.092	F	0.787	11000	G
164 Western Freeway	City of Suffolk (Maint: 61)	From: 0.64	I-664	To: SR 135 College Dr	19000 G	95%	0%	0%	1%	4%	0%	F	0.089	F	0.502	21000	G
164 Western Freeway	City of Suffolk (Maint: 61)	From: 0.02	SR 135 College Dr	To: WCL Portsmouth	32000 G	94%	0%	1%	2%	3%	0%	C	0.091	F	0.51	36000	G
189	City of Suffolk (Maint: 61)	From: 1.36	Southampton County Line	To: 61-666 Gates Rd	2100 G	78%	1%	3%	1%	17%	0%	C	0.092	F	0.634	2100	G
189	City of Suffolk (Maint: 61)	From: 1.60	61-666 Gates Rd	To: US 58	3600 G	76%	0%	1%	5%	17%	0%	C	0.082	F	0.631	3600	G
189 58 Franklin Bypass	City of Suffolk (Maint: 61)	From: 1.26	US 58	To: SR 272	18000 G	84%	1%	1%	1%	14%	0%	F	0.068	F	0.519	17000	G

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
189 58	City of Suffolk (Maint: 61)	4.17	19000	G	84%	1%	1%	1%	14%	0%	F	0.069	F	0.553	18000	G
189	City of Suffolk (Maint: 61)	0.37	830	G	90%	1%	4%	2%	3%	0%	C	0.094	F	0.603	830	G
189	City of Suffolk (Maint: 61)	0.12	1100	G	83%	1%	2%	12%	1%	0%	C	0.098	F	0.557	1100	G
258 58 Franklin Bypass	City of Suffolk (Maint: 61)	1.20	18000	G	84%	1%	1%	1%	14%	0%	F	0.067	F	0.534	17000	G
258	City of Suffolk (Maint: 61)	0.91	3700	G	58%	0%	2%	3%	37%	0%	C	0.090	F	0.719	3700	G
272 South Quay Rd	City of Suffolk (Maint: 61)	1.24	1500	G	90%	1%	2%	0%	6%	0%	C	0.104	F	0.726	1500	G
337 Washington St	City of Suffolk	0.34	10000	G	96%	1%	2%	1%	0%	0%	F	0.094	F	0.573	11000	G
337 Washington St	City of Suffolk	0.59	11000	G	96%	1%	2%	1%	0%	0%	C	0.091	F	0.615	12000	G
337 Washington St	City of Suffolk	0.20	11000	G	96%	1%	2%	1%	0%	0%	C	0.082	F	0.56	12000	G
337 Washington St	City of Suffolk	0.49	14000	G	96%	1%	2%	1%	0%	0%	F	0.082	F	0.544	16000	G
337 Washington St	City of Suffolk (Maint: 61)	2.38	9600	G	96%	1%	2%	1%	0%	0%	F	0.077	F	0.571	10000	G
337 Nansemond Parkway	City of Suffolk (Maint: 61)	3.03	4500	G	95%	2%	2%	1%	1%	0%	C	0.091	F	0.609	4900	G
337 Nansemond Parkway	City of Suffolk (Maint: 61)	1.40	9600	G	95%	2%	2%	1%	1%	0%	F	0.088	F	0.531	10000	G
337 Nansemond Parkway	City of Suffolk (Maint: 61)	2.01	6300	F	88%	1%	2%	2%	7%	0%	C	0.092	F	0.519	7000	F
337 Nansemond Parkway	City of Suffolk (Maint: 61)	2.52	12000	F	92%	1%	2%	2%	4%	0%	C	0.089	F	0.564	13000	F
460 Pruden Blvd	City of Suffolk (Maint: 61)	3.62	15000	G	81%	1%	1%	1%	16%	0%	F	0.079	F	0.591	14000	G
460 Pruden Blvd	City of Suffolk (Maint: 61)	1.47	15000	N	81%	1%	1%	1%	16%	0%	N	0.079	N	0.591	14000	N

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
460 58 13 Suffolk Bypass	City of Suffolk (Maint: 61)	From: 0.93	To: US 58, BUS US 460, Purden Blvd	41000	G	92%	0%	1%	1%	6%	0%	F	0.078	F	0.645	42000	G
460 58 13 Suffolk Bypass	City of Suffolk (Maint: 61)	From: 1.87	To: SR 10 SR 32 Godwin Blvd	49000	G	92%	0%	1%	1%	6%	0%	F	0.080	F	0.546	50000	G
460 58 13 Suffolk Bypass	City of Suffolk (Maint: 61)	From: 2.30	To: 61-642 Wilroy Rd	39000	G	92%	0%	1%	1%	6%	0%	F	0.081	F	0.574	40000	G
460 58 13 Military Hwy	City of Suffolk (Maint: 61)	From: 3.24	To: Bus US 13,Bus US 58 Military Hwy	56000	G	92%	0%	1%	1%	6%	0%	F	0.087	F	0.593	57000	G
Bus 460	City of Suffolk (Maint: 61)	From: 1.11	To: WCL Chesapeake	14000	G	97%	0%	2%	0%	1%	0%	F	0.091	F	0.528	15000	G
Bus 460	City of Suffolk (Maint: 61)	From: 1.49	To: US 58, US 460	28000	A	97%	0%	2%	0%	1%	0%	C	0.099	A	0.527	30000	A
Bus 460 10 32	City of Suffolk (Maint: 61)	From: 0.09	To: SR 10, SR 32	31000	G	97%	0%	2%	0%	0%	0%	F	0.084	F	0.519	34000	G
Bus 460 32 10 Main St	City of Suffolk	From: 0.66	To: Old NCL Suffolk	15000	G	91%	0%	2%	2%	4%	0%	F	0.086	F	0.564	16000	G
Bus 460 58 13 Constance Road	City of Suffolk	From: 1.60	To: US 13,BUS US 58,SR 32	19000	G	91%	0%	2%	2%	4%	0%	C	0.088	F	0.562	21000	G
Bus 460 58 13 Portsmouth Blvd	City of Suffolk (Maint: 61)	From: 1.22	To: Pinner St	24000	G	92%	0%	3%	1%	3%	0%	C	0.087	F	0.638	26000	G
East 664	City of Suffolk (Maint: 61)	From: 3.05	To: ECL Newport News	24000	G	93%	0%	1%	1%	5%	0%	F	0.129	F		26000	G
East 664	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	49000		G	93%	0%	1%	1%	5%	0%	F	0.101	F	0.595	53000	G	
East 664	City of Suffolk (Maint: 61)	From: 1.38	To: SR 135	25000	A	93%	0%	1%	1%	5%	0%	C	0.14	A		27000	A
East 664	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	50000		A	93%	0%	1%	1%	5%	0%	C	0.114	A	0.623	56000	A	
East 664	City of Suffolk (Maint: 61)	From: 0.58	To: SR 164	23000	G	93%	0%	1%	1%	5%	0%	F	0.120	F		25000	G
East 664	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	42000		G	93%	0%	1%	1%	5%	0%	F	0.1	F	0.648	46000	G	
East 664	City of Suffolk (Maint: 61)	From: 0.62	To: US 17	33000	G	93%	0%	1%	1%	5%	0%	F	0.108	F		36000	G
East 664	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	65000		G	93%	0%	1%	1%	5%	0%	F	NA			71000	G	

Virginia Department of Transportation  
Mobility Management Division  
2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail						
West  664	City of Suffolk (Maint: 61)	3.46	<b>25000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F	0.108	F	27000	G	
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>49000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F NA
West  664	City of Suffolk (Maint: 61)	1.04	<b>25000</b>	<b>A</b>	93%	0%	1%	1%	5%	0%	C	0.13	A	29000	A	
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>50000</b>	<b>A</b>	93%	0%	1%	1%	5%	0%	C 0.114 A 0.623
West  664	City of Suffolk (Maint: 61)	0.40	<b>20000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F	0.105	F	21000	G	
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>42000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F NA
West  664	City of Suffolk (Maint: 61)	0.57	<b>32000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F	0.089	F	35000	G	
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>65000</b>	<b>G</b>	93%	0%	1%	1%	5%	0%	F NA
						To:	ECL Chesapeake									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Nansemond Maintenance Area</b>																	
(690) Ennis Mill Rd	0.20	120	R			From	US 460 Pruden Blvd								NA	NA	1999
(690) Ennis Mill Rd	0.10	160	R			To	46-636 Old Suffolk Rd								NA	NA	1999
						To	WCL Suffolk										
<b>Isle of Wight County</b>																	
(600) Cherry Grove Rd N	0.13	450	R			From	SR 10								NA	NA	02/05/2002
(600) Cherry Grove Rd N	0.07	460	R			To	61-1900								NA	NA	02/05/2002
						To	Isle of Wight County Line										
<b>City of Suffolk</b>																	
(600) Cherry Grove Rd N	0.40	420	R			From	Isle of Wight County Line								NA	NA	02/05/2002
						To	Isle of Wight County Line										
<b>Isle of Wight County</b>																	
(600) Cherry Grove Rd N	0.90	420	R			From	Isle of Wight County Line								NA	NA	02/05/2002
						To	61-604										
<b>City of Suffolk</b>																	
(600) Cherry Grove Rd N	2.43	420	R			From	61-604								NA	NA	02/05/2002
						To	61-1500										
(601) Audubon Rd	1.22	190	R			From	Isle of Wight County Line								NA	NA	02/05/2002
						To	61-603 Everett's Rd										
(602) Kirk Rd	0.60	460	G			From	61-603 Everett's Rd								C 0.118	F 0.578	460 G 2004
						To	Isle of Wight County Line										
(603) Everett's Rd	2.27	1800	G			From	Isle of Wight County Line								C 0.097	F 0.610	2000 G 2004
						To	61-742 Moore Farm Ln										
(603) Everett's Rd	0.97	1900	G			From	61-742 Moore Farm Ln								C 0.108	F 0.708	1900 G 2004
						To	SR 10 Godwin Blvd										
(604) Desert Rd	6.91	230	R			From	North Carolina State Line								NA	NA	02/05/2002
						To	61-642 White Marsh Rd										
(604) Hosier Rd	1.54	630	G			From	61-642 White Marsh Rd								F 0.101	F 0.713	630 G 2004
						To	61-674 NORTH										
(604) Hosier Rd	4.11	740	G			From	61-674 NORTH								C 0.109	F 0.684	800 G 2004
						To	61-1105 Mahlon Ave										
(604) Factory St	0.06	2600	G			From	61-1105 Mahlon Ave								F 0.097	F 0.539	2800 G 2004
						To	SCL Suffolk, Gap Terminus										
(604) Pitchkettle Rd	1.30	3100	G			From	Bus US 58; WCL Suffolk; Gap								C 0.114	F 0.566	3300 G 2004
						To	US 58 Suffolk Bypass										
(604) Pitchkettle Rd	2.55	1800	G			From	US 58 Suffolk Bypass								F 0.132	F 0.597	1900 G 2004
						To	61-634 W, Kings Fork Rd										
(604) Providence Rd	0.51	1200	G			From	61-634 W, Kings Fork Rd								C 0.11	F 0.628	1200 G 2004
						To	61-634 E, Kings Fork Rd										
(604) Lake Prince Dr	0.78	1900	G			From	61-634 E, Kings Fork Rd								C 0.1	F 0.663	1900 G 2004
						To	US 460										
(604) Lake Prince Dr	3.16	1300	G			From	US 460								F 0.102	F 0.648	1300 G 2004
						To	61-605 Girl Scout Rd										
(604) Lake Prince Dr						From	61-605 Girl Scout Rd										
						To	61-603 Everett's Rd										

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(605) Girl Scout Rd	2.08	430	R			From:	61-604 S, Lake Prince Dr				NA		NA	NA	02/05/2002	
(605) Milners Rd	1.90	430	N			To:	61-633 Cherokee Dr				NA		NA	NA	02/05/2002	
(606) Exeter Dr	1.60	450	R			From:	Isle of Wight County Line				NA		NA	NA	1999	
(607) Milford Lane	1.50	240	R			To:	61-604				NA		NA	NA	02/05/2002	
(607) Old Mill Rd	2.40	270	R			From:	61-739 Deer Path Rd				NA		NA	NA	02/05/2002	
(608) Ashburn Rd	1.30	400	R			To:	61-644 W, Indian Trail				NA		NA	NA	02/05/2002	
(608) Simons Dr	0.50	270	R			From:	61-644 E, Indian Trail				NA		NA	NA	02/05/2002	
(608) White Dr	0.60	280	R			To:	61-632 W, Old Myrtle Rd				NA		NA	NA	02/05/2002	
(609) Lonely Ln	0.40	90	R			From:	61-632 E, Old Myrtle Rd				NA		NA	NA	02/05/2002	
(610) Hare Rd	0.90	160	R			To:	Isle of Wight County Line				NA		NA	NA	02/05/2002	
(610) Pioneer Rd	1.30	220	R			From:	61-632				NA		NA	NA	02/05/2002	
(610) Buckhorn Rd	3.30	500	G	91%	2%	4%	0%	3%	0%	C	0.116	F	0.673	500	G	2004
(610) Buckhorn Rd	1.70	410	G	91%	2%	4%	0%	3%	0%	F	0.116	F	0.775	410	G	2004
(611) Gardner Ln	1.40	280	R			From:	61-650 W, Quince Rd				NA		NA	NA	02/05/2002	
(611) OKelly Dr	4.90	380	R			To:	61-650 E, Quince Rd				NA		NA	NA	02/05/2002	
(612) Kingsdale Rd	3.20	580	R			From:	US 58 EAST				NA		NA	NA	02/05/2002	
(612) Kingsdale Rd	0.20	90	G	94%	0%	2%	2%	2%	0%	F	0.116	F	0.775	90	G	2004
(613) Greenwood Rd	1.80	160	R			To:	61-653; Gap				NA		NA	NA	02/05/2002	
(613) Leafwood Rd	1.50	930	R			From:	61-740 Carr Ln				NA		NA	NA	02/05/2002	
(613) Elwood Rd	2.98	240	R			To:	Isle of Wight County Line				NA		NA	NA	02/05/2002	

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(614) Suburban Dr	0.18	2700	R			From: 61-642 Wilroy Rd									NA	NA	07/07/2002
(614) Suburban Dr	0.62	2900	G	93%	1%	To: 61-1344 Beaton St	1%	2%	2%	0%	C	0.089	F	0.613	2900	G	2004
(614) Suburban Dr	0.20	2700	R			From: Bus US 58									NA	NA	07/07/2002
(615) Jenkins Mill Rd	0.90	430	R			From: 61-616									NA	NA	02/05/2002
(616) Holy Neck Rd	1.70	790	R			From: Isle of Wight County Line									NA	NA	02/05/2002
(616) Holy Neck Rd	2.20	620	G	86%	3%	To: US 58	5%	0%	5%	0%	F	0.134	F	0.86	620	G	2004
(616) Holy Neck Rd	2.77	250	G	86%	3%	To: 61-661 SOUTH	5%	0%	5%	0%	C	0.115	F	0.692	250	G	2004
(616) Vicksburg Rd	1.69	240	G	86%	3%	To: 61-759 W	5%	0%	5%	0%	F	0.108	F	0.556	240	G	2004
(616) Longstreet Lane	0.10	NA				From: 61-660 S; Vicksburg Rd									NA	NA	
(616) Mineral Spring Rd	3.43	380	G	86%	3%	To: 61-660 N; Mineral Spring Rd	5%	0%	5%	0%	F	0.119	F	0.577	380	G	2004
(616) Mineral Spring Rd	1.48	400	G	86%	3%	To: 61-668	5%	0%	5%	0%	F	0.111	F	0.58	400	G	2004
(616) Mineral Spring Rd	0.92	410	R			To: US 13									NA	NA	02/05/2002
(616) Wedgewood Rd	2.10	370	R			To: 61-677 SOUTH									NA	NA	02/05/2002
(616) Round Tree Crescent	2.93	100	R			To: 61-677 NORTH									NA	NA	02/05/2002
(617) Stuart Dr	0.25	130	R			To: 61-642									NA	NA	02/05/2002
(618) Sandy Crest Lane	0.69	40	R			From: Isle of Wight County Line									NA	NA	02/05/2002
(619) Exchange Rd	0.15	220	R			To: 61-744									NA	NA	02/05/2002
(619) Exchange Rd	0.02	60	R			From: Cul-de-Sac									NA	NA	02/05/2002
(620) Ferry Point Rd	0.60	90	R			To: 61-714									NA	NA	02/05/2002
(620) Ferry Point Rd	2.20	50	R			To: 0.02 MN 61-714									NA	NA	02/05/2002
(621) Knotts Creek Ln	0.85	310	R			To: SR 125									NA	NA	02/05/2002
(621) Knotts Creek Ln						To: 0.60 MN SR 125									NA	NA	02/05/2002
(621) Knotts Creek Ln						To: 61-628 Crittenden Rd									NA	NA	02/05/2002
(621) Knotts Creek Ln						To: 61-626									NA	NA	02/05/2002
(621) Knotts Creek Ln						To: Dead End									NA	NA	02/05/2002

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(622) Waters Ave	0.40	80	R			From:	61-634 Kings Fork Rd									NA	NA	07/07/2002
						To:	Dead End											
(623) Respass Beach Rd	1.69	420	R			From:	61-658 Townpoint Rd									NA	NA	07/07/2002
						To:	61-654 N, Bay Circle											
(623) Bay Circle	0.08	60	R			From:	61-654 N; Respass Beach Rd									NA	NA	07/07/2002
						To:	Cul-de-Sac											
(624) Skeet Rd	0.12	150	R			From:	61-658									NA	NA	07/07/2002
						To:	Dead End											
(626) Shoulders Hill Rd	1.44	4800	G	92%	1%	5%	1%	2%	0%		C	0.094	F	0.519	5200	G	2004	
(626) Shoulders Hill Rd	1.63	5000	G	92%	1%	5%	1%	2%	0%		F	0.094	F	0.605	5400	G	2004	
(626) Knots Neck Road	0.38	1600	G	97%	0%	1%	1%	1%	0%		C	0.095	F	0.556	1600	G	2004	
(626) Knots Neck Road	0.17	1100	R			From:	61-621 Knotts Creek Ln									NA	NA	07/07/2002
						To:	61-2211 Concord Dr											
(626) Knots Neck Road	0.58	100	R			To:	Dead End									NA	NA	07/07/2002
(627) Bennetts Pasture Rd	1.36	3600	G	94%	1%	3%	0%	1%	0%		F	0.126	F	0.654	3900	G	2004	
(627) Bennets Pasture Rd	3.51	7200	G	94%	1%	3%	0%	1%	0%		C	0.091	F	0.563	7800	G	2004	
(628) Crittenden Rd	5.26	1800	G	90%	2%	4%	3%	2%	0%		C	0.104	F	0.528	1900	G	2004	
(629) Sleepy Hole Rd	3.57	970	R			From:	SR 337 SOUTH									NA	NA	07/07/2002
						To:	61-762 Schooner Blvd.											
(629) Sleepy Hole Rd	0.20	1900	R													NA	NA	07/07/2002
(629) Driver Lane	1.05	2400	G	98%	0%	1%	0%	0%	0%		C	0.093	F	0.587	2400	G	2004	
(630) Un-Named St	0.30	20	R			From:	Dead End									NA	NA	02/05/2002
						To:	SR 32											
(631) Raleigh Dr	0.25	160	R			From:	US 58									NA	NA	02/05/2002
						To:	Dead End											
(632) Old Myrtle Rd	5.70	460	R			From:	Isle of Wight County Line									NA	NA	02/05/2002
						To:	US 460											
(633) Cherokee Dr	1.00	230	R			From:	61-605									NA	NA	02/05/2002
						To:	Dead End											
(634) Kings Fork Rd	2.27	580	G	94%	2%	2%	1%	1%	0%		F	0.124	F	0.836	630	G	2004	
(634) Kings Fork Rd	1.70	1100	G	94%	2%	2%	1%	1%	0%		C	0.107	F	0.706	1200	G	2004	

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(634) Kings Fork Rd	0.64	2100	G	93%	1%	3%	2%	1%	0%	From: 61-604 West Pitchkettle Rd	C	0.122	F	0.809	2200	G	2004
(634) Kings Fork Rd	2.27	3000	G	93%	1%	3%	2%	1%	0%	To: US 460 Pruden Blvd	F	0.108	F	0.552	3200	G	2004
				From:	To:	SR 10 Godwin Blvd											
(635) Generl Early Dr	0.70	120	R			From: 61-638 Murphys Mill Rd					NA			NA		02/12/2002	
				To:	US 460 E, Pruden Blvd												
(635) Robs Dr	0.47	450	R			From: US 460 W, Pruden Blvd					NA			NA		02/12/2002	
				To:	61-634 Kings Fork Rd												
(636) Archers Mill Rd	1.60	370	R			From: 61-634 Kings Fork Rd					NA			NA		02/12/2002	
				To:	61-632												
(637) Lake Meade Dr	1.20	400	R			From: 61-644 Indian Trail					NA			NA		02/12/2002	
				To:	61-639 S, Lake Cohoon Rd												
(637) Lake Meade Dr	0.90	250	R			From: 61-639 N, Lake Cohoon Rd					NA			NA		02/12/2002	
				To:	61-634 Kings Fork Rd												
(638) Murphys Mill Rd	1.25	220	R			From: 61-604					NA			NA		02/12/2002	
				To:	FR-678												
(638) Murphys Mill Rd	1.36	210	R			From: Bus US 460					NA			NA		02/12/2002	
				To:	Bus US 460												
(639) Lake Cohoon Rd	0.30	120	R			From: Dead End					NA			NA		02/12/2002	
				To:	61-637 W, Lake Meade Dr												
(639) Lake Cohoon Rd	0.02	560	R			From: 61-637 E, Lake Meade Dr					NA			NA		02/12/2002	
				To:	61-637 E, Lake Meade Dr												
(639) Lake Cohoon Rd	1.73	540	R			From: 61-640 Lake Kilby Rd					NA			NA		02/12/2002	
				To:	61-640 Lake Kilby Rd												
(639) Lake Cohoon Rd	0.29	1300	R			From: 61-644 Indian Trail					NA			NA		02/12/2002	
				To:	61-644 Indian Trail												
(639) Lake Cohoon Rd	0.42	1900	G	90%	1%	3%	4%	3%	0%	From: Bus US 58 Holland Rd	C	0.1	F	0.568	2000	G	2004
				To:	Bus US 58 Holland Rd												
(640) Lake Kilby Rd	1.10	1100	R			From: 61-639 Lake Lohoon					NA			NA		02/12/2002	
				To:	61-604												
(641) Harvest Dr	2.30	420	R			From: 61-686					NA			NA		02/05/2002	
				To:	Isle of Wight County Line												
(642) Adams Swamp Rd	3.32	460	G	96%	0%	3%	0%	0%	0%	From: North Carolina State Line	C	0.107	F	0.884	460	G	2004
				To:	SR 32 S, Carolina Rd												
(642) White Marsh Rd	0.18	240	R			From: SR 32 N, Carolina Rd					NA			NA		02/05/2002	
				To:	61-616 Round Tree Cresent												
(642) White Marsh Rd	1.41	370	R			From: 1.41 MN 61-616					NA			NA		02/05/2002	
				To:	1.41 MN 61-616												
(642) White Marsh Rd	0.04	120	R			From: 61-675 S, Cypress Chappel Rd					NA			NA		02/05/2002	
				To:	61-675 S, Cypress Chappel Rd												
(642) White Marsh Rd	1.84	550	G	96%	1%	1%	0%	1%	0%	From: 61-604 Hosier Rd; Desert Rd	C	0.114	F	0.75	550	G	2004
				To:	61-604 Hosier Rd; Desert Rd												
(642) White Marsh Rd	1.95	400	R			From: 61-674 Badger Rd					NA			NA		02/05/2002	
				To:	61-674 Badger Rd												

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year				
						2Axle	3+Axle	1Trail	2Trail												
<b>City of Suffolk</b>																					
(642) White Marsh Rd	2.80	520	R			From:	61-674 Badger Rd									NA	NA	02/05/2002			
(642) White Marsh Rd	0.79	810	R			To:	2.80 MN 61-674									NA	NA	02/05/2002			
(642) White Marsh Rd	0.84	7400	G			From:	61-1125 Seminole Dr								C	0.093	F	0.535	8000	G	2004
(642) White Marsh Rd						To:	Old ECL Suffok; SR 337 Washington St														
(642) Highland Ave	0.07	10000	R			From:	Katherine St; Gap									NA	NA	NA	02/12/2002		
(642) Wilroy Rd	2.10	7100	F			From:	Cul-de-Sac beyond Trolley St; Gap														
(642) Wilroy Rd	1.77	8200	G			From:	Bus US 58 Constance Rd								C	0.092	F	0.546	7800	F	2004
(642) Wilroy Rd						To:	US 58														
(642) Wilroy Rd						From:	SR 337 Nansemond Pkwy								C	0.088	F	0.51	8800	G	2004
(643) Arthur Dr	0.20	400	R			From:	US 13 Whaleyville Blvd									NA	NA	NA	02/12/2002		
(643) Arthur Dr	0.11	260	R			To:	61-668 SOUTH														
(643) Arthur Dr						From:	61-668 NORTH									NA	NA	NA	02/12/2002		
(643) Arthur Dr	3.51	180	R			To:	61-616 W. Mineral Spring Rd									NA	NA	NA	02/12/2002		
(643) Manning Rd	2.56	520	G			From:	61-616 E. Mineral Spring Rd								F	0.116	F	0.807	520	G	2004
(643) Manning Rd						To:	61-663 Leesville Rd														
(643) Manning Rd	2.32	800	G			From:	61-663 Leesville Rd								F	0.118	F	0.724	810	G	2004
(643) Manning Rd	1.30	1100	G			To:	61-647 Copeland Rd														
(643) Manning Rd						From:	61-647 Copeland Rd								C	0.105	F	0.72	1100	G	2004
(643) Manning Bridge Rd	0.94	650	R			To:	61-645; Manning Bridge Rd														
(643) Manning Bridge Rd						From:	61-645 Manning Rd									NA	NA	NA	02/12/2002		
(643) Manning Bridge Rd	0.81	560	R			To:	0.94 MN 61-645														
(643) Manning Bridge Rd						From:	US 58 Holland Rd									NA	NA	NA	02/12/2002		
(644) Indian Trail	1.90	150	R			From:	Bus US 58									NA	NA	NA	02/12/2002		
(644) Indian Trail	1.10	220	R			To:	61-612									NA	NA	NA	02/12/2002		
(644) Indian Trail						From:	61-612														
(644) Indian Trail	1.70	360	G			To:	61-740 Carr Ln								F	0.103	F	0.549	360	G	2004
(644) Indian Trail						From:	61-740 Carr Ln														
(644) Indian Trail	3.70	510	G			To:	61-610								F	0.124	F	0.586	510	G	2004
(644) Indian Trail						From:	61-610														
(644) Indian Trail	2.30	600	G			To:	61-634 Kings Fork Rd								C	0.111	F	0.667	600	G	2004
(644) Indian Trail						From:	61-634 Kings Fork Rd														
(644) Indian Trail	0.60	1200	G			To:	61-738 Kenyon Rd								F	0.117	F	0.720	1300	G	2004
(644) Indian Trail						From:	61-738 Kenyon Rd														
(644) Indian Trail	1.18	1100	G			To:	61-637 Lake Meade Dr								C	0.117	F	0.671	1200	G	2004
(644) Indian Trail						From:	61-637 Lake Meade Dr														
(645) Manning Rd	1.70	810	G			To:	61-639 Lake Kilby Rd														
(645) Manning Rd						From:	61-639 Lake Kilby Rd														
(645) Manning Rd	1.50	1500	G			To:	61-643 Manning Bridge Rd								C	0.117	F	0.764	880	G	2004
(645) Manning Rd						From:	61-643 Manning Bridge Rd														
(645) Manning Rd						To:	Urban Boundary														
(645) Manning Rd						From:	Urban Boundary														
(645) Manning Rd						To:	US 58 Holland Rd														

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year			
						2Axle	3+Axle	1Trail	2Trail										
<b>City of Suffolk</b>																			
(646) Airport Rd	0.48	130	R			From:	SR 32 Carolina Rd								NA	NA	07/09/2002		
(646) Airport Rd	0.23	140	R			To:	61-647 Copeland Rd							NA	NA	07/09/2002			
(646) Airport Rd	1.16	120	R			To:	0.23 M FRM 61-647							NA	NA	07/09/2002			
(646) Airport Rd	1.00	250	R			From:	61-674							NA	NA	07/09/2002			
(646) Airport Rd	0.40	1100	G			To:	61-705 Meadow Country Rd							0.201	F	0.656	1100	G	2004
(646) Old Somerton Rd	0.90	200	R			From:	US 13; SR 32 Carolina Rd							NA	NA	07/09/2002			
(647) Chappel Dr	2.00	230	R			To:	61-688 Turlington Rd							NA	NA	07/09/2002			
(647) Lummis Rd	0.20	1400	R			From:	61-610 Buckhom Rd							NA	NA	07/09/2002			
(647) Copeland Rd	2.50	760	R			To:	US 58 WEST							NA	NA	07/09/2002			
(647) Copeland Rd	0.65	990	R			From:	US 58 EAST							NA	NA	07/09/2002			
(647) Copeland Rd	1.75	720	R			To:	61-649 Lummis Rd							NA	NA	07/09/2002			
(647) Copeland Rd	1.54	720	R			From:	61-643 Manning Bridge Rd							NA	NA	07/09/2002			
(648) Porterfield Ln	0.44	120	R			To:	61-685 Jackson Rd							NA	NA	07/09/2002			
(648) Porterfield Ln	1.56	190	R			From:	US 13 Whaleyville Blvd							NA	NA	07/09/2002			
(649) Lummis Rd	3.48	120	R			To:	61-646 Airport Rd							NA	NA	07/09/2002			
(650) Quince Rd	1.90	130	R			From:	61-759							NA	NA	07/09/2002			
(651) Barnes Rd	2.40	210	R			To:	61-649							NA	NA	07/09/2002			
(651) Barnes Rd	1.20	120	R			From:	61-647							NA	NA	07/09/2002			
(652) Williams Rd	0.63	1900	R			To:	61-660							NA	NA	07/09/2002			
(653) Glen Haven Drive East	1.77	210	R			From:	61-686							NA	NA	07/09/2002			
(653) Glen Haven Drive	1.47	240	R			To:	Bus US 58							NA	NA	07/09/2002			
(653) Glen Haven Drive	0.13	900	R			From:	61-1808							NA	NA	07/09/2002			
(653) Glen Haven Drive						To:	61-642							NA	NA	07/09/2002			
(653) Glen Haven Drive						From:	Isle of Wight County Line							NA	NA	07/09/2002			
(653) Glen Haven Drive						To:	Bus US 58 WEST							NA	NA	07/09/2002			
(653) Glen Haven Drive						From:	US 58 BUS MID							NA	NA	07/09/2002			
(653) Glen Haven Drive						To:	61-612 Kingsdale Rd							NA	NA	07/09/2002			
(653) Glen Haven Drive						From:	US 58 BUS EAST							NA	NA	07/09/2002			

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(653) Dutch Rd	0.34	590	G	91%	1%	6%	1%	1%	0%	From: US 58 BUS EAST	C	0.091	F	0.66	590	G	2004
(653) Dutch Rd	2.78	540	G	91%	1%	6%	1%	1%	0%	To: 61-1201	F	0.105	F	0.612	540	G	2004
				From:		61-759 NORTH				To: 61-759 SOUTH							
(653) Holland Corner Rd	2.17	230	G	87%	5%	7%	0%	1%	0%	From: 61-616 Mineral Spring Rd	C	0.153	F	0.594	230	G	2004
				From:		61-623 SOUTH				To: 61-623 NORTH							
(654) Bay Circle	0.53	400	R										NA		NA		02/14/2002
				To:		61-651											
(655) Brentwood Rd	0.90	140	R							From: US 58			NA		NA		02/14/2002
				From:		61-658 Town Point Rd Connection to US 17				To: Dead End							
(656) Town Point Rd	0.08	30	R										NA		NA		02/14/2002
				To:		61-616											
(657) Elbow Rd	0.40	40	R							From: 61-686			NA		NA		02/14/2002
				To:		61-659 Pughsville Rd											
(658) Town Point Rd	1.36	1100	G	97%	1%	2%	0%	0%	0%	From: 61-2276 Plummer Blvd	C	0.1	F	0.542	1200	G	2004
				To:		US 17 Bridge Rd; Gap					F	0.11	F	0.507	2400	G	2004
(658) Town Point Rd	0.46	2300	G	97%	1%	2%	0%	0%	0%	From: Harbor View Blvd.; Gap							
				To:		61-2253 Brookwood Dr					F	0.086	F	0.522	3400	G	2004
(658) Town Point Rd	0.18	5500	G	97%	0%	2%	0%	1%	0%	From: SR 135 College Dr	C	0.081	F	0.522	6000	G	2004
				To:		61-626 N, Shoulders Hill Rd											
(659) Pughsville Rd	1.28	3200	G	95%	1%	3%	1%	1%	0%	From: WCL Chesapeake	C	0.095	F	0.555	3500	G	2004
				To:		61-668											
(660) Longstreet Ln	3.70	230	R							From: 61-616 SOUTH			NA		NA		02/14/2002
				To:		61-616 N, Shoulders Hill Rd											
(660) Longstreet Ln	5.50	630	R							From: US 58			NA		NA		02/14/2002
				To:		61-666 Gates Rd											
(661) Ellis Rd	2.30	370	R							From: 61-616 S, Holy Neck Rd			NA		NA		02/14/2002
				To:		61-616 N, Holy Neck Rd											
(661) Southwestern Blvd	2.50	370	R							From: 61-612 S, OKelly Dr			NA		NA		02/14/2002
				To:		61-612 N, OKelly Dr											
(661) Southwestern Blvd	1.20	160	R							From: 61-660 Longstreet Ln			NA		NA		02/14/2002
				To:		61-643 Manning Bridge Rd											
(662) Box Elder Rd	2.40	200	R							From: 61-759 EAST			NA		NA		02/14/2002
				To:		61-759 WEST											
(662) Box Elder Rd	1.10	60	R							From: 61-649			NA		NA		02/14/2002
				To:		61-649											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year					
						2Axle	3+Axle	1Trail	2Trail												
<b>City of Suffolk</b>																					
(663) Leesville Rd	1.00	200	R			From:	61-662								NA	NA	02/14/2002				
						To:	61-643 Manning Bridge Rd														
(665) Progress Rd	0.90	3800	R			From:	61-642								NA	NA	02/14/2002				
						To:	SR 337														
(666) Gates Rd	2.10	1300	G			From:	61-759								F	0.089	F	0.629	1300	G	2004
						To:	61-661								F	0.093	F	0.6	1300	G	2004
(666) Gates Rd	3.37	1300	G			From:	61-746								C	0.096	F	0.606	1600	G	2004
						To:	71% SR 189														
(667) Corinth Chapel Rd	1.10	30	R			From:	Dead End								NA	NA	NA	NA	02/14/2002		
						To:	61-745 Camp Pond Rd														
(667) Corinth Chapel Rd	4.80	130	R			From:	61-759 WEST								NA	NA	NA	NA	02/14/2002		
						To:	61-759 EAST														
(667) Butler Dr	1.90	130	R			From:	61-660 Longstreet Ln								NA	NA	NA	NA	02/14/2002		
						To:	North Carolina State Line														
(668) Pittmantown Rd	1.00	70	R			From:	North Carolina State Line								NA	NA	NA	NA	02/14/2002		
						To:	North Carolina State Line														
(668) Pittmantown Rd	0.20	48	R			From:	61-759 SOUTH								NA	NA	NA	NA	02/14/2002		
						To:	61-759 NORTH														
(668) Pittmantown Rd	4.00	220	R			From:	61-643 S, Arthur Dr								NA	NA	NA	NA	02/14/2002		
						To:	61-643 N, Arthur Dr														
(668) Boonetown Rd	0.34	210	R			From:	US 13 SOUTH								NA	NA	NA	NA	02/14/2002		
						To:	US 13 MID														
(668) Freeman Mill Rd	2.20	170	R			From:	61-671 Spivey Run Rd								NA	NA	NA	NA	02/14/2002		
						To:	US 13 NORTH														
(668) Freeman Mill Rd	4.50	380	R			From:	North Carolina State Line								NA	NA	NA	NA	02/14/2002		
						To:	61-668														
(669) Robbie Rd	0.80	100	R			From:	US 13 W, Whaleyville Blvd								NA	NA	NA	NA	02/14/2002		
						To:	North Carolina State Line														
(670) Drum Hill Rd	1.00	320	R			From:	US 13 E, Whaleyville Blvd								NA	NA	NA	NA	02/18/2002		
						To:	North Carolina State Line														
(670) Collins Rd	2.00	320	N			From:	61-643 Manning Bridge Rd								NA	NA	NA	NA	02/18/2002		
						To:	61-668														
(671) Spivey Run Rd	1.70	130	R			From:	US 13								NA	NA	NA	NA	02/18/2002		
						To:	US 13														
(672) Little Fork Rd	3.60	140	R			From:	North Carolina State Line								NA	NA	NA	NA	02/18/2002		
						To:	North Carolina State Line														
(673) Gates Rd	1.00	220	R			From:	North Carolina State Line								NA	NA	NA	NA	02/18/2002		
						To:	61-642 S, Adams Swamp Rd														

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year				
						2Axle	3+Axle	1Trail	2Trail											
<b>City of Suffolk</b>																				
(673) Greenway Rd	6.20	130	R			From:	61-642 N, Adams Swamp Rd								NA	NA	02/18/2002			
						To:	US 13 S, Whaleyville Blvd													
(673) Liberty Spring Rd North	0.06	590	R			From:	US 13 N, Whaleyville Blvd								NA	NA	02/18/2002			
						To:	61-759 W, Liberty Spring Rd West													
(673) Liberty Spring Rd North	2.00	430	R			From:	61-759 E, Liberty Spring Rd West								NA	NA	02/18/2002			
						To:	61-647 Copeland Rd													
(674) Skeetertown Rd	0.50	120	R			From:	61-646 Airport Rd								NA	NA	1999			
						To:	0.50 M FRM 61-646													
(674) Skeetertown Rd	0.90	120	R			From:	61-705 Meadow Country Rd								NA	NA	02/18/2002			
						To:	61-604 N, Hosier Rd								NA	NA	02/18/2002			
(674) Skeetertown Rd	0.40	530	R			From:	61-604 S, Hosier Rd								NA	NA	02/18/2002			
						To:	61-642 White Marsh Rd													
(675) Cypress Chapel Rd	3.60	160	G			From:	US 13 Whaleyville Blvd	86%	5%	7%	0%	3%	0%	C	0.124	F	0.5	160	G	2004
						To:	SR 32 Carolina Rd													
(675) Cypress Chapel Rd	0.50	180	G			From:	61-642 S, White Marsh Rd	92%	3%	4%	1%	1%	0%	C	0.127	F	0.55	180	G	2004
						To:	61-642 N, White Marsh Rd													
(675) Clay Hill Rd	1.80	70	R			From:	61-604 Desert Rd								NA	NA	02/18/2002			
						To:	61-604 Desert Rd													
(676) Whaley St	0.65	460	R			From:	US 13 Whaleyville Rd								NA	NA	02/18/2002			
						To:	61-677 S, Great Fork Rd													
(676) Lucy Cross Rd	0.02	40	R			From:	61-677 N, Great Fork Rd								NA	NA	02/18/2002			
						To:	0.02 ME 61-677													
(676) Lucy Cross Rd	0.88	90	R			From:	61-616 Wedgewood Rd								NA	NA	02/18/2002			
						To:	61-616 Wedgewood Rd													
(677) Great Fork Rd	3.60	1500	G			From:	North Carolina State Line	95%	1%	2%	0%	2%	0%	C	0.104	F	0.766	1500	G	2004
						To:	US 13 Whaleyville Blvd													
(678) Cherry Grove Rd	2.60	100	R			From:	61-673 Greenway Rd								NA	NA	02/18/2002			
						To:	61-642 N, Adams Swamp Rd													
(678) Deer Forest Rd	3.30	70	R			From:	61-642 S, Adams Swamp Rd								NA	NA	02/18/2002			
						To:	61-604 Desert Rd													
(679) New Rd	2.90	380	R			From:	SR 272								NA	NA	02/18/2002			
						To:	61-616													
(680) Trumpet Dr	1.60	150	R			From:	61-612								NA	NA	02/18/2002			
						To:	61-661													
(681) Njoyner Ct	0.40	130	R			From:	61-639 Lake Lohoon								NA	NA	02/18/2002			
						To:	Dead End													
(682) Labrador Ln	0.94	480	R			From:	61-604								NA	NA	1999			
						To:	Cul-de-Sac													

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(683) Benton Rd	1.00	630	R			From: Dead End						NA			NA		02/18/2002
						To: US 13											
(684) Sweatt Rd	1.70	60	R			From: 61-672						NA			NA		02/18/2002
						To: North Carolina State Line											
(685) Jackson Rd	3.20	610	R			From: 61-647						NA			NA		02/18/2002
						To: 61-688 Turlington Rd											
(686)	0.10	30	R			From: 0.10 MS 61-616 W						NA			NA		02/18/2002
						To: 61-616 W, Holy Neck Rd											
(686)	1.00	160	R			From: 61-616 MID						NA			NA		02/18/2002
						To: US 58 South Quay Rd											
(686)	0.73	120	R			From: 61-616 E, Holy Neck Rd						NA			NA		02/18/2002
						To: US 58 South Quay Rd											
(687) Edwards Ave	0.31	190	R			From: Bus US 460						NA			NA		02/18/2002
						To: 61-1810											
(688) Turlington Rd	3.16	2200	F	97%	1%	1%	0%	0%	0%	C	0.094	F	0.609	2400	F	2004	
						To: US 13 Carolina Rd											
						From: 61-1722 Kilby Shores Rd											
(689) Clover Ln	0.79	47	R			From: 61-673						NA			NA		02/18/2002
						To: Dead End											
(690) Lida Ave	0.18	370	R			From: Bus US 460						NA			NA		02/18/2002
						To: 61-687											
(691) Emma Ave	0.06	220	R			From: 61-1810						NA			NA		02/18/2002
						To: 61-690											
(691) Emma Ave	0.06	50	R			From: 61-687						NA			NA		02/18/2002
						To: 61-628 Crittenden Rd											
(692) Cotton Farm Ln	0.78	250	R			From: Dead End						NA			NA		02/18/2002
						To: Dead End											
(693) Macedonia Ave	0.14	150	R			From: Dead End						NA			NA		02/18/2002
						To: 61-628 Crittenden Rd											
(694) Sawmill Point Rd	0.23	130	R			From: Dead End						NA			NA		02/18/2002
						To: 61-628 Crittenden Rd											
(695) Mockingbird Ln	1.25	370	R			From: 61-743						NA			NA		02/18/2002
						To: Dead End											
(696) Gaskins Ln	0.18	200	R			From: 61-697						NA			NA		02/18/2002
						To: 61-701											
(697) Colonial Dr	0.54	490	R			From: 61-2023 Lake Rd						NA			NA		02/18/2002
						To: 61-627 Bennets Pasture Rd											
(697) Eberwine Lane	0.74	490	N			From: Dead End						NA			NA		02/18/2002
						To: Dead End											
(698) Moores Point Rd	1.03	520	R			From: 61-628 Crittenden Rd						NA			NA		02/18/2002
						To: Dead End											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(699)	0.09	250	R			From: Dead End						NA			NA		02/18/2002
						To: 61-635 Robs Dr											
(700) Hudgins Circle	0.20	130	R			From: 61-693						NA			NA		02/18/2002
						To: 61-628 Crittenden Rd											
(701) Lee Farm Ln	0.60	3500	R			From: 61-627						NA			NA		02/18/2002
						To: US 17											
(702) Ferry Rd	0.58	40	R			From: Dead End						NA			NA		02/18/2002
						To: 61-732											
(702) Ferry Rd	0.12	350	R			From: 61-626						NA			NA		02/18/2002
						To: US 17; 61-627											
(703) Bennetts Creek Ln	0.45	210	R			From: Dead End						NA			NA		02/18/2002
						To: US 17											
(704) Sumner St	0.10	130	R			From: Dead End						NA			NA		02/18/2002
						To: 61-616											
(705) Meadow Country Rd	0.89	550	G	95%	2%	2%	0%	1%	0%	C	0.103	F	0.6	560	G	2004	
						From: 61-646 Airport Rd											
(705) Meadow Country Rd	0.91	530	G			To: 0.89 ME 61-646				0.089	F	0.55	530	G	2004		
						To: 61-674											
(706) Hillpoint Blvd	1.30	420	R			From: 61-1750						NA			NA		02/18/2002
						To: Dead End											
(707) Mount Lebanon Ave	0.24	260	R			From: 61-628 Crittenden Rd						NA			NA		02/18/2002
						To: Dead End											
(708) Longwood Ave	0.30	200	R			From: Dead End						NA			NA		02/18/2002
						To: Bus US 460											
(709) Edgewood Ave	0.10	100	R			From: Dead End						NA			NA		02/18/2002
						To: Bus US 460											
(710) Palmyra Dr	0.22	150	R			From: 61-1813						NA			NA		02/18/2002
						To: Bus US 460											
(711) Kilby Ln	0.11	180	R			From: Dead End						NA			NA		02/18/2002
						To: 61-738											
(712) Chuckatuck Ln	0.14	110	R			From: Dead End						NA			NA		02/20/2002
						To: SR 125											
(713) Hunters Court	0.08	80	R			From: Dead End						NA			NA		02/20/2002
						To: 61-658											
(714) Jordan Ave	0.07	100	R			From: Bus US 460						NA			NA		02/20/2002
						To: 61-619											
(715) Nansemond Crescent	0.76	440	R			From: 61-2022 Nansemond Dr South						NA			NA		02/20/2002
						To: 61-2023 N. Lake Rd											

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(715) Nansemond Drive North	0.53	440	N			From: 61-2023 N, Lake Rd					NA		NA	NA	02/20/2002
						To: 61-717 North Shore Dr									
(715) North Shore Drive	0.05	NA				From: 61-717; Nansemond Drive North					NA		NA	NA	
						To: 61-627 Bennets Pasture Rd									
(716) Holly Rd	0.24	170	R			From: 61-715 SOUTH					NA		NA	NA	02/20/2002
						To: 61-728									
(717) North Shore Drive	0.33	250	R			From: 61-728 Country Club Dr					NA		NA	NA	02/20/2002
						To: 61-2018									
(717) North Shore Drive	0.14	480	R			From: 61-2018					NA		NA	NA	02/20/2002
						To: 61-715 .									
(718) Upton Pl	0.17	340	R			From: 61-720					NA		NA	NA	02/20/2002
						To: US 17									
(719) Carters Cove Rd	0.30	130	R			From: 61-718					NA		NA	NA	02/20/2002
						To: Dead End									
(720) Adams Dr	0.91	190	R			From: 61-1535					NA		NA	NA	02/20/2002
						To: 61-719									
(721) Barbara Dr	0.11	80	R			From: 61-642					NA		NA	NA	02/20/2002
						To: Dead End									
(722) Beechwood Dr	0.14	390	R			From: Cul-de-Sac					NA		NA	NA	02/20/2002
						To: 61-723 SOUTH									
(722) Beechwood Dr	0.32	830	R			From: 61-723 SOUTH					NA		NA	NA	02/20/2002
						To: US 58									
(723) Gene Ave	0.25	180	R			From: 61-722 NORTH					NA		NA	NA	02/20/2002
						To: 61-722 SOUTH									
(724) Frazier Ave	0.16	380	R			From: Dead End					NA		NA	NA	02/20/2002
						To: 61-725									
(724) Frazier Ave	0.05	340	R			From: 61-725					NA		NA	NA	02/20/2002
						To: 61-626									
(725) Wayne Ave	0.13	120	R			From: 61-724					NA		NA	NA	02/20/2002
						To: 61-702									
(726) St. Ann Ave	0.10	100	R			From: Bus US 58					NA		NA	NA	02/20/2002
						To: Dead End									
(727) Freeman St	0.17	45	R			From: 61-624					NA		NA	NA	02/20/2002
						To: 61-658									
(728) Country Club Dr	0.36	300	R			From: Dead End					NA		NA	NA	02/20/2002
						To: 61-2018									
(729) Cook Rd	0.11	100	R			From: 61-730					NA		NA	NA	02/20/2002
						To: 61-626									
(730) Walden Rd	0.13	100	R			From: US 17					NA		NA	NA	02/20/2002
						To: Dead End									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(731) Dill Rd	0.29	4400	F	90%	2%	2%	1%	5%	0%	From US 13 Carolina Rd	C	0.078	F	0.596	4800	F	2004
(731) Dill Rd	0.37	50	R	From 61-1111 WEST	To 61-1111 E; 61-1116						NA			NA		02/20/2002	
(732) Hazelcroft Dr	0.14	110	R	From 61-724	To 61-702						NA			NA		02/20/2002	
(733) Winborne Dr	0.12	110	R	From Dead End	To 61-732						NA			NA		02/20/2001	
(734) Anne St	0.51	290	R	From 61-760 SOUTH	To SR 10						NA			NA		02/20/2002	
(735) Swine Evaluation St Rd	0.23	0	R	From 61-610	To Dead End						NA			NA		03/04/2002	
(736) Joshua Ln	1.60	340	R	From 61-636	To 61-634 Kings Fork Rd						NA			NA		03/04/2002	
(737) Little Creek Rd	1.30	160	R	From 61-632	To 61-634 Kings Fork Rd						NA			NA		03/04/2002	
(738) Kenyon Rd	0.08	1300	R	From US 58; 61-9215	To 61-711						NA			NA		03/04/2002	
(738) Kenyon Rd	0.72	890	R	From 0.72 MN 61-711	To 61-644 Indian Trail						NA			NA		03/04/2002	
(738) Kenyon Rd	0.40	1300	R	From 61-644 WEST	To 61-644 EAST						NA			NA		03/04/2002	
(740) Carr Ln	0.80	70	G	92%	4%	3%	1%	0%	0%	From 61-612	C	0.139	F	0.556	70	G	2004
(741) Pembroke Ln	1.90	170	R	From SR 10; 61-9271	To Dead End						NA			NA		03/04/2002	
(742) Moore Farm Ln	1.30	350	R	From 61-603 Everett's Rd	To SR 10						NA			NA		03/04/2002	
(743) Matoaka Rd	1.78	540	R	From 61-634 Kings Fork Rd	To 61-605						NA			NA		03/04/2002	
(744) Jasmine Ln	0.93	48	R	From Dead End	To 61-616						NA			NA		03/04/2002	
(745) Camp Pond Rd	4.67	170	R	From North Carolina State Line	To 61-666						NA			NA		03/04/2002	
(746) Wildwood Dr	1.13	130	R	From SR 189	To 61-666						NA			NA		03/04/2002	

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year						
						2Axle	3+Axle	1Trail	2Trail													
<b>City of Suffolk</b>																						
(747) Wyanoke Trail	1.16	40	R			From: Dead End									NA	NA	03/04/2002					
						To: SR 189																
(749) Sleepy Hole Park Rd	0.29	500	R			From: 61-629									NA	NA	03/04/2002					
						To: Dead End																
(750) Five Mile Rd	0.17	140	R			From: Dead End									NA	NA	03/04/2002					
						To: SR 10																
(751) Harrell Dr	0.14	150	R			From: SR 10									NA	NA	03/04/2002					
						To: 61-753																
(752) Rosemary St	0.09	70	R			From: 61-751									NA	NA	03/04/2002					
						To: Dead End																
(753) Cardinal Ln	0.10	49	R			From: Dead End									NA	NA	03/04/2002					
						To: 61-751																
(754) Rosewood Dr	0.21	120	R			From: Dead End									NA	NA	03/04/2002					
						To: US 13																
(755) Shellito Ln	0.50	70	R			From: 61-643 Manning Bridge Rd									NA	NA	03/04/2002					
						To: Dead End																
(756) Oscar Babb Ln	0.33	100	R			From: 61-759									NA	NA	03/04/2002					
						To: Dead End																
(757) Bennetts Creek Park Rd	1.03	1600	R			From: Dead End									NA	NA	03/04/2002					
						To: 61-626																
(758) Robin Ln	0.57	630	R			From: Dead End									NA	NA	03/04/2002					
						To: US 58																
(759) Short Lane	0.12	1400	G			From: North Carolina State Line									F	0.105	F	0.508	1400	G	2004	
						To: 61-668 S. Pittmantown Rd																
(759) Gates Rd	1.23	1800	G			From: 61-668 N. Pittmantown Rd									F	0.088	F	0.601	1800	G	2004	
						To: 61-666; Pineview Rd																
(759) Pineview Rd	3.75	80	G			From: 61-666 Gates Rd									C	0.182	F	0.643	80	G	2004	
						To: 61-616 W. Holy Neck Rd																
(759) Quaker Dr	3.39	260	R			From: 61-616 W. Vicksburg Rd																
						To: 61-653 S. Holland Corner Rd																
(759) Quaker Dr	0.16	700	G			From: 61-653 S. Holland Corner Rd									F	0.111	F	0.671	700	G	2004	
						To: 61-653 N. Dutch Rd																
(759) Quaker Dr	3.18	200	R			From: 61-643 N. Manning Rd																
						To: 61-643 S. Manning Rd																
(759) Liberty Spring Rd West	2.28	640	R			From: US 13 SOUTH																
						To: US 13 NORTH																
(759) Babbtown Rd	2.12	300	R			From: SR 32																
						To: 61-642 White Marsh Rd																
(759) Babbtown Rd	1.58	60	R			From: 61-642 White Marsh Rd																

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b><u>City of Suffolk</u></b>															
(760) Margaret Ave	0.10	130	R			From:	61-734 SOUTH				NA		NA	NA	04/16/2002
						To:	61-734 NORTH								
(761) Bob House Pkwy	0.41	100	R			From:	SR 125				NA		NA	NA	04/16/2002
						To:	Dead End								
(762) Schooner Blvd.	1.31	750	R			From:	61-629				NA		NA	NA	04/16/2002
						To:	End of Loop								
(763) Ainslie Court North	0.24	40	R			From:	Dead End				NA		NA	NA	04/16/2002
						To:	61-606 Exeter Dr								
(763) Ainslie Court South	0.20	40	R			From:	Cul-de-Sac				NA		NA	NA	04/16/2002
						To:									
(764) Wesley Ln	0.07	20	R			From:	61-765				NA		NA	NA	04/16/2002
						To:	61-761								
(765) Mulberry Ln	0.07	10	R			From:	Dead End				NA		NA	NA	04/16/2002
						To:	61-764								
(766) Jordan Circle	0.03	30	R			From:	SR 10				NA		NA	NA	04/16/2002
						To:	61-767								
(766) Jordan Circle	0.04	20	R			From:	Dead End				NA		NA	NA	04/16/2002
						To:									
(767) Dykes Park Ln	0.06	30	R			From:	61-766				NA		NA	NA	04/16/2002
						To:	Cul-de-Sac								
(768) Northgate Ln	0.24	200	R			From:	Cul-de-Sac				NA		NA	NA	04/16/2002
						To:	Bus US 460								
(769) Lake Point Rd	0.40	220	R			From:	Dead End				NA		NA	NA	04/16/2002
						To:	61-604								
(770)	0.51	10	R			From:	61-745				NA		NA	NA	04/16/2002
						To:	61-745								
(771) Sack Point Rd	0.37	280	R			From:	SR 10				NA		NA	NA	04/16/2002
						To:									
(771) Sack Point Rd	0.13	70	R			From:	61-772				NA		NA	NA	04/16/2002
						To:	Dead End								
(772) Sadler Dr	0.13	130	R			From:	61-771				NA		NA	NA	04/16/2002
						To:	Dead End								
(774) Hannah Hunt Blvd.	0.24	770	R			From:	SR 10				NA		NA	NA	04/16/2002
						To:	Cul-de-Sac								
(777)	0.15	140	R			From:	US 58				NA		NA	NA	04/16/2002
						To:	Dead End								
(779)	0.04	40	R			From:	Dead End				NA		NA	NA	04/16/2002
						To:	SR 272								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(780) Burnett's Way	0.91	1600	R			From: SR 10; FR-675						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(781) Poplar Grove Cres.	0.13	240	R			From: 61-780						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(782) Abingdon Circle	0.10	110	R			From: 61-781						NA		NA		NA	04/16/2002
						To: 61-783											
(783) Timberneck Arch	0.14	200	R			From: 61-780						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(784) Hopemont Ln	0.10	390	R			From: 61-780						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(785) Burnett's Ct	0.12	40	R			From: Cul-de-Sac						NA		NA		NA	04/16/2002
						To: 61-780											
(786) Mallard Dr	0.28	40	R			From: 61-780						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(787) Widgeon Ct	0.15	20	R			From: 61-786						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(788) Teal Ct	0.04	20	R			From: 61-786						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(789) Wood Duck Ct	0.10	20	R			From: 61-786						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(790) Schooner Ct	0.03	90	R			From: 61-762						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(792) Kristen Ln	0.04	20	R			From: 61-780; 61-785						NA		NA		NA	04/16/2002
						To: 61-794											
(792) Kristen Ln	0.13	130	R			From: 61-794						NA		NA		NA	04/16/2002
						To: 61-793											
(792) Kristen Ln	0.06	30	R			From: 61-793						NA		NA		NA	04/16/2002
						To: 61-795											
(792) Kristen Ln	0.09	80	R			From: 61-795						NA		NA		NA	04/16/2002
						To: 61-796											
(792) Kristen Ln	0.18	100	R			From: 61-796						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(793) Toddsbury Ct	0.04	60	R			From: 61-792						NA		NA		NA	04/16/2002
						To: 61-794											
(793) Toddsbury Ct	0.07	100	R			From: 61-794						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											
(794) Elmington Way	0.11	100	R			From: 61-792						NA		NA		NA	04/16/2002
						To: 61-793											
(795) White Hall Arch	0.12	80	R			From: 61-792						NA		NA		NA	04/16/2002
						To: Cul-de-Sac											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(796) Eagle Point Cres.	0.12	80	R			From:	61-792					NA		NA	NA	04/16/2002
						To:	Cul-de-Sac									
(799) Lake View Pkwy	0.34	1300	R			From:	SR 135					NA		NA	NA	04/16/2002
						To:	Cul-de-Sac									
(805) Helen St	0.12	40	R			From:	SR 337					NA		NA	NA	04/16/2002
						To:	Dead End									
(810) Armstead Rd	0.71	NA				From:	SR-00135(B)/					NA		NA	NA	
						To:	Cul-de-Sac									
(815) Sportsman Blvd	0.30	70	R			From:	Dead End					NA		NA	NA	04/16/2002
						To:	SR 337									
(820) (Old) College Dr	0.18	110	R			From:	61-2250 SOUTH					NA		NA	NA	04/16/2002
						To:	61-2252									
(820) (Old) College Dr	0.26	170	R			From:	61-2250 NORTH					NA		NA	NA	04/16/2002
						To:	Dead End									
(820) (Old) College Dr	0.05	45	R			From:	US 17					NA		NA	NA	04/16/2002
						To:	Dead End									
(821) ( Existing Old College D	0.09	80	R			From:	US 17					NA		NA	NA	04/16/2002
						To:	Dead End									
(822) Townpoint Rd	0.07	20	R			From:	Dead End					NA		NA	NA	04/16/2002
						To:	Dead End									
(823) Townpoint Rd	0.46	100	R			From:	Dead End					NA		NA	NA	04/16/2002
						To:	61-658; 61-2253									
(1001) Kilby Ave	0.19	200	R			From:	Dead End					NA		NA	NA	04/16/2002
						To:	61-1010									
(1001) Kilby Ave	0.10	490	R			From:	61-1009					NA		NA	NA	04/18/2002
						To:	61-1009									
(1001) Kilby Ave	0.22	470	R			From:	61-1007					NA		NA	NA	04/18/2002
						To:	WCL Urban Boundary									
(1001) Kilby Ave	0.09	450	R			From:	Dead End					NA		NA	NA	04/18/2002
						To:	WCL Urban Boundary									
(1002) Brook Ave	0.33	180	R			From:	Dead End					NA		NA	NA	04/18/2002
						To:	61-1010									
(1002) Brook Ave	0.10	360	R			From:	61-1009					NA		NA	NA	04/18/2002
						To:	61-1009									
(1002) Brook Ave	0.11	540	R			From:	61-1008					NA		NA	NA	04/18/2002
						To:	61-1008									
(1002) Brook Ave	0.11	730	R			From:	61-1007					NA		NA	NA	04/18/2002
						To:	WCL Urban Boundary									
(1002) Brook Ave	0.09	800	R			From:	Dead End					NA		NA	NA	04/18/2002
						To:	WCL Urban Boundary									
(1003) Battery Ave	0.06	60	R			From:	Dead End					NA		NA	NA	04/18/2002
						To:	61-1010									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1003) Battery Ave	0.10	220	R			From:	61-1010					NA		NA	04/18/2002
(1003) Battery Ave	0.11	210	R			To:	61-1009					NA		NA	04/18/2002
(1003) Battery Ave	0.11	280	R			From:	61-1008					NA		NA	04/18/2002
(1003) Battery Ave	0.10	690	R			To:	61-1007					NA		NA	04/18/2002
(1003) Battery Ave						From:	WCL Urban Boundary								
(1004)	0.04	40	R			From:	Dead End					NA		NA	04/18/2002
(1004)	0.07	50	R			To:	Dead End; Gap Terminus					NA		NA	04/18/2002
(1004)	0.05	250	R			From:	61-1009					NA		NA	04/18/2002
(1004)						To:	61-1011								
(1004)	0.05	390	R			From:	61-1008					NA		NA	04/18/2002
(1004)	0.12	510	R			To:	61-1008					NA		NA	04/18/2002
(1004)						From:	61-1007								
(1004)	0.11	710	R			To:	WCL Urban Boundary					NA		NA	04/18/2002
(1005) Mason Ave	0.05	240	R			From:	61-1008					NA		NA	04/18/2002
(1005) Mason Ave	0.07	340	R			To:	61-1013					NA		NA	04/18/2002
(1005) Mason Ave	0.06	360	R			From:	61-1007					NA		NA	04/18/2002
(1005) Mason Ave						To:	61-1006								
(1005) Mason Ave	0.05	500	R			From:	WCL Urban Boundary					NA		NA	04/18/2002
(1006) First St	0.10	150	R			From:	61-1005					NA		NA	04/18/2002
(1006) First St						To:	Dead End								
(1007)	0.05	150	R			From:	61-1001					NA		NA	04/18/2002
(1007)	0.05	130	R			To:	61-1002					NA		NA	04/18/2002
(1007)	0.05	150	R			From:	61-1003					NA		NA	04/18/2002
(1007)						To:	61-1004								
(1007)	0.07	170	R			From:	61-1005					NA		NA	04/18/2002
(1007)	0.08	110	R			To:	Dead End					NA		NA	04/18/2002
(1008) Tradd St	0.05	190	R			From:	61-1002					NA		NA	04/18/2002
(1008) Tradd St	0.05	210	R			To:	61-1003					NA		NA	04/18/2002
(1008) Tradd St	0.04	180	R			From:	61-1004					NA		NA	04/18/2002
(1008) Tradd St						To:	61-1005								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1009) Cannon St	0.10	200	R			From:	61-1001				NA		NA	NA	04/18/2002
(1009) Cannon St	0.05	260	R			To:	61-1003				NA		NA	NA	04/18/2002
						To:	61-1004								
(1010) Hull St	0.03	100	R			From:	Dead End				NA		NA	NA	04/18/2002
(1010) Hull St	0.05	260	R			To:	61-1001				NA		NA	NA	04/18/2002
(1010) Hull St	0.05	140	R			From:	61-1002				NA		NA	NA	04/18/2002
(1010) Hull St	0.04	150	R			To:	61-1003				NA		NA	NA	04/18/2002
(1010) Hull St	0.07	300	R			From:	61-1004				NA		NA	NA	04/18/2002
(1011) Fifth St	0.04	280	R			To:	61-1004				NA		NA	NA	04/18/2002
(1011) Fifth St	0.05	30	R			From:	61-1012				NA		NA	NA	04/16/2002
						To:	Dead End								
(1012) Kennedy Ct	0.05	80	R			From:	Dead End				NA		NA	NA	04/16/2002
(1012) Kennedy Ct	0.05	60	R			To:	61-1011								
(1013) Third St	0.08	20	R			From:	61-1005				NA		NA	NA	04/16/2002
(1013) Third St	0.05	NA				To:	Dead End								
(1020) Greenfield Cres.	0.55	20	R			From:	US 13				NA		NA	NA	04/16/2002
(1020) Greenfield Cres.	0.55	20	R			To:	End Loop								
(1021)	0.05	NA				From:	Cul-de-Sac				NA		NA	NA	
(1021)	0.05	NA				To:	61-01020(B)/61-01022(U)/								
(1022)	0.05	NA				From:	61-01020(B)/61-01021(U)/				NA		NA	NA	
(1022)	0.05	NA				To:	Cul-de-Sac								
(1030)	0.95	20	R			From:	61-780 Burnetts Way				NA		NA	NA	04/16/2002
(1030)	0.95	20	R			To:	Cul-de-Sac								
(1031) Ruby Ct	0.05	30	R			From:	61-1030				NA		NA	NA	04/16/2002
(1031) Ruby Ct	0.05	30	R			To:	Cul-de-Sac								
(1032) Kinnards Ct	0.05	30	R			From:	Cul-de-Sac				NA		NA	NA	04/16/2002
(1032) Kinnards Ct	0.05	30	R			To:	61-1030; 61-1033								
(1033) Jonathans Way	0.05	20	R			From:	61-1030; 61-1032				NA		NA	NA	04/16/2002
(1033) Jonathans Way	0.05	20	R			To:	Cul-de-Sac								
(1034)	0.11	NA				From:	61-01030(B)/				NA		NA	NA	
(1034)	0.11	NA				To:	Cul-de-Sac								
(1035)	0.14	NA				From:	Cul-de-Sac				NA		NA	NA	
(1035)	0.14	NA				To:	61-01034(B)/								
(1036)	0.09	NA				From:	61-1030				NA		NA	NA	
(1036)	0.09	NA				To:	Cul-de-Sac								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1037)	0.17	NA				From:	61-1030										NA
						To:	Cul-de-Sac										NA
(1038)	0.14	NA				From:	61-1030										NA
						To:	Cul-de-Sac										NA
(1039)	0.05	NA				From:	Cul-de-Sac										NA
						To:	61-1030										NA
(1101) County St	0.62	3800	G	74%	1%	2%	3%	19%	0%		C	0.086	F	0.555	4100	G	2004
						From:	61-1111 Dill Rd										
						To:	Old Suffolk Corp Limits										
(1102)	0.09	170	R			From:	61-1101 County St										NA
						To:	61-1115										05/06/2002
(1102)	0.05	830	R			From:	61-1115										NA
						To:	61-1114										05/06/2002
(1102)	0.05	940	R			From:	61-1114										NA
						To:	61-1113										05/06/2002
(1102)	0.05	990	R			From:	61-1113										NA
						To:	61-1112										05/06/2002
(1102)	0.05	1000	R			From:	61-1112										NA
						To:	61-1103										05/06/2002
(1102)	0.07	1100	R			From:	61-1103										NA
						To:	SCL Urban Boundary										05/06/2002
(1103)	0.05	250	R			From:	61-1115										NA
						To:	61-1115										05/06/2002
(1103)	0.05	200	R			From:	61-1115										NA
						To:	61-1114										05/06/2002
(1103)	0.05	230	R			From:	61-1114										NA
						To:	61-1113										05/06/2002
(1103)	0.05	200	R			From:	61-1113										NA
						To:	61-1112										05/06/2002
(1103)	0.19	200	R			From:	61-1112										NA
						To:	61-1102										05/06/2002
(1104) Cedar St	0.05	120	R			From:	61-1102										NA
						To:	61-1115										05/06/2002
(1104) Cedar St	0.05	90	R			From:	61-1115										NA
						To:	61-1114										05/06/2002
(1104) Cedar St	0.02	5	R			From:	61-1114										NA
						To:	61-1113										05/06/2002
(1104) Cedar St	0.02	5	R			From:	61-1113										NA
						To:	Dead End										
(1105) Mahlon Ave	0.11	49	R			From:	61-604										NA
						To:	Dead End										05/06/2002
(1106) Lucerne Ave	0.11	130	R			From:	61-604										NA
						To:	Dead End										05/06/2002
(1107) Eola Ave	0.11	240	R			From:	61-604										NA
						To:	Dead End										05/06/2002
(1108) Wekiva Ave	0.11	100	R			From:	61-604										NA
						To:	Dead End										05/06/2002

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1109) Ocklawaha Ave	0.11	290	R			From:	61-604								NA	NA	05/06/2002
						To:	Dead End										
(1110) Harrison St	0.05	210	R			From:	61-1101 County St								NA	NA	05/06/2002
						To:	Dead End										
(1111) Dill Rd	0.39	100	G	56%	1%	8%	18%	18%	0%	C	0.218	F	0.526	100	G	2004	
						From:	61-1101 County St										
(1111) Dill Rd	0.07	320	R			From:	61-1116							NA	NA	05/06/2002	
						To:	61-1120							NA	NA	05/06/2002	
(1111) Dill Rd	0.04	500	R			From:	61-1119							NA	NA	05/06/2002	
						To:	61-1118							NA	NA	05/06/2002	
(1111) Dill Rd	0.05	430	R			From:	61-1117							NA	NA	10/23/2002	
						To:	61-1115							NA	NA	10/23/2002	
(1112) Raleigh Ave	0.08	30	R			From:	Dead End							NA	NA	10/23/2002	
						To:	61-1103										
(1112) Raleigh Ave	0.14	210	R			From:	61-1102							NA	NA	10/23/2002	
						To:	61-1104										
(1113) Woodrow Ave	0.12	220	R			From:	61-1103							NA	NA	10/23/2002	
						To:	61-1102										
(1113) Woodrow Ave	0.14	330	R			From:	61-1104							NA	NA	10/23/2002	
						To:	61-1103										
(1114) Lewis Ave	0.12	170	R			From:	61-1102							NA	NA	10/23/2002	
						To:	61-1104										
(1114) Lewis Ave	0.14	250	R			From:	61-1103							NA	NA	10/23/2002	
						To:	61-1102										
(1114) Lewis Ave	0.07	400	R			From:	61-1101 County St							NA	NA	10/23/2002	
						To:	61-1104										
(1115) Charlotte Ave	0.12	110	R			From:	61-1102							NA	NA	10/23/2002	
						To:	61-1103										
(1115) Charlotte Ave	0.08	320	R			From:	61-1111							NA	NA	10/23/2002	
						To:	61-1101 County St										
(1115) Charlotte Ave	0.04	240	R			From:	61-1102							NA	NA	10/23/2002	
						To:	61-1111										
(1116) Bidwell St	0.07	20	R			From:	61-1111							NA	NA	10/23/2002	
						To:	61-1101 County St										
(1117)	0.06	10	R			From:	Dead End							NA	NA	10/23/2002	
						To:	61-1111										
(1117)	0.11	230	R			From:	61-1101 County St							NA	NA	10/23/2002	
						To:	61-1111										

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1117)	0.17	1600	R			From:	61-1101 County St				NA		NA	NA	10/23/2002
(1117)	0.09	70	R			To:	61-604				NA		NA	NA	10/23/2002
(1117)	0.15	40	R			From:	Dead End				NA		NA	NA	10/23/2002
(1117)	0.08	20	R			To:	Gap Terminus; Collier				NA		NA	NA	10/23/2002
(1118)	0.11	420	R			From:	61-1393				NA		NA	NA	10/23/2002
(1118)	0.10	160	R			To:	Dead End				NA		NA	NA	10/23/2002
(1119) Baker St	0.11	120	R			From:	61-1111				NA		NA	NA	10/23/2002
(1119) Baker St	0.10	120	R			To:	61-1101 Gap Terminus				NA		NA	NA	10/23/2002
(1120) Duke St	0.04	120	R			From:	61-1122 Gap Terminus				NA		NA	NA	10/23/2002
(1120) Duke St	0.13	100	R			To:	61-604				NA		NA	NA	10/23/2002
(1121) Kissimmee Ave	0.11	270	R			From:	Dead End				NA		NA	NA	10/23/2002
(1122) Cemetery St	0.10	320	R			To:	61-1111				NA		NA	NA	10/23/2002
(1123) Warren St	0.13	60	R			From:	61-1140				NA		NA	NA	10/23/2002
(1123) Warren St	0.12	180	R			To:	61-1118				NA		NA	NA	10/23/2002
(1124) Lynch Ln	0.06	160	R			From:	Cul-de-Sac				NA		NA	NA	10/23/2002
(1124) Lynch Ln	0.05	160	R			To:	61-1124				NA		NA	NA	10/23/2002
(1125) Seminole Dr	0.15	60	R			From:	US 13				NA		NA	NA	10/23/2002
(1125) Seminole Dr	0.08	250	R			To:	61-1123				NA		NA	NA	10/23/2002
(1125) Seminole Dr	0.06	310	R			From:	61-1129				NA		NA	NA	10/23/2002
(1125) Seminole Dr	0.05	160	R			To:	Cul-de-Sac				NA		NA	NA	10/23/2002
(1126)	0.08	20	R			From:	61-1128				NA		NA	NA	10/23/2002
(1126)	0.08	20	R			To:	61-1127				NA		NA	NA	10/23/2002
(1126)	0.06	310	R			From:	61-1126				NA		NA	NA	10/23/2002
(1126)	0.05	160	R			To:	61-642				NA		NA	NA	10/23/2002
(1126)	0.08	20	R			From:	Dead End				NA		NA	NA	10/23/2002
(1126)	0.37	NA				To:	Dead End				NA		NA	NA	

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b><u>City of Suffolk</u></b>																
(1127)	0.06	30	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
						To:	61-1125									
(1128) Cherokee Ct	0.06	45	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
						To:	61-1125									
(1129) Byrd St	0.15	280	R			From:	Dead End					NA		NA	NA	10/24/2002
						To:	61-1124									
(1129) Byrd St	0.10	220	R			From:	US 13					NA		NA	NA	10/24/2002
						To:	Cul-de-Sac									
(1130) Lake Speight Dr	0.08	100	R			From:	61-1131					NA		NA	NA	10/24/2002
						To:	Lake Speight Dr									
(1130) Lake Speight Dr	0.34	230	R			From:	61-688 Turlington Rd					NA		NA	NA	10/24/2002
						To:	61-1130									
(1131) Austin Dr	0.08	220	R			From:	61-1132					NA		NA	NA	10/24/2002
						To:	Austin Dr									
(1131) Austin Dr	0.22	330	R			From:	61-688 Turlington Rd					NA		NA	NA	10/24/2002
						To:	61-1132									
(1132) Prince Ct	0.07	70	R			From:	61-1131					NA		NA	NA	10/24/2002
						To:	Cul-de-Sac									
(1133)	0.12	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	61-1126									
(1134)	0.18	NA				From:	61-1126					NA		NA	NA	
						To:	Cul-de-Sac									
(1135) Lawson Circle	0.08	470	R			From:	61-688 Turlington Rd					NA		NA	NA	10/24/2002
						To:	61-1136									
(1135) Lawson Circle	0.09	270	R			From:	61-1136					NA		NA	NA	10/24/2002
						To:	Begin Loop									
(1135) Lawson Circle	0.37	90	R			From:	End Loop					NA		NA	NA	10/24/2002
						To:	0.06 MW 61-1135									
(1136)	0.06	90	R			From:	61-1135					NA		NA	NA	10/24/2002
						To:	61-1135									
(1136)	0.06	140	R			From:	61-1137					NA		NA	NA	10/24/2002
						To:	61-1137									
(1136)	0.04	47	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
						To:	61-1136									
(1137) Chancellor Ct	0.08	80	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
						To:	SCL Urban Boundary									
(1138)	0.05	520	R			From:	61-1101 County St					NA		NA	NA	10/24/2002
						To:	61-01141(B)/									
(1139)	0.14	NA				From:	61-01126(B)/					NA		NA	NA	
						To:	61-01126(B)/									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1140) Duke St	0.05	60	R			From: Dead End						NA			NA		10/24/2002
						To: 61-1122											
(1141)	0.30	NA				From: Dead End						NA			NA		
						To: 61-01126(B)/											
(1142)	0.10	NA				From: 61-01141(B)/						NA			NA		
						To: Dead End											
(1145) Springfield Terrace	0.06	20	R			From: 61-645 Manning Rd						NA			NA		10/24/2002
						To: 61-1146											
(1145) Springfield Terrace	0.22	30	R			From: 61-1147						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1145) Springfield Terrace	0.01	10	R			From: 61-1145						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1146) Autumn Circle	0.06	60	R			From: Cul-de-Sac						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1147) Summerfield Ct	0.13	20	R			From: Cul-de-Sac						NA			NA		10/24/2002
						To: 61-1148											
(1147) Summerfield Ct	0.06	30	R			From: 61-1145						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1148) Winterview Dr	0.08	60	R			From: Cul-de-Sac						NA			NA		10/24/2002
						To: 61-1147											
(1148) Winterview Dr	0.15	40	R			From: 61-1149						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1148) Winterview Dr	0.09	10	R			From: Cul-de-Sac						NA			NA		10/24/2002
						To: Cul-de-Sac											
(1149) Great Oak Ct	0.07	40	R			From: Cul-de-Sac						NA			NA		10/24/2002
						To: 61-1148											
(1201) Cumberland Ln	0.04	250	R			From: SR 189						NA			NA		10/24/2002
						To: 61-1202											
(1201) Cumberland Ln	0.20	270	R			From: 0.20 ME 61-1202						NA			NA		10/24/2002
						To: 61-653											
(1202) Peanut Dr	0.06	40	R			From: 61-1201						NA			NA		10/24/2002
						To: Dead End											
(1203) Netherland Dr	0.09	60	R			From: Bus US 58						NA			NA		10/24/2002
						To: 61-1207											
(1203) Netherland Dr	0.07	20	R			From: 61-1204						NA			NA		10/24/2002
						To: 61-1205											
(1203) Netherland Dr	0.06	80	R			From: 61-1205						NA			NA		10/24/2002
						To: Dead End											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1204) Jolly Ln	0.10	45	R			From:	Dead End				NA		NA	NA	10/24/2002
(1204) Jolly Ln	0.06	90	R			To:	61-1203				NA		NA	NA	10/24/2002
						To:	Bus US 58								
(1205) Crepe Myrtle Dr	0.06	80	R			From:	61-1203				NA		NA	NA	10/24/2002
						To:	Bus US 58								
(1206)	0.09	10	R			From:	Dead End				NA		NA	NA	10/24/2002
						To:	Bus US 58								
(1207) Windmill Ln	0.13	80	R			From:	Dead End				NA		NA	NA	10/24/2002
						To:	61-1203								
(1207) Windmill Ln	0.06	70	R			From:	Bus US 58				NA		NA	NA	10/24/2002
						To:									
(1208) Tree Ln	0.23	48	R			From:	Dead End				NA		NA	NA	10/24/2002
						To:	0.23 ME Dead End								
(1208) Tree Ln	0.10	40	R			From:	SR 189				NA		NA	NA	10/24/2002
						To:									
(1209) Ebony Ct	0.05	20	R			From:	Dead End				NA		NA	NA	10/24/2002
						To:	61-653								
(1210) Fairview Dr	0.05	30	R			From:	Bus US 58				NA		NA	NA	10/24/2002
						To:	61-1211								
(1211)	0.08	30	R			From:	61-1212				NA		NA	NA	10/24/2002
						To:	61-1210								
(1212) Hickory Neck Ln	0.05	20	R			From:	Bus US 58				NA		NA	NA	10/24/2002
						To:	61-1211								
(1230) Queen Annes Ct	0.30	100	R			From:	Cul-de-Sac				NA		NA	NA	10/24/2002
						To:	61-634 Kings Fork Rd								
(1231) Castle Ct	0.16	50	R			From:	Cul-de-Sac				NA		NA	NA	10/24/2002
						To:	61-1230								
(1232) Kings Point Dr	0.48	80	R			From:	61-635				NA		NA	NA	1999
						To:	61-634 Kings Fork Rd								
(1301) Railroad Ave	0.05	760	R			From:	ECL Urban Boundary				NA		NA	NA	08/08/2002
						To:	61-1305								
(1301) Railroad Ave	0.07	1100	R			From:	61-1306				NA		NA	NA	08/08/2002
						To:	61-1307								
(1301) Railroad Ave	0.07	1200	R			From:	61-1308				NA		NA	NA	08/08/2002
						To:	61-1309								
(1301) Railroad Ave	0.05	1000	R			From:	61-1308				NA		NA	NA	08/08/2002
						To:	61-1309								
(1301) Railroad Ave	0.05	870	R			From:	61-1309				NA		NA	NA	08/08/2002
						To:	61-1310								
(1301) Railroad Ave	0.05	600	R			From:	61-1310				NA		NA	NA	08/08/2002
						To:									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1302) Bank St Extd.A433	0.05	370	R			From:	ECL Urban Boundary				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.07	530	R			To:	61-1305				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.07	430	R			To:	61-1306				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.06	420	R			To:	61-1307				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.05	470	R			To:	61-1308				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.05	660	R			To:	61-1309				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.05	810	R			To:	61-1310				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433	0.04	1000	R			To:	61-1311				NA		NA	NA	08/08/2002
(1302) Bank St Extd.A433						To:	SR 337								
(1303) Freeney Ave	0.05	1900	R			From:	61-1310				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.08	620	R			To:	61-1311				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.05	410	R			To:	61-1312				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.05	500	R			To:	61-1313				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.05	500	R			To:	61-1314				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.05	320	R			To:	61-1315				NA		NA	NA	08/06/2002
(1303) Freeney Ave	0.04	45	R			To:	61-1316				NA		NA	NA	08/06/2002
(1303) Freeney Ave						To:	Dead End								
(1304)	0.05	70	R			From:	61-1312				NA		NA	NA	08/06/2002
(1304)	0.05	110	R			To:	61-1313				NA		NA	NA	08/06/2002
(1304)	0.05	80	R			To:	61-1315				NA		NA	NA	08/06/2002
(1305) Division St N	0.07	140	R			From:	Dead End				NA		NA	NA	08/06/2002
(1305) Division St N	0.09	490	R			To:	61-1351				NA		NA	NA	08/06/2002
(1305) Division St N	0.07	750	R			To:	61-1363				NA		NA	NA	08/06/2002
(1305) Division St N	0.12	540	R			To:	SR 337				NA		NA	NA	08/06/2002
(1305) Division St N	0.13	410	R			To:	61-1302				NA		NA	NA	08/06/2002
(1305) Division St N	0.06	130	R			To:	61-1318				NA		NA	NA	08/06/2002
(1305) Division St N						To:	Dead End								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(1306)	0.09	110	R			From:	Dead End								NA	NA	08/06/2002	
(1306)	0.07	600	R			To:	61-1363								NA	NA	08/06/2002	
(1306)	0.11	520	R			To:	SR 337								NA	NA	08/06/2002	
(1306)	0.13	410	R			From:	61-1302								NA	NA	08/06/2002	
(1306)	0.12	150	R			To:	61-1318								NA	NA	08/06/2002	
(1306)						From:	Dead End											
(1307)	0.14	140	R			From:	Dead End								NA	NA	08/06/2002	
(1307)	0.10	990	R			To:	SR 337								NA	NA	08/06/2002	
(1307)	0.13	980	R			From:	61-1302								NA	NA	08/06/2002	
(1307)	0.02	1000	R			To:	61-1301								NA	NA	08/06/2002	
(1307)	0.13	120	R			From:	61-1318								NA	NA	08/06/2002	
(1308)	0.17	130	R			To:	Dead End								NA	NA	08/06/2002	
(1308)	0.09	420	R			From:	SR 337								NA	NA	08/06/2002	
(1308)	0.13	440	R			To:	61-1302								NA	NA	08/06/2002	
(1308)						From:	61-1301 Gap Terminus											
(1308)	0.13	110	R			To:	61-1318 Gap Terminus								NA	NA	08/06/2002	
(1309)	0.16	300	R			From:	Dead End								NA	NA	08/06/2002	
(1309)	0.07	500	R			To:	SR 337								NA	NA	08/06/2002	
(1309)	0.12	490	R			From:	61-1302								NA	NA	08/06/2002	
(1309)	0.12	1700	R			To:	61-1318 Gap Terminus								NA	NA	08/06/2002	
(1309)	0.18	2500	R			From:	61-1301 Gap Terminus								NA	NA	08/06/2002	
(1309)	0.05	210	R			To:	61-1317								NA	NA	08/06/2002	
(1309)						From:	61-1321											
(1310)	0.07	310	R			To:	61-1320								NA	NA	08/06/2002	
(1310)						From:	Dead End											
(1310)	0.05	3000	R			To:	61-1365								NA	NA	08/06/2002	
(1310)	0.39	4600	G	97%	1%	2%	0%	0%	0%	C	0.086	F	0.585	5000	G	2004		
						From:	61-1332 Truman Rd											
						To:	SR 337; Washington St East											

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(1310)	0.17	860	G	98%		From: SR 337; Washington St East	1%	1%	0%	1%	0%	C	0.11	F	0.544	930	G	2004
						To: 61-1301 Railroad Ave; Gap Terminus												
(1310) Goodman St	0.11	440	G	98%		From: 61-1318 Clary Dr	1%	1%	0%	1%	0%	F	0.11	F	0.663	480	G	2004
						To: 61-1317 Center Ave												
(1310)	0.01	1500	R			From: 0.01 MN 61-1317						NA				NA	08/06/2002	
						To: Dead End						NA				NA	08/07/2002	
(1311)	0.13	140	R			From: Dead End						NA				NA	08/07/2002	
						To: 61-1303						NA				NA	08/07/2002	
(1311)	0.06	1000	R			From: SR 337						NA				NA	08/07/2002	
						To: Dead End						NA				NA	08/07/2002	
(1311)	0.11	110	R			From: Dead End						NA				NA	08/07/2002	
						To: 61-1304						NA				NA	08/07/2002	
(1312)	0.05	130	R			From: 61-1303						NA				NA	08/07/2002	
						To: SR 337						NA				NA	08/07/2002	
(1312)	0.10	160	R			From: Dead End						NA				NA	08/07/2002	
						To: 61-1304						NA				NA	08/07/2002	
(1313)	0.05	140	R			From: 61-1303						NA				NA	08/07/2002	
						To: SR 337						NA				NA	08/07/2002	
(1313)	0.08	100	R			From: Dead End						NA				NA	08/07/2002	
						To: Dead End; Gap Terminus						NA				NA	08/07/2002	
(1313)	0.10	100	R			From: 61-1325 Center Ave						NA				NA	08/07/2002	
						To: Dead End						NA				NA	08/07/2002	
(1314)	0.03	40	R			From: Dead End						NA				NA	08/07/2002	
						To: 61-1304						NA				NA	08/07/2002	
(1314)	0.05	160	R			From: 61-1303						NA				NA	08/07/2002	
						To: SR 337						NA				NA	08/07/2002	
(1314)	0.05	500	R			From: Dead End						NA				NA	08/07/2002	
						To: SR 337						NA				NA	08/07/2002	
(1314)	0.05	140	R			From: Dead End; Gap Terminus						NA				NA	08/07/2002	
						To: 61-1325 Center Ave						NA				NA	08/07/2002	
(1315) Eleventh St S	0.03	20	R			From: Dead End						NA				NA	08/07/2002	
						To: 61-1304						NA				NA	08/07/2002	
(1315) Eleventh St S	0.05	180	R			From: 61-1303						NA				NA	08/07/2002	
						To: SR 337						NA				NA	08/07/2002	
(1315) Eleventh St S	0.05	390	R			From: SR 337						NA				NA	08/07/2002	

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(1316) Twelfth St S	0.08	90	R			From:	Dead End								NA	NA	08/07/2002	
(1316) Twelfth St S	0.05	200	R			To:	61-1304								NA	NA	08/07/2002	
(1316) Twelfth St S	0.05	500	R			From:	61-1303								NA	NA	08/07/2002	
(1317) Center Ave	0.05	1700	R			To:	SR 337								NA	NA	10/10/2002	
(1318) Clarys Dr	0.07	200	R			From:	ECL Urban Boundary								NA	NA	10/10/2002	
(1318) Clarys Dr	0.06	370	R			To:	61-1305								NA	NA	10/10/2002	
(1318) Clarys Dr	0.05	510	R			From:	61-1306								NA	NA	10/10/2002	
(1318) Clarys Dr	0.06	2100	R			To:	61-1307								NA	NA	10/10/2002	
(1318) Clarys Dr	0.05	2000	R			From:	61-1308								NA	NA	10/10/2002	
(1318) Clarys Dr	0.05	790	R			To:	61-1309								NA	NA	10/10/2002	
(1319)	0.13	520	R			From:	Bus US 58								NA	NA	10/10/2002	
(1319)	0.09	210	R			To:	61-642								NA	NA	10/10/2002	
(1320) Bethlehem St	0.10	200	R			From:	ECL Urban Boundary								NA	NA	10/10/2002	
(1320) Bethlehem St	0.10	90	R			To:	61-1309								NA	NA	10/10/2002	
(1321) Mount Horeb St	0.13	2300	R			From:	Dead End								NA	NA	10/10/2002	
(1322)	0.06	210	R			From:	ECL Urban Boundary								NA	NA	10/10/2002	
(1322)	0.16	290	R			To:	61-1309								NA	NA	10/10/2002	
(1322)	0.24	280	R			From:	Bus US 58								NA	NA	10/10/2002	
(1323)	0.18	620	R			To:	61-642								NA	NA	10/10/2002	
(1323)	0.14	90	R			From:	61-1319; 61-1323								NA	NA	10/10/2002	
(1324) Hollywood Ave	0.06	2500	G	96%	1%	2%	0%	0%	0%	C	0.095	F	0.511	2600	G	2004		
(1324) Hollywood Ave	0.13	2400	R			From:	SR 337 Washington St								NA	NA	08/07/2002	
						To:	61-1325 Center Ave								NA	NA		
						To:	61-1326											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1324) Hollywood Ave	0.05	1800	R			From:	61-1326								NA	NA	08/07/2002
(1324) Hollywood Ave	0.06	1600	R			To:	61-1352								NA	NA	08/07/2002
(1324) Hollywood Ave	0.05	1400	R			To:	61-1333								NA	NA	08/07/2002
(1324) Hollywood Ave	0.08	600	R			To:	61-1341								NA	NA	08/07/2002
(1324) Hollywood Ave	0.06	500	R			To:	61-1342								NA	NA	08/07/2002
(1324) Hollywood Ave	0.03	130	R			To:	61-1345								NA	NA	08/07/2002
(1325) Center Ave	0.39	1600	G	96%	1%	2%	1%	0%	0%	C	0.082	F	0.514	1700	G	2004	
(1326) Vermont Ave	0.06	50	R			From:	Dead End								NA	NA	08/07/2002
(1326) Vermont Ave	0.09	150	R			To:	61-1324 Hollywood Ave								NA	NA	08/07/2002
(1327) Adams St	0.11	300	R			From:	61-1328								NA	NA	10/10/2002
(1328) Walnut St	0.15	1100	R			To:	Dead End								NA	NA	10/10/2002
(1328) Walnut St	0.05	1400	R			To:	61-1327								NA	NA	10/10/2002
(1329) Old Pinner St	0.17	3700	G	93%	1%	2%	1%	3%	0%	C	0.110	F	0.821	4000	G	2004	
(1330) Briggs St	0.10	140	R			From:	0.10 MS 61-1325								NA	NA	08/07/2002
(1330) Briggs St	0.14	280	R			To:	61-1325 Center Ave								NA	NA	08/07/2002
(1331) Woodruff St	0.12	110	R			From:	0.12 MN 61-1325								NA	NA	08/07/2002
(1331) Woodruff St	0.10	140	R			To:	61-1325 Center Ave								NA	NA	08/07/2002
(1332) Truman Rd	0.17	3200	R			To:	61-642								NA	NA	08/07/2002
(1332) Truman Rd	0.06	3200	R			To:	61-1339								NA	NA	08/07/2002
(1332) Truman Rd	0.17	2300	R			To:	61-1310								NA	NA	08/07/2002
(1332) Truman Rd	0.17	1700	R			To:	61-1334								NA	NA	08/07/2002
(1332) Truman Rd	0.07	560	R			To:	61-1354								NA	NA	08/07/2002
(1332) Truman Rd						To:	61-1355										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1332) Truman Rd	0.06	430	R			From:	61-1355					NA		NA	08/07/2002
(1332) Truman Rd	0.12	210	R			To:	61-1356					NA		NA	08/07/2002
						To:	Dead End								
(1333) Oregon Ave	0.14	160	R			From:	Dead End					NA		NA	08/07/2002
						To:	61-1324 Hollywood Ave								
(1334)	0.05	200	R			From:	61-1335					NA		NA	08/07/2002
(1334)	0.04	2100	R			To:	61-1332					NA		NA	08/07/2002
						From:	61-1365								
(1334)	0.11	2000	R			To:	61-1366					NA		NA	08/07/2002
						From:	61-1310								
(1335) Custis Rd	0.05	1300	R			To:	61-1337					NA		NA	08/07/2002
(1335) Custis Rd	0.06	1200	R			From:	61-1336					NA		NA	08/07/2002
						To:	61-1334					NA		NA	08/07/2002
(1335) Custis Rd	0.04	1100	R			From:	61-1353					NA		NA	08/07/2002
(1335) Custis Rd	0.12	1000	R			To:	61-1354					NA		NA	08/07/2002
						From:	61-1335								
(1336) Wilkie Ct	0.03	50	R			To:	Dead End					NA		NA	09/10/2002
						From:	61-1335								
(1337) Word Terrace	0.08	170	R			To:	Cul-de-Sac					NA		NA	09/10/2002
						From:	Dead End								
(1338) Diggs Ct	0.03	90	R			From:	61-1339					NA		NA	09/10/2002
(1338) Diggs Ct	0.06	270	R			To:	61-1310					NA		NA	09/10/2002
						From:	61-1338								
(1339) Riddick Circle	0.08	300	R			To:	61-1340					NA		NA	09/10/2002
(1339) Riddick Circle	0.10	120	R			To:	61-1332					NA		NA	09/10/2002
						From:	Dead End								
(1340) Douglas Ct	0.03	60	R			To:	61-1339					NA		NA	09/10/2002
						From:	0.20 MW 61-1324								
(1341) Arizona Ave	0.20	440	R			To:	61-1324 Hollywood Ave					NA		NA	09/10/2002
(1341) Arizona Ave	0.08	80	R			To:	Dead End					NA		NA	09/10/2002
						From:	0.14 MW 61-1324								
(1342) Georgia Ave	0.14	210	R			To:	61-1324 Hollywood Ave					NA		NA	09/10/2002
						From:	61-1324 Hollywood Ave								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1342) Georgia Ave	0.11	140	R			From: 61-1324 Hollywood Ave						NA			NA		09/10/2002
						To: Dead End											
(1343) Fuller St	0.10	140	R			From: 0.10 MS 61-1325						NA			NA		09/10/2002
						To: 61-1325 Center Ave											
(1343) Fuller St	0.05	90	R			From: 61-1325 Center Ave						NA			NA		09/10/2002
						To: Dead End											
(1344) Beaton St	0.08	150	R			From: 0.08 MS 61-1348						NA			NA		09/10/2002
						To: 61-1348											
(1344) Beaton St	0.06	330	R			From: 61-614 Suburban Dr						NA			NA		09/10/2002
						To: 61-614 Suburban Dr											
(1345) Florida Ave	0.06	150	R			From: 0.06 MW 61-1324						NA			NA		09/10/2002
						To: 61-1324 Hollywood Ave											
(1345) Florida Ave	0.17	190	R			From: 61-1324 Hollywood Ave						NA			NA		09/10/2002
						To: Dead End											
(1346) Ben St	0.08	180	R			From: 0.08 MS 61-1325						NA			NA		09/10/2002
						To: 61-1325 Center Ave											
(1346) Ben St	0.05	140	R			From: 61-1325 Center Ave						NA			NA		09/10/2002
						To: Dead End											
(1347) Carver Ave	0.13	210	R			From: 61-1357						NA			NA		09/10/2002
						To: SR 337											
(1348) Bruce St	0.08	100	R			From: 0.08 M NW 61-1344						NA			NA		09/10/2002
						To: 61-1344											
(1348) Bruce St	0.07	210	R			From: 61-1344						NA			NA		09/10/2002
						To: Dead End											
(1349) Bullock St	0.10	120	R			From: Dead End						NA			NA		09/10/2002
						To: 61-1325; 61-1387											
(1350) Marshall Ave	0.08	240	R			From: 61-1357						NA			NA		09/10/2002
						To: SR 337											
(1351) Camp Ave	0.05	960	R			From: 61-642						NA			NA		09/10/2002
						To: 61-1305											
(1352) Kentucky Ave	0.09	90	R			From: 0.09 MW 61-1324						NA			NA		09/10/2002
						To: 61-1324 Hollywood Ave											
(1352) Kentucky Ave	0.05	30	R			From: 61-1324 Hollywood Ave						NA			NA		09/10/2002
						To: Dead End											
(1353) Wilson Ct	0.05	110	R			From: Cul-de-Sac						NA			NA		09/10/2002
						To: 61-1335											
(1354) Roosevelt Dr	0.04	70	R			From: Dead End						NA			NA		09/10/2002
						To: 61-1335											
(1354) Roosevelt Dr	0.05	520	R			From: 61-1335						NA			NA		09/10/2002
						To: 61-1332											
(1354) Roosevelt Dr	0.05	1600	R			From: 61-1332						NA			NA		09/10/2002
						To: 61-1365											

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1354) Roosevelt Dr	0.05	940	R			From:	61-1365					NA		NA	NA	09/10/2002
(1354) Roosevelt Dr	0.11	950	R			To:	61-1382					NA		NA	NA	09/10/2002
						To:	61-1366									
(1355) Crocker Ln	0.04	70	R			From:	Cul-de-Sac					NA		NA	NA	09/10/2002
						To:	61-1332									
(1356) Reed Ct	0.05	150	R			From:	Cul-de-Sac					NA		NA	NA	09/10/2002
						To:	61-1332									
(1357) Randolph St	0.04	150	R			From:	61-1358					NA		NA	NA	09/10/2002
						To:	61-1350									
(1357) Randolph St	0.06	140	R			From:	61-1347					NA		NA	NA	09/10/2002
(1358) Bunch Ave	0.04	80	R			From:	Cul-de-Sac					NA		NA	NA	09/10/2002
						To:	61-1364									
(1358) Bunch Ave	0.10	340	R			From:	61-1357					NA		NA	NA	09/10/2002
						To:	SR 337									
(1358) Bunch Ave	0.06	400	R			From:	61-614 Suburban Dr					NA		NA	NA	09/10/2002
						To:	Dead End									
(1359) Kansas Street	0.19	190	R			From:	Cul-de-Sac					NA		NA	NA	09/10/2002
						To:	SR 337									
(1360) Bailey Circle	0.06	130	R			From:	Dead End					NA		NA	NA	09/10/2002
						To:	Cul-de-Sac									
(1361) Locust St	0.13	10	R			From:	SR 337					NA		NA	NA	1999
						To:	Dead End									
(1361) Locust St	0.11	30	R			From:	61-1393					NA		NA	NA	1999
						To:	61-1392									
(1361) Locust St	0.34	1300	R			From:	61-1362					NA		NA	NA	09/10/2002
						To:	61-642									
(1361) Locust St	0.02	2100	R			From:	Dead End					NA		NA	NA	09/10/2002
						To:	61-1361									
(1362) Jefferson St	0.14	50	R			From:	61-1305					NA		NA	NA	09/10/2002
						To:	61-1306									
(1363) Freeney A474ave	0.05	360	R			From:	Dead End					NA		NA	NA	09/10/2002
						To:	Cul-de-Sac									
(1363) Freeney A474ave	0.04	60	R			From:	61-1385					NA		NA	NA	09/10/2002
						To:	Dead End									
(1364) Pamlico Ct	0.02	40	R			From:	61-1358					NA		NA	NA	09/10/2002
						To:	Dead End									
(1365) Lake Kennedy Dr	0.07	80	R			From:	61-1385					NA		NA	NA	09/10/2002
						To:	61-1310									
(1365) Lake Kennedy Dr	0.05	270	R			From:	61-1385					NA		NA	NA	09/10/2002
						To:	61-1310									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1365) Lake Kennedy Dr	0.04	2200	R			From:	61-1310					NA		NA	09/10/2002
(1365) Lake Kennedy Dr	0.12	590	R			To:	61-1366					NA		NA	09/10/2002
(1365) Lake Kennedy Dr	0.18	540	R			To:	61-1334					NA		NA	09/10/2002
(1365) Lake Kennedy Dr	0.09	670	R			To:	61-1354					NA		NA	09/10/2002
(1365) Lake Kennedy Dr	0.09	320	R			To:	61-1381					NA		NA	09/10/2002
(1365) Lake Kennedy Dr	0.09	120	R			To:	61-1379					NA		NA	09/10/2002
(1365) Lake Kennedy Dr						To:	Dead End								
(1366) Blythewood Ln	0.11	3900	R			From:	61-1365					NA		NA	09/10/2002
(1366) Blythewood Ln	0.09	3700	R			To:	61-1384					NA		NA	09/10/2002
(1366) Blythewood Ln	0.14	4800	R			To:	61-1334					NA		NA	09/10/2002
(1366) Blythewood Ln	0.05	3100	R			To:	61-1383					NA		NA	09/10/2002
(1366) Blythewood Ln	0.09	3400	R			To:	61-1354					NA		NA	09/10/2002
(1366) Blythewood Ln	0.17	4800	R			To:	61-1379					NA		NA	09/10/2002
(1366) Blythewood Ln	0.05	2300	R			To:	61-1378					NA		NA	09/10/2002
(1366) Blythewood Ln	0.12	1700	R			To:	61-1367 WEST					NA		NA	09/10/2002
(1366) Blythewood Ln	0.06	540	R			To:	61-1368					NA		NA	09/10/2002
(1366) Blythewood Ln	0.16	660	R			To:	61-1376					NA		NA	09/10/2002
(1366) Blythewood Ln						To:	61-1367 EAST								
(1367)	0.04	80	R			From:	Dead End					NA		NA	04/16/2002
(1367)	0.06	1000	R			To:	61-1369					NA		NA	04/16/2002
(1367)	0.29	810	R			To:	61-1366 WEST					NA		NA	04/16/2002
(1367)	0.19	520	R			To:	61-1377					NA		NA	04/16/2002
(1368) Nixon Dr	0.06	990	R			To:	61-1366					NA		NA	04/16/2002
(1368) Nixon Dr	0.10	770	R			To:	61-1369					NA		NA	04/16/2002
(1368) Nixon Dr	0.09	350	R			To:	61-1374					NA		NA	04/16/2002
(1368) Nixon Dr	0.12	240	R			To:	61-1375					NA		NA	04/16/2002
(1368) Nixon Dr						To:	Dead End								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1369) Sierra Dr	0.09	190	R			From:	Dead End					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.06	430	R			To:	61-1367					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.07	410	R			To:	61-1370					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.07	510	R			From:	61-1368					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.07	510	R			To:	61-1371					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.06	460	R			To:	61-1372					NA		NA	NA	04/16/2002	
(1369) Sierra Dr	0.03	120	R			From:	Dead End					NA		NA	NA	04/16/2002	
(1370) Remus Ln	0.04	80	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1371) Camero Ct	0.05	90	R			To:	61-1369					NA		NA	NA	04/16/2002	
(1372) Goodling Dr	0.07	270	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1373) Pinto Ct	0.12	240	R			To:	61-1372					NA		NA	NA	04/16/2002	
(1374) Spencer Ct	0.06	150	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1375) Shelton Ct	0.07	80	R			To:	61-1368					NA		NA	NA	04/16/2002	
(1376) Eric Ct	0.03	60	R			From:	61-1366					NA		NA	NA	04/16/2002	
(1377) Landing Ct	0.07	190	R			To:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1378) David Ln	0.11	230	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1379) Kinsey Ln	0.04	410	R			To:	61-1366					NA		NA	NA	04/16/2002	
(1379) Kinsey Ln	0.16	490	R			From:	61-1380					NA		NA	NA	04/16/2002	
(1380) Gray Ct	0.05	120	R			To:	61-1365					NA		NA	NA	04/16/2002	
(1381) Jfk Ct	0.06	140	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
(1382) Fdr Ct	0.03	100	R			To:	61-1354					NA		NA	NA	04/16/2002	
						From:	Cul-de-Sac										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1383) Adkins Circle	0.26	100	R			From:	Begin Loop					NA		NA	NA	04/16/2002	
(1383) Adkins Circle	0.03	330	R			To:	End Loop					NA		NA	NA	04/16/2002	
						To:	61-1366										
(1384) Matthews Ct	0.07	100	R			From:	61-1366					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1385) Alexander Ct	0.03	80	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
						To:	61-1365										
(1386) Alabama Ave	0.12	130	R			From:	61-1324 Hollywood Ave					NA		NA	NA	04/16/2002	
						To:	Dead End										
(1387)	0.04	1600	R			From:	61-1325; 61-1349					NA		NA	NA	04/16/2002	
						To:	Dead End										
(1388) Davis Blvd	0.38	110	R			From:	61-642					NA		NA	NA	04/16/2002	
						To:	Dead End										
(1389)	0.10	NA				From:	61-1390					NA		NA	NA		
						To:	Cul-de-Sac										
(1390)	0.31	770	R			From:	61-1117					NA		NA	NA	04/16/2002	
						To:	61-1361										
(1391) Oak Manor Ct	0.04	420	R			From:	61-1390					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1392) Wake Forest Ct	0.04	10	R			From:	61-1361					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1393) Shepherd St	0.05	20	R			From:	61-1361					NA		NA	NA	04/16/2002	
						To:	61-1117										
(1393) Shepherd St	0.08	20	R			From:	Cul-de-Sac					NA		NA	NA	04/16/2002	
						To:	61-1329 Old Pinner St										
(1394)	0.14	6400	R			From:	Bus US 58					NA		NA	NA	04/16/2002	
						To:	61-1329 Old Pinner St										
(1395)	0.07	110	R			From:	Dead End					NA		NA	NA	04/16/2002	
						To:	61-1361										
(1396) Haskins Dr	0.43	40	R			From:	Begin Loop					NA		NA	NA	04/16/2002	
						To:	End Loop										
(1396) Haskins Dr	0.17	20	R			From:	SR 337					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1399)	0.13	NA				From:	61-1389					NA		NA	NA		
						To:	61-1389										
(1401) Lincoln Ave	0.14	60	R			From:	Dead End					NA		NA	NA	04/16/2002	
						To:	61-1404										
(1401) Lincoln Ave	0.10	180	R			From:	61-604					NA		NA	NA	04/16/2002	
						To:	61-604										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1402) Garfield Ave	0.26	160	R			From:	Dead End					NA		NA	NA	04/16/2002	
(1402) Garfield Ave	0.10	380	R			To:	61-1404					NA		NA	NA	04/16/2002	
						To:	61-604										
(1403) McKinley Ave	0.07	90	R			From:	Dead End					NA		NA	NA	04/16/2002	
(1403) McKinley Ave	0.10	210	R			To:	61-1404					NA		NA	NA	04/16/2002	
						To:	61-604										
(1404) Harrison St	0.06	230	R			From:	61-1401					NA		NA	NA	04/16/2002	
(1404) Harrison St	0.05	150	R			To:	61-1402					NA		NA	NA	04/16/2002	
						To:	61-1403										
(1410) Craig Dr	0.15	140	R			From:	Dead End					NA		NA	NA	04/16/2002	
(1410) Craig Dr	0.22	400	R			To:	61-1413					NA		NA	NA	04/16/2002	
						To:	61-1412										
(1410) Craig Dr	0.20	560	R			From:	61-1411					NA		NA	NA	04/16/2002	
(1410) Craig Dr	0.13	590	R			To:	61-604					NA		NA	NA	04/16/2002	
						From:	61-1410										
(1411) Northpoint Dr	0.04	60	R			To:	Dead End					NA		NA	NA	04/16/2002	
(1412) West Point Dr	0.14	170	R			From:	61-1410					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1413) Mt. Pleasant Dr	0.18	540	R			From:	61-1410					NA		NA	NA	04/16/2002	
						To:	61-1414										
(1414) Colonel Meade Dr	0.08	220	R			From:	61-1415					NA		NA	NA	04/16/2002	
(1414) Colonel Meade Dr	0.10	220	R			To:	61-1413					NA		NA	NA	04/16/2002	
						To:	Cul-de-Sac										
(1415) General Pickett Dr	0.38	120	R			From:	61-1414					NA		NA	NA	04/16/2002	
						To:	61-1410										
(1419)	0.04	NA				From:	61-1399					NA		NA	NA		
						To:	Cul-de-Sac										
(1420) Meade Dr	0.25	310	R			From:	61-604					NA		NA	NA	10/22/2002	
(1420) Meade Dr	0.07	160	R			To:	61-1421					NA		NA	NA	10/22/2002	
						To:	Cul-de-Sac										
(1421) Williams Circle	0.05	120	R			From:	61-1420					NA		NA	NA	10/22/2002	
						To:	Cul-de-Sac										
(1430) Pitchkettle Point Dr	0.20	940	R			From:	61-604					NA		NA	NA	10/22/2002	
						To:	61-1431										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1431)	0.21	250	R			From:	0.21 MW 61-1430				NA		NA	NA	10/22/2002
(1431)	0.34	260	R			To:	61-1430				NA		NA	NA	10/22/2002
(1432)	0.13	NA				From:	Cul-de-Sac				NA		NA	NA	
(1433)	0.15	NA				To:	61-01431(B)/				NA		NA	NA	
(1434)	0.11	NA				From:	Cul-de-Sac				NA		NA	NA	
(1440) Meade Pkwy	0.19	20	R			To:	Cul-de-Sac				NA		NA	NA	10/22/2002
						From:	Bus US 460								
(1500) Cherry Grove Rd North+	0.27	150	R			From:	61-600				NA		NA	NA	10/22/2002
						To:	Cul-de-Sac								
(1501)	0.15	2100	R			From:	US 17				NA		NA	NA	10/22/2002
						To:	61-1504								
(1501)	0.03	1800	R			From:	61-1503				NA		NA	NA	10/22/2002
						To:	61-1508								
(1501)	0.30	1500	R			From:	61-1508				NA		NA	NA	10/22/2002
						To:	61-1502								
(1501)	0.06	850	R			From:	61-1502				NA		NA	NA	10/22/2002
						To:	61-1507								
(1501)	0.11	640	R			From:	61-1507				NA		NA	NA	10/22/2002
						To:	61-1509								
(1501)	0.09	510	R			From:	61-1509				NA		NA	NA	10/22/2002
						To:	61-1506								
(1501)	0.03	170	R			From:	61-1506				NA		NA	NA	10/22/2002
						To:	61-1505								
(1501)	0.15	210	R			From:	Dead End				NA		NA	NA	10/22/2002
						To:	Dead End								
(1502) Eclipse Dr	0.19	180	R			From:	Dead End				NA		NA	NA	10/22/2002
						To:	61-1505								
(1502) Eclipse Dr	0.20	310	R			From:	61-1505				NA		NA	NA	10/22/2002
						To:	61-1501								
(1503) White Dogwood Trail	0.17	470	R			From:	Dead End				NA		NA	NA	10/22/2002
						To:	61-1501								
(1504) Steeple Dr	0.30	240	R			From:	Dead End				NA		NA	NA	10/22/2002
						To:	61-1501								
(1505) Cross St	0.11	110	R			From:	61-1502				NA		NA	NA	10/22/2002
						To:	61-1501								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b><u>City of Suffolk</u></b>																
(1506) Rivershore Dr	0.25	300	R			From:	61-1501					NA		NA	NA	10/22/2002
						To:	Dead End									
(1507) Bleakhorn Rd	0.40	220	R			From:	61-1501					NA		NA	NA	10/22/2002
						To:	Dead End									
(1508) Martin Rd	0.09	70	R			From:	61-1501					NA		NA	NA	10/22/2002
						To:	Dead End									
(1509) Vine Ave	0.14	90	R			From:	61-1501					NA		NA	NA	10/22/2002
						To:	Bell Street									
(1510) Sleepy Lake Pkwy	0.19	170	R			From:	Dead End					NA		NA	NA	10/22/2002
						To:	61-720									
(1511) Cedar Crest Ln	0.10	300	R			From:	61-628 Crittenden Rd					NA		NA	NA	10/22/2002
						To:	61-1512									
(1511) Cedar Crest Ln	0.08	280	R			From:	61-1513					NA		NA	NA	10/22/2002
						To:	61-1511									
(1512) Harlan Dr	0.16	70	R			From:	61-1511					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1513) Canterbury Crest Ln	0.14	90	R			From:	61-1511					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1514) Oyster Bay Ln	0.07	400	R			From:	61-628 Crittenden Rd					NA		NA	NA	10/22/2002
						To:	61-1515 NORTH									
(1514) Oyster Bay Ln	0.14	210	R			From:	61-1517					NA		NA	NA	10/22/2002
						To:	61-1517									
(1514) Oyster Bay Ln	0.04	340	R			From:	61-1515 SOUTH					NA		NA	NA	10/22/2002
						To:	61-1518									
(1514) Oyster Bay Ln	0.06	280	R			From:	61-1518					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1515) Woodland Dr	0.12	70	R			From:	61-1514 NORTH					NA		NA	NA	10/22/2002
						To:	61-1516									
(1515) Woodland Dr	0.13	60	R			From:	61-1514 SOUTH					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1516) Woodland Rd	0.05	30	R			From:	61-1515					NA		NA	NA	10/22/2002
						To:	61-1515									
(1517) Harborwood Pl	0.04	40	R			From:	61-1514					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1518) Longvue Circle	0.04	49	R			From:	61-1514					NA		NA	NA	10/22/2002
						To:	Cul-de-Sac									
(1519) West+A543 Rd	0.08	260	R			From:	61-698					NA		NA	NA	10/22/2002
						To:	61-1520									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1520) Adams Dr W	0.02	20	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1520) Adams Dr W	0.20	40	R			To:	61-1532					NA		NA	NA	10/24/2002
(1520) Adams Dr W	0.07	180	R			To:	61-1519					NA		NA	NA	10/24/2002
(1520) Adams Dr W	0.10	130	R			To:	61-1521					NA		NA	NA	10/24/2002
(1520) Adams Dr W	0.11	80	R			To:	61-1522					NA		NA	NA	10/24/2002
(1521) Partridge Point Rd	0.08	60	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1522) Viney Vista	0.06	70	R			To:	61-1520					NA		NA	NA	10/24/2002
(1523) Clubhouse Dr	0.02	850	R			From:	US 17					NA		NA	NA	10/24/2002
(1523) Clubhouse Dr	0.23	840	R			To:	61-1528					NA		NA	NA	10/24/2002
(1523) Clubhouse Dr	0.21	510	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1524) Fairway Dr	0.15	590	R			To:	61-1523					NA		NA	NA	10/24/2002
(1524) Fairway Dr	0.12	110	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1525) Partridge Pl	0.45	70	R			To:	61-1524					NA		NA	NA	1999
(1526) Beech Tree Ct	0.05	70	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1527) Quail Hollow	0.13	100	R			To:	61-1525					NA		NA	NA	10/24/2002
(1528) River Cres.	0.76	280	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1528) River Cres.	0.88	240	R			To:	61-1523					NA		NA	NA	10/24/2002
(1529) Hobson Dr	0.25	130	R			From:	61-628 Crittenden Rd					NA		NA	NA	10/24/2002
(1530) Heron Ct	0.15	90	R			To:	61-698					NA		NA	NA	10/24/2002
(1532) Egret Circle	0.05	40	R			From:	Cul-de-Sac					NA		NA	NA	10/24/2002
(1533) Wooduck Rd	0.04	310	R			To:	61-1520					NA		NA	NA	11/05/2002
						From:	61-628 Crittenden Rd					NA		NA	NA	
						To:	61-720									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1533) Wooduck Rd	0.08	100	R			From:	61-720					NA		NA	NA	11/05/2002
						To:	Cul-de-Sac									
(1534) Bayberry Ln	0.09	30	R			From:	Cul-de-Sac					NA		NA	NA	11/05/2002
						To:	61-720									
(1535) Woodspath Ln	0.15	50	R			From:	61-720					NA		NA	NA	11/05/2002
						To:	Cul-de-Sac									
(1538) Mullican Dr	0.11	120	R			From:	Dead End					NA		NA	NA	11/05/2002
						To:	61-1506									
(1539) Wignell St	0.37	70	R			From:	61-1506					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1540) Horseshoe Point Rd	0.69	110	R			From:	61-600					NA		NA	NA	11/05/2002
						To:	61-1541									
(1541) Mustang Trail	0.11	50	R			From:	Dead End					NA		NA	NA	11/05/2002
						To:	61-1540									
(1541) Mustang Trail	0.06	50	R			From:	Cul-de-Sac					NA		NA	NA	11/05/2002
						To:	61-1543									
(1542) Pony Ln	0.06	10	R			From:	61-1540					NA		NA	NA	11/05/2002
						To:	61-1543									
(1543) Palomino Trail	0.12	20	R			From:	Cul-de-Sac					NA		NA	NA	11/05/2002
						To:	61-1542									
(1544)	0.08	NA				From:	61-01509(B)/					NA		NA	NA	
						To:	Dead End									
(1601) Vaughan Ave	0.03	8	R			From:	Dead End					NA		NA	NA	1999
						To:	61-1605									
(1601) Vaughan Ave	0.07	30	R			From:	61-1602					NA		NA	NA	1999
						To:	61-676									
(1602) Lane St	0.19	180	R			From:	US 13					NA		NA	NA	1999
						To:	61-1601									
(1603) Herman Ct	0.18	40	R			From:	US 13 WEST					NA		NA	NA	1999
						To:	US 13 EAST									
(1604) Robertson St	0.08	210	R			From:	61-9270					NA		NA	NA	1999
						To:	61-616									
(1605) Sunset Manor Dr	0.07	20	R			From:	Dead End					NA		NA	NA	1999
						To:	61-1601									
(1701) Colonial Ave	0.05	80	R			From:	Dead End					NA		NA	NA	11/05/2002
						To:	61-1721									
(1701) Colonial Ave	0.08	130	R			From:	61-1721					NA		NA	NA	11/05/2002
						To:	61-1702									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1701) Colonial Ave	0.06	910	R			From:	61-1702					NA		NA	11/05/2002
(1701) Colonial Ave	0.06	990	R			To:	61-1704					NA		NA	11/05/2002
(1701) Colonial Ave						From:	61-1703 SOUTH								
(1701) Colonial Ave						From:	61-1703 NORTH								
(1701) Colonial Ave	0.05	70	R			To:	61-1714					NA		NA	11/05/2002
(1702) Pond Dr	0.17	300	R			From:	61-1720 WEST					NA		NA	11/05/2002
(1702) Pond Dr	0.01	500	R			To:	61-1720 EAST					NA		NA	11/05/2002
(1702) Pond Dr						From:	61-1707					NA		NA	11/05/2002
(1702) Pond Dr	0.18	900	R			To:	61-1701					NA		NA	11/05/2002
(1703)	0.15	280	R			From:	61-1709					NA		NA	11/05/2002
(1703)						To:	US 58					NA		NA	11/05/2002
(1703)	0.13	1800	R			To:	61-1721					NA		NA	11/05/2002
(1703)	0.12	1400	R			From:	61-1701 SOUTH					NA		NA	11/05/2002
(1703)	0.02	600	R			To:	61-1701 NORTH					NA		NA	11/05/2002
(1703)	0.10	350	R			From:	61-1715					NA		NA	11/05/2002
(1703)	0.12	210	R			To:	61-1735					NA		NA	11/05/2002
(1703)	0.09	110	R			To:	Dead End					NA		NA	11/05/2002
(1704) March Dr	0.13	120	R			From:	61-1701					NA		NA	11/07/2002
(1704) March Dr						To:	61-1715								
(1705) Faulk Rd	0.11	90	R			From:	US 58					NA		NA	11/07/2002
(1705) Faulk Rd						To:	61-1706					NA		NA	11/07/2002
(1705) Faulk Rd	0.05	60	R			From:	Dead End					NA		NA	11/07/2002
(1706) Sumner Ave	0.06	60	R			From:	61-1705					NA		NA	11/07/2002
(1706) Sumner Ave						To:	Dead End								
(1707) Sherwood Dr	0.03	10	R			From:	Dead End					NA		NA	11/07/2002
(1707) Sherwood Dr						To:	61-1720								
(1707) Sherwood Dr	0.24	80	R			From:	61-1702					NA		NA	11/07/2002
(1708) Roberts Ct	0.05	80	R			To:	Cul-de-Sac					NA		NA	11/07/2002
(1708) Roberts Ct						To:	61-1711								
(1709) Ronald Dr	0.09	30	R			From:	Dead End					NA		NA	11/07/2002
(1709) Ronald Dr						To:	61-1712								
(1709) Ronald Dr	0.01	240	R			From:	0.01 ME 61-1712					NA		NA	11/07/2002
(1709) Ronald Dr						To:	0.01 ME 61-1712								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1709) Ronald Dr	0.23	250	R			From:	0.01 ME 61-1712					NA		NA	NA	11/07/2002
(1709) Ronald Dr	0.06	130	R			To:	61-1703					NA		NA	NA	11/07/2002
(1710) Wilkins Dr	0.10	360	R			To:	61-645 Manning Rd					NA		NA	NA	11/07/2002
(1710) Wilkins Dr	0.20	400	R			From:	61-645 Manning Rd					NA		NA	NA	11/07/2002
(1711) Deborah Dr	0.02	20	R			To:	61-1716					NA		NA	NA	11/07/2002
(1711) Deborah Dr	0.06	90	R			From:	Dead End					NA		NA	NA	11/07/2002
(1711) Deborah Dr	0.15	80	R			To:	61-1708					NA		NA	NA	11/07/2002
(1711) Deborah Dr						From:	61-1721 EAST					NA		NA	NA	11/07/2002
(1712) Lakewood Dr	0.09	250	R			To:	61-1721 WEST					NA		NA	NA	11/07/2002
(1713) Un-Named St	0.06	60	R			From:	61-1709					NA		NA	NA	11/07/2002
(1713) Un-Named St						To:	US 58					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.23	700	R			From:	61-639 Lake Lohoon					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.12	680	R			To:	Dead End					NA		NA	NA	11/07/2002
(1714) Northbrook Ave						From:	US 58					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.07	510	R			To:	61-1701					NA		NA	NA	11/07/2002
(1714) Northbrook Ave						From:	61-1735					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.06	530	R			To:	61-1736					NA		NA	NA	11/07/2002
(1714) Northbrook Ave						From:	61-1740 WEST					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.16	300	R			To:	61-1740 EAST					NA		NA	NA	11/07/2002
(1714) Northbrook Ave	0.13	110	R			From:	61-1740 EAST					NA		NA	NA	11/07/2002
(1715) March Dr	0.07	90	R			To:	Cul-de-Sac					NA		NA	NA	11/05/2002
(1715) March Dr						From:	61-1704					NA		NA	NA	11/05/2002
(1716) Porter Circle	0.06	30	R			To:	61-1703					NA		NA	NA	11/05/2002
(1716) Porter Circle						From:	Dead End					NA		NA	NA	11/05/2002
(1717) Plover Dr	0.10	300	R			To:	61-1710					NA		NA	NA	11/05/2002
(1717) Plover Dr						From:	Bus US 58					NA		NA	NA	11/05/2002
(1718) Staley Dr	0.05	280	R			To:	Dead End					NA		NA	NA	11/05/2002
(1718) Staley Dr						From:	Bus US 58					NA		NA	NA	11/05/2002
(1718) Staley Dr	0.08	680	R			To:	61-1727 SOUTH					NA		NA	NA	11/05/2002
(1718) Staley Dr						From:	61-1727 NORTH					NA		NA	NA	11/05/2002
(1718) Staley Dr	0.06	810	R			To:	61-1719					NA		NA	NA	11/05/2002
(1718) Staley Dr						From:	61-1719					NA		NA	NA	11/05/2002
(1718) Staley Dr	0.03	1600	R			To:	61-1710					NA		NA	NA	11/05/2002
(1718) Staley Dr						From:	61-1728					NA		NA	NA	11/05/2002

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1718) Staley Dr	0.16	1800	R			From:	61-1728								NA	NA	11/05/2002
						To:	US 58										
(1719) Art Ct	0.08	130	R			From:	Dead End								NA	NA	11/05/2002
						To:	61-1718										
(1720) Forest Glen Dr	0.06	150	R			From:	61-1707								NA	NA	11/05/2002
						To:	61-1702 WEST								NA	NA	11/14/2002
(1720) Forest Glen Dr	0.27	120	R			From:	61-1702 EAST								NA	NA	11/14/2002
						To:	61-1701								NA	NA	11/14/2002
(1721) Ridge Crest Dr	0.08	110	R			From:	61-1701								NA	NA	11/14/2002
						To:	61-1711 WEST								NA	NA	11/14/2002
(1721) Ridge Crest Dr	0.12	220	R			From:	61-1711 EAST								NA	NA	11/14/2002
						To:	61-1703								NA	NA	11/14/2002
(1722) Kilby Shores Rd	0.03	6400	G	86%	1%	2%	2%	8%	0%	C	0.094	F	0.577	6900	G	2004	
(1722) Kilby Shores Dr	0.50	1200	R			From:	61-688 Turlington Rd								NA	NA	11/14/2002
						To:	61-1733										
(1722) Kilby Shores Dr	0.02	910	R			From:	61-1724 NORTH								NA	NA	11/14/2002
						To:	61-1723								NA	NA	11/14/2002
(1722) Kilby Shores Dr	0.04	910	R			From:	61-1724 SOUTH								NA	NA	11/14/2002
						To:	61-1725								NA	NA	11/14/2002
(1722) Kilby Shores Dr	0.06	640	R			From:	61-1725								NA	NA	11/14/2002
						To:	61-1737								NA	NA	11/14/2002
(1723) Aspen Ct	0.09	180	R			From:	Dead End								NA	NA	11/14/2002
						To:	61-1722 Kilby Shores Rd										
(1724)	0.09	120	R			From:	Dead End								NA	NA	11/14/2002
						To:	61-1722 SOUTH										
(1724)	0.03	800	R			From:	61-1722 SOUTH								NA	NA	11/14/2002
						To:	61-1737										
(1724)	0.04	310	R			From:	61-1737								NA	NA	11/14/2002
						To:	61-1731										
(1724)	0.08	200	R			From:	61-1731								NA	NA	11/14/2002
						To:	61-1732										
(1724)	0.27	200	R			From:	61-1732								NA	NA	11/14/2002
						To:	61-1722 NORTH										
(1725) Lipton Circle	0.03	40	R			From:	Dead End								NA	NA	11/14/2002
						To:	61-1726										
(1725) Lipton Circle	0.05	140	R			From:	61-1726								NA	NA	11/14/2002
						To:	61-1722 Kilby Shores Rd										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1726) Boxwood Ct	0.06	100	R			From: Dead End					NA		NA		NA	11/14/2002
						To: 61-1725										
(1727)	0.15	100	R			From: 61-1718 SOUTH					NA		NA		NA	11/14/2002
						To: 61-1718 NORTH										
(1727)	0.07	70	R			From: Dead End					NA		NA		NA	11/14/2002
						To: 61-1718										
(1728)	0.12	1000	R			From: 61-688 Turlington Rd					NA		NA		NA	11/13/2002
						To: Dead End										
(1729) Joyner St	0.08	60	R			From: Dead End					NA		NA		NA	11/13/2002
						To: Bus US 58										
(1730) Oliver St	0.08	60	R			From: Dead End					NA		NA		NA	11/13/2002
						To: Bus US 58										
(1731) Locust Ct	0.08	260	R			From: 61-1724					NA		NA		NA	11/13/2002
						To: Cul-de-Sac										
(1732) Tanoak Ct	0.05	47	R			From: 61-1724					NA		NA		NA	11/13/2002
						To: Cul-de-Sac										
(1733) Lipton Circle	0.10	140	R			From: Dead End					NA		NA		NA	11/13/2002
						To: 61-1722 Kilby Shores Rd										
(1734) Goodwin St	0.12	70	R			From: Dead End					NA		NA		NA	11/13/2002
						To: 61-688 Turlington Rd										
(1735) Blair St	0.07	130	R			From: 61-1714					NA		NA		NA	11/13/2002
						To: 61-1703										
(1736)	0.12	140	R			From: 61-1714					NA		NA		NA	11/13/2002
						To: Dead End										
(1737) Canine Trail	0.26	180	R			From: 61-1724					NA		NA		NA	11/13/2002
						To: Cul-de-Sac										
(1738)	0.12	NA				From: 61-01722(B)/					NA		NA		NA	
						To: 61-01737(B)/										
(1740) Sussex Ct	0.27	190	R			From: 61-1714 WEST					NA		NA		NA	11/13/2002
						To: 61-1714 EAST										
(1741) Cove Point Dr	0.36	210	R			From: Dead End					NA		NA		NA	11/15/2002
						To: US 58										
(1742) Lake Front Dr	0.30	70	R			From: 61-1741					NA		NA		NA	11/15/2002
						To: Dead End										
(1743) Davenport Ct	0.06	20	R			From: 61-1722 Kilby Shores Rd					NA		NA		NA	1999
						To: 61-1744										
(1743) Davenport Ct	0.05	20	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: Cul-de-Sac										

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1744) Cottonwood Ct	0.10	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1744) Cottonwood Ct	0.05	10	R			To:	61-1745				NA		NA	NA	1999
						To:	61-1743								
(1745) Tupelo Way	0.09	30	R			From:	61-1744				NA		NA	NA	1999
						To:	61-1746								
(1746) Royal Oak Ct ( W )	0.11	40	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1746) Royal Oak Ct ( W )	0.04	20	R			To:	61-1745				NA		NA	NA	1999
						From:	Cul-de-Sac								
(1750) Hillpoint Blvd South	0.23	NA				From:	SR 10 Godwin Blvd				NA		NA	NA	
(1750) Hillpoint Blvd North	0.33	NA				To:	61-706 Hillpoint Blvd				NA		NA	NA	
						To:	SR 10 Godwin Blvd								
(1751)	0.08	NA				From:	61-01750(B)/				NA		NA	NA	
						To:	Dead End								
(1752)	0.11	NA				From:	SR 10 Godwin Blvd				NA		NA	NA	
						To:	61-1753								
(1753)	0.11	NA				From:	61-1752				NA		NA	NA	
						To:	Cul-de-Sac								
(1755)	0.29	NA				From:	61-1850 Kensington Blvd				NA		NA	NA	
						To:	Cul-de-Sac								
(1756)	0.04	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	61-1755								
(1757)	0.05	NA				From:	61-1755				NA		NA	NA	
						To:	61-1759								
(1758)	0.05	NA				From:	61-1759				NA		NA	NA	
						To:	Cul-de-Sac								
(1759)	0.04	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	61-1757; 61-1758								
(1760)	0.18	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	61-01850(B)/APPROX								
(1761)	0.14	NA				From:	61-01763(B)/				NA		NA	NA	
						To:	61-01760(B)/								
(1762)	0.15	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	61-01854(B)/								
(1763)	0.26	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	61-01850(B)/APPROX								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1770)	0.09	NA				From: US-00058(B)/61-01741(U)/					NA		NA		
						To: 61-01772(B)/									
(1771)	0.04	NA				From: 61-01770(B)/					NA		NA		
						To: Cul-de-Sac									
(1772)	0.35	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(1773)	0.11	NA				From: 61-01772(B)/					NA		NA		
						To: Cul-de-Sac									
(1774)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01773(B)/									
(1783)	0.38	NA				From: Cul-de-Sac					NA		NA		
						To: 61-00774(L)/									
(1784)	0.45	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01783(B)/									
(1785)	0.05	NA				From: 61-01783(B)/					NA		NA		
						To: Cul-de-Sac									
(1786)	0.16	NA				From: 61-01783(B)/					NA		NA		
						To: Cul-de-Sac									
(1787)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(1788)	0.29	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(1789)	0.04	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01788(B)/									
(1790)	0.47	NA				From: 61-00614(B)/					NA		NA		
						To: Cul-de-Sac									
(1791)	0.11	NA				From: 61-01790(B)/					NA		NA		
						To: Cul-de-Sac									
(1792)	0.11	NA				From: 61-01790(B)/					NA		NA		
						To: Cul-de-Sac									
(1793)	0.24	NA				From: 61-01790(B)/61-01798(R)/					NA		NA		
						To: 61-01795(B)/									
(1794)	0.17	NA				From: 61-01790(B)/61-01797(R)/					NA		NA		
						To: 61-01795(B)/									
(1795)	0.27	NA				From: 61-01790(B)/					NA		NA		
						To: Cul-de-Sac									
(1796)	0.17	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01790(B)/									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1797)	0.08	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01790(B)/61-01794(R)/									
(1798)	0.07	NA				From: Cul-de-Sac					NA		NA		
						To: 61-01790(B)/61-01793(R)/									
(1801) "C" St	0.16	390	R			From: Bus US 58					NA		NA		11/15/2002
						To: 61-1803									
(1801) "C" St	0.06	200	R			From: 61-1802					NA		NA		11/15/2002
						To: 61-1863 NORTH									
(1801) "C" St	0.05	20	R			From: 61-1860					NA		NA		11/15/2002
						To: 61-1863 NORTH									
(1801) "C" St	0.15	30	R			From: 61-1860					NA		NA		11/15/2002
						To: 61-1801									
(1802) John Deere St	0.08	140	R			From: 61-1801					NA		NA		11/15/2002
						To: 61-1804									
(1803) Magnolia St	0.08	130	R			From: 61-1801					NA		NA		11/15/2002
						To: 61-1804									
(1804) Kenmore St	0.04	30	R			From: Dead End					NA		NA		11/15/2002
						To: 61-1803									
(1804) Kenmore St	0.06	100	R			From: 61-1803					NA		NA		11/15/2002
						To: 61-1802									
(1804) Kenmore St	0.04	40	R			From: 61-1802					NA		NA		11/15/2002
						To: Dead End									
(1805) Garden Ln	0.17	220	R			From: 61-1806					NA		NA		11/15/2002
						To: 61-652									
(1806) Mayflower Dr	0.14	110	R			From: 61-1808					NA		NA		11/15/2002
						To: 61-1807									
(1806) Mayflower Dr	0.10	380	R			From: 61-1807					NA		NA		11/15/2002
						To: 61-1805									
(1806) Mayflower Dr	0.06	210	R			From: 61-1805					NA		NA		11/15/2002
						To: 61-652									
(1807) Normandy Dr	0.09	70	R			From: Dead End					NA		NA		11/15/2002
						To: 61-1808									
(1807) Normandy Dr	0.24	140	R			From: 61-1808					NA		NA		11/15/2002
						To: 61-1806									
(1808) River Rd	0.01	130	R			From: 61-1807					NA		NA		11/15/2002
						To: 61-1806									
(1808) River Rd	0.17	300	R			From: 61-1806					NA		NA		11/15/2002
						To: 61-652									
(1808) River Rd	0.23	330	R			From: 61-652					NA		NA		11/15/2002
						To: 61-1827									
(1808) River Rd	0.31	160	R			From: 61-1827					NA		NA		11/15/2002
						To: Dead End									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1809) Shore Dr	0.22	70	R			From:	61-1810 SOUTH					NA		NA	11/15/2002
						To:	61-1810 NORTH								
(1810) Lake Dr	0.04	180	R			From:	61-691					NA		NA	11/15/2002
						To:	61-1809 SOUTH								
(1810) Lake Dr	0.05	130	R			From:	61-687					NA		NA	11/15/2002
						To:	61-1809 NORTH								
(1811) Riddick Dr	0.07	200	R			From:	61-614 Suburban Dr					NA		NA	11/15/2002
						To:	61-1812								
(1811) Riddick Dr	0.23	170	R			From:	Dead End					NA		NA	04/18/2002
						To:	61-1811								
(1812) Cross Terrace	0.09	150	R			From:	SR 337					NA		NA	04/18/2002
						To:	Dead End								
(1813) Beechwood Ave	0.04	40	R			From:	61-1818					NA		NA	04/18/2002
						To:	Dead End								
(1813) Beechwood Ave	0.03	160	R			From:	61-1814					NA		NA	04/18/2002
						To:	61-710								
(1814) Lakeland Ave	0.07	90	R			From:	Dead End					NA		NA	04/18/2002
						To:	61-1813								
(1815) Philhower Dr	0.32	160	R			From:	SR 337					NA		NA	04/18/2002
						To:	Dead End								
(1816) Willowbrook Dr	0.05	510	R			From:	61-652					NA		NA	04/18/2002
						To:	61-1817								
(1816) Willowbrook Dr	0.29	220	R			From:	Dead End					NA		NA	04/18/2002
						To:	61-1813								
(1817) Willowbrook Ct	0.03	80	R			From:	Dead End					NA		NA	04/18/2002
						To:	61-1816								
(1818) Oakwood Ave	0.02	220	R			From:	61-1813					NA		NA	04/18/2002
						To:	0.02 MN 61-1813								
(1818) Oakwood Ave	0.21	240	R			From:	Bus US 460					NA		NA	04/18/2002
						To:	Bus US 58								
(1819) Prospect Rd	0.20	90	R			From:	Dead End					NA		NA	04/18/2002
						To:	Cul-de-Sac								
(1820) Gatewood Ave	0.10	60	R			From:	61-708					NA		NA	04/18/2002
						To:	SR 337								
(1821) Reid St	0.07	180	R			From:	Dead End					NA		NA	04/18/2002
						To:	61-1813								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1822) Withers St	0.05	90	R			From: SR 337					NA		NA		NA	04/18/2002
						To: Dead End										
(1823) Bracey Dr	0.18	260	R			From: Dead End					NA		NA		NA	04/18/2002
						To: 61-642										
(1824) Milum Lane+A648	0.14	80	R			From: Dead End					NA		NA		NA	04/18/2002
						To: SR 337										
(1825) Stuart Ave	0.13	170	R			From: Cul-de-Sac					NA		NA		NA	04/18/2002
						To: Bus US 460										
(1826) Peachtree Dr	0.23	260	R			From: 61-652					NA		NA		NA	04/18/2002
						To: 61-1827										
(1826) Peachtree Dr	0.02	40	R			From: Cul-de-Sac					NA		NA		NA	04/18/2002
						To: 61-1808										
(1827) Whichard Rd	0.06	140	R			From: 61-1826					NA		NA		NA	04/18/2002
						To: 61-642										
(1828) Turner Dr	0.13	290	R			From: Cul-de-Sac					NA		NA		NA	04/18/2002
						To: 61-652										
(1829) Parker Dr	0.17	140	R			From: Cul-de-Sac					NA		NA		NA	04/18/2002
						To: Cul-de-Sac										
(1830) Woodland Terrace	0.04	60	R			From: Cul-de-Sac					NA		NA		NA	04/18/2002
						To: 61-1835										
(1830) Woodland Terrace	0.08	200	R			From: 61-1834					NA		NA		NA	04/18/2002
						To: 61-1832										
(1830) Woodland Terrace	0.05	250	R			From: 61-1831					NA		NA		NA	04/18/2002
						To: SR 337										
(1831) Sprucewood Ln	0.04	90	R			From: 61-1830					NA		NA		NA	04/18/2002
						To: Cul-de-Sac										
(1832) Hickorywood Dr	0.08	60	R			From: Dead End					NA		NA		NA	07/23/2002
						To: 61-1830										
(1832) Hickorywood Dr	0.07	160	R			From: 61-1833					NA		NA		NA	07/23/2002
						To: Dead End										
(1832) Hickorywood Dr	0.05	170	R			From: Cul-de-Sac					NA		NA		NA	07/23/2002
						To: 61-1832										
(1833) Poplarwood Ln	0.05	160	R			From: Cul-de-Sac					NA		NA		NA	07/23/2002
						To: 61-1830										
(1834) Cedarwood Ln	0.04	240	R			From: Cul-de-Sac					NA		NA		NA	07/23/2002
						To: 61-1830										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(1835) Cypresswood Ln	0.05	210	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: 61-1830											
(1837) Monticello View	0.40	110	R			From: SR 337 SOUTH						NA			NA		07/23/2002
						To: SR 337 NORTH											
(1838) Crocker St	0.10	270	R			From: SR 337						NA			NA		07/23/2002
						To: Dead End											
(1839) Bell St	0.10	330	R			From: SR 337						NA			NA		07/23/2002
						To: Dead End											
(1841) Cedar Lake Dr	0.06	280	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: 61-1843											
(1841) Cedar Lake Dr	0.06	110	R			From: 61-1842						NA			NA		07/23/2002
						To: SR 337											
(1841) Cedar Lake Dr	0.07	70	R			From: 61-1841						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1842) Timberlake Dr	0.08	50	R			From: 61-1841						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1843) Fernwood Ct	0.04	50	R			From: 61-1841						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1844) Jotom St	0.04	90	R			From: 61-642						NA			NA		07/23/2002
						To: 61-1845											
(1845) Larry Ann Dr	0.02	30	R			From: Dead End						NA			NA		07/23/2002
						To: 61-1844											
(1845) Larry Ann Dr	0.04	60	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1847) Falcon St	0.03	1000	R			From: SR 337						NA			NA		07/23/2002
						To: 61-1848											
(1847) Falcon St	0.08	540	R			From: 61-1849						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1848) Barn Owl Ct	0.04	240	R			From: 61-1847						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1849) Raven St	0.03	130	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: 61-1847											
(1849) Raven St	0.08	420	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: Cul-de-Sac											
(1850) Kensington Blvd	0.41	6900	R			From: Dead End						NA			NA		07/23/2002
						To: SR 10											
(1851) Ashford Dr	0.54	3500	R			From: Dead End						NA			NA		07/23/2002
						To: 61-1850											
(1852) Auburn Ct	0.04	260	R			From: Cul-de-Sac						NA			NA		07/23/2002
						To: 61-1851											

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1853) Brackley Ct	0.09	160	R			From: 61-1851					NA		NA	NA	07/23/2002
						To: Cul-de-Sac									
(1854) Foxworth Circle	0.34	290	R			From: 61-1851					NA		NA	NA	07/23/2002
						To: Cul-de-Sac									
(1855) Dunbar Dr	0.19	130	R			From: 61-1851 WEST					NA		NA	NA	07/23/2002
						To: 61-1851 EAST									
(1856) Berkshire Blvd	0.35	900	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: 61-1851									
(1857) Wexford Dr	0.03	1200	R			From: 61-1850; 61-1851					NA		NA	NA	08/20/2002
						To: 61-1858; 61-1859									
(1858) Wexford Dr W	0.18	490	R			From: 61-1857; 61-1859					NA		NA	NA	08/20/2002
						To: 61-1859									
(1859) Wexford Dr E	0.21	670	R			From: 61-1857; 61-1858					NA		NA	NA	08/20/2002
						To: 61-1858									
(1860) Beamons Mill Trail	0.10	30	R			From: SR 337					NA		NA	NA	08/20/2002
						To: 61-1861									
(1860) Beamons Mill Trail	0.10	30	R			From: 61-1801					NA		NA	NA	08/20/2002
						To: 61-1863									
(1861) "B" St	0.07	20	R			From: 61-1860					NA		NA	NA	08/20/2002
						To: 61-1862									
(1861) "B" St	0.03	20	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: Cul-de-Sac									
(1862) Mill Pond Ct	0.08	20	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: 61-1861									
(1863)	0.20	30	R			From: 61-1801 SOUTH					NA		NA	NA	08/20/2002
						To: 61-1865									
(1863)	0.03	4	R			From: 61-1864					NA		NA	NA	08/20/2002
						To: 61-1801 NORTH									
(1863)	0.04	8	R			From: 61-1860					NA		NA	NA	08/20/2002
						To: Cul-de-Sac									
(1863)	0.05	10	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: 61-1860									
(1864)	0.05	10	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: Cul-de-Sac									
(1864)	0.07	20	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: 61-1863									
(1864)	0.06	10	R			From: Cul-de-Sac					NA		NA	NA	08/20/2002
						To: Cul-de-Sac									
(1865) Millers Ct	0.08	10	R			From: 61-1863					NA		NA	NA	08/20/2002
						To: Cul-de-Sac									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1866) King Ct	0.06	200	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1856										
(1867) Justin Ct	0.04	220	R			From: 61-1856					NA		NA		NA	08/20/2002
						To: Cul-de-Sac										
(1868) Keaton Way	0.09	20	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1856										
(1869) Kemp Landing	0.12	10	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1856										
(1870) River Creek Dr	0.02	10	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1871										
(1870) River Creek Dr	0.03	20	R			From: 61-1871					NA		NA		NA	08/20/2002
						To: 61-642										
(1871)	0.10	20	R			From: 61-1872					NA		NA		NA	08/20/2002
						To: 61-1870										
(1871)	0.06	20	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: Begin Loop										
(1872) River Creek Cres.	0.15	20	R			From: End Loop					NA		NA		NA	08/20/2002
						To: 61-1871										
(1872) River Creek Cres.	0.05	8	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1870										
(1873) Round Table Ct	0.06	270	R			From: Cul-de-Sac					NA		NA		NA	08/20/2002
						To: 61-1856										
(1874)	0.12	NA				From: Cul-de-Sac					NA		NA		NA	
						To: 61-01885(B)/										
(1875) Cherry Blossom Dr	0.60	600	R			From: SR 337 NORTH					NA		NA		NA	08/20/2002
						To: SR 337 SOUTH										
(1876) Maple Leaf Cres.	0.21	340	R			From: Cul-de-Sac					NA		NA		NA	08/07/2002
						To: 61-1875										
(1877) Pine Tree Way	0.14	50	R			From: 61-1876					NA		NA		NA	08/07/2002
						To: 61-1875										
(1878) Pine Tree Ct	0.05	100	R			From: Cul-de-Sac					NA		NA		NA	08/07/2002
						To: 61-1877										
(1879) Red Oak Ln	0.07	170	R			From: 61-1876					NA		NA		NA	08/07/2002
						To: 61-1875										
(1880)	0.63	NA				From: 61-1881					NA		NA		NA	
						To: 61-642; RAMP FROM US 58										
(1881)	0.35	NA				From: 61-01880(B)/					NA		NA		NA	
						To: 61-01880(L)/										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(1882)	0.08	NA				From:	Cul-de-Sac									NA
						To:	61-01881(B)/									
(1883)	0.11	NA				From:	Cul-de-Sac									NA
						To:	61-01881(B)/									
(1884)	0.07	NA				From:	Cul-de-Sac									NA
						To:	61-01874(B)/									
(1885) Woodlake Terrace	0.65	1300	R			From:	Cul-de-Sac								NA	08/07/2002
						To:	SR 337									
(1886) Equinox Landing	0.22	120	R			From:	Cul-de-Sac								NA	08/07/2002
						To:	61-1885									
(1887) Holbrook Arch	0.16	440	R			From:	61-1885								NA	08/07/2002
						To:	61-1935; 61-1887 Loop									
(1887) Holbrook Arch	0.64	NA				From:	End of Loop								NA	NA
(1888) Cutspring Trace	0.08	220	R			From:	61-1885								NA	08/07/2002
						To:	61-1893									
(1889) Cantor St	0.13	90	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	61-1893									
(1890) Adorn Ct	0.07	60	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	61-1889									
(1891) Dorset Way	0.18	110	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	61-1893									
(1892) Rodset Ct	0.05	60	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	61-1891									
(1893) Rockland Terrace	0.04	NA				From:	Cul-de-Sac								NA	NA
						To:	61-1891									
(1893) Rockland Terrace	0.25	49	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	Cul-de-Sac									
(1894) Hillside Ave	0.45	630	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	SR 337									
(1895) Jennifer Ct	0.13	160	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	Cul-de-Sac									
(1896) Lenox Ct	0.05	40	R			From:	61-1894								NA	08/20/2002
						To:	Cul-de-Sac									
(1897) Sterling Ct	0.05	70	R			From:	Cul-de-Sac								NA	08/20/2002
						To:	61-1894									
(1898)	0.39	NA				From:	SR-00337(B)/61-01885(U)/								NA	
						To:	Dead End									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1899)	0.06	NA				From:	61-01898(B)/							NA	NA
						To:	Dead End								
(1901) Brown Ln	0.09	230	R			From:	SR 10							NA	08/20/2002
						To:	61-1905								
(1901) Brown Ln	0.08	47	R			From:	61-1905							NA	08/20/2002
						To:	Dead End								
(1902) Wren Rd	0.09	810	R			From:	SR 10							NA	08/20/2002
						To:	61-1905								
(1902) Wren Rd	0.05	40	R			From:	61-1905							NA	08/20/2002
						To:	Dead End								
(1903) Willow Ln	0.11	230	R			From:	SR 10							NA	08/20/2002
						To:	Dead End								
(1904) Eagle Ln	0.12	240	R			From:	Dead End							NA	08/20/2002
						To:	SR 10								
(1905)	0.16	130	R			From:	61-1901							NA	08/20/2002
						To:	61-1902								
(1905)	0.11	750	R			From:	61-1902							NA	08/20/2002
						To:	61-1907								
(1905)	0.15	280	R			From:	61-1907							NA	08/20/2002
						To:	Dead End								
(1906)	0.12	80	R			From:	Dead End							NA	08/20/2002
						To:	SR 10								
(1907) Beaver Ln	0.09	60	R			From:	61-1905							NA	08/20/2002
						To:	Cul-de-Sac								
(1908) Sparrow Rd	0.10	130	R			From:	61-1905							NA	08/20/2002
						To:	Cul-de-Sac								
(1915)	0.17	100	R			From:	Cul-de-Sac							NA	08/20/2002
						To:	SR 125 SOUTH								
(1915)	0.63	70	R			From:	SR 125 SOUTH							NA	08/20/2002
						To:	61-1916								
(1915)	0.18	100	R			From:	61-1916							NA	08/20/2002
						To:	SR 125 NORTH								
(1915)	0.05	80	R			From:	SR 125 NORTH							NA	08/20/2002
						To:	Dead End								
(1916) Shady Grove	0.09	80	R			From:	61-1915							NA	08/20/2002
						To:	Cul-de-Sac								
(1917) Spring Meadow Ln	0.15	60	R			From:	Cul-de-Sac							NA	08/20/2002
						To:	SR 125								
(1918) Governors Wharf	0.12	40	R			From:	SR 125							NA	08/20/2002
						To:	Cul-de-Sac								
						To:	SR 125								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(1925) Riverfront Dr	0.33	NA				From:	Cul-de-Sac				NA		NA		
(1925) Riverfront Dr	0.33	50	R			To:	61-1926				NA		NA		08/20/2002
(1925) Riverfront Dr						To:	61-771								
(1926)	0.11	NA				From:	61-01925(B)/				NA		NA		
(1927)	0.05	NA				From:	61-01925(B)/				NA		NA		
(1927)						To:	Cul-de-Sac								
(1930) Pine Acres Ln	0.13	180	R			From:	61-628 Crittenden Rd				NA		NA		08/20/2002
(1930) Pine Acres Ln						To:	Cul-de-Sac								
(1935)	0.14	NA				From:	SR-00337(B)/				NA		NA		
(1935)						To:	61-01887(L)/61-01887(R)/								
(1936)	0.05	NA				From:	61-01935(B)/				NA		NA		
(1936)						To:	Dead End								
(1937)	0.03	NA				From:	61-01887(B)/				NA		NA		
(1937)						To:	Dead End								
(1938)	0.03	NA				From:	61-01887(B)/				NA		NA		
(1938)						To:	Dead End								
(1939)	0.03	NA				From:	61-01887(B)/				NA		NA		
(1939)						To:	Dead End								
(1940)	0.04	NA				From:	Dead End				NA		NA		
(1940)						To:	61-01887(B)/								
(1941)	0.09	NA				From:	61-01887(B)/				NA		NA		
(1941)						To:	Dead End								
(1942)	0.06	NA				From:	Dead End				NA		NA		
(1942)						To:	61-01941(B)/								
(1943)	0.07	NA				From:	Dead End				NA		NA		
(1943)						To:	61-01887(B)/								
(2001)	0.04	90	R			From:	Dead End				NA		NA		08/21/2002
(2001)						To:	61-2003								
(2001)	0.10	510	R			From:	61-2003				NA		NA		08/21/2002
(2001)						To:	61-2002								
(2001)	0.23	380	R			From:	61-2002				NA		NA		08/21/2002
(2001)						To:	61-2004								
(2001)	0.06	240	R			From:	61-2004				NA		NA		08/21/2002
(2001)						To:	61-2005								
(2001)	0.07	140	R			From:	61-2005				NA		NA		08/21/2002
(2001)						To:	61-2006								
(2001)	0.27	70	R			From:	61-2006				NA		NA		08/21/2002
(2001)						To:	Dead End								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(2002) Harbor Rd	0.08	900	R			From:	61-627					NA		NA	NA	08/21/2002
						To:	61-2001									
(2003) Old Wharf Rd	0.07	480	R			From:	61-2001					NA		NA	NA	08/21/2002
						To:	61-2004									
(2003) Old Wharf Rd	0.07	310	R			From:	61-2005					NA		NA	NA	08/21/2002
						To:	Dead End									
(2004) Dominion Dr	0.05	50	R			From:	Dead End					NA		NA	NA	08/21/2002
						To:	61-2001									
(2004) Dominion Dr	0.25	120	R			From:	61-2003					NA		NA	NA	08/21/2002
						To:	61-2001									
(2005) Warrington Dr	0.13	120	R			From:	61-2006					NA		NA	NA	08/21/2002
						To:	61-2003									
(2005) Warrington Dr	0.10	190	R			From:	61-2001					NA		NA	NA	08/21/2002
						To:	61-2006									
(2006) Stratford Dr	0.04	100	R			From:	61-2008					NA		NA	NA	08/21/2002
						To:	61-2007									
(2006) Stratford Dr	0.13	90	R			From:	61-2005					NA		NA	NA	08/21/2002
						To:	61-2006									
(2007)	0.05	50	R			From:	61-2006					NA		NA	NA	08/21/2002
						To:	Dead End									
(2008) Pinewood Circle	0.11	70	R			From:	61-2006					NA		NA	NA	08/21/2002
						To:	Dead End									
(2009) Ames Cove Dr	0.16	300	R			From:	61-627					NA		NA	NA	08/21/2002
						To:	Cul-de-Sac									
(2011)	0.09	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	61-02025(L)/61-02012(U)/									
(2012)	0.08	NA				From:	61-02025(L)/61-02011(U)/					NA		NA	NA	
						To:	Cul-de-Sac									
(2013) Burning Tree Ct	0.05	30	R			From:	61-2039					NA		NA	NA	08/21/2002
						To:	Cul-de-Sac									
(2014) Kendal Ct	0.09	30	R			From:	Cul-de-Sac					NA		NA	NA	08/29/2002
						To:	61-2036									
(2015) Heritage Dr	0.05	700	R			From:	61-2017					NA		NA	NA	08/29/2002
						To:	61-2016									
(2015) Heritage Dr	0.06	530	R			From:	61-627					NA		NA	NA	08/29/2002
						To:	61-2016									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2016)	0.10	200	R			From:	61-2019				NA		NA	NA	08/29/2002
(2016)	0.08	380	R			To:	61-2020				NA		NA	NA	08/29/2002
(2016)	0.07	410	R			From:	61-2018				NA		NA	NA	08/29/2002
(2016)	0.15	270	R			To:	61-2017				NA		NA	NA	08/29/2002
(2016)						From:	61-2015								
(2017) Wimbleton Pl	0.08	690	R			From:	61-2016				NA		NA	NA	08/29/2002
						To:	61-2015								
(2018)	0.05	320	R			From:	61-715				NA		NA	NA	08/29/2002
(2018)	0.05	360	R			To:	61-728				NA		NA	NA	08/29/2002
(2018)	0.06	190	R			From:	61-717				NA		NA	NA	08/29/2002
(2018)	0.22	220	R			To:	61-2016				NA		NA	NA	08/29/2002
(2019) River Bluff Dr	0.20	100	R			From:	61-2019				NA		NA	NA	08/29/2002
						To:	61-2018								
(2020) Wimbleton Ct	0.09	100	R			From:	61-2016				NA		NA	NA	08/29/2002
						To:	Cul-de-Sac								
(2021) Cavalier Rd	0.07	490	R			From:	61-2022				NA		NA	NA	08/29/2002
(2021) Cavalier Rd	0.11	80	R			To:	61-697				NA		NA	NA	08/29/2002
						From:	61-715								
(2022) Nansemond Dr S	0.22	270	R			From:	61-715 WEST				NA		NA	NA	08/29/2002
						To:	61-716								
(2022) Nansemond Dr S	0.03	640	R			From:	61-715 EAST				NA		NA	NA	08/29/2002
						To:	61-2021								
(2023) Lake Rd	0.08	140	R			From:	61-715 SOUTH				NA		NA	NA	08/29/2002
						To:	61-697								
(2023) Lake Rd	0.05	200	R			From:	61-715 NORTH				NA		NA	NA	08/29/2002
						To:	61-2044								
(2024) Pleasant Ridge Ct	0.12	190	R			From:	Cul-de-Sac				NA		NA	NA	08/29/2002
						To:	61-627								
(2025) Saint Andrews Dr	0.12	200	R			From:	61-2026				NA		NA	NA	08/29/2002
						To:	61-2011; 61-2012								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2026) Charlemagne Dr	0.24	240	R			From: Cul-de-Sac					NA		NA		08/29/2002
						To: 61-2027									
(2027) Saint Brie W	0.11	110	R			From: Cul-de-Sac					NA		NA		08/29/2002
						To: 61-2026									
(2027) Saint Brie W	0.08	NA				From: Cul-de-Sac					NA		NA		
						To: Cul-de-Sac									
(2028) Brittany Ln	0.77	1300	R			From: 61-627					NA		NA		08/29/2002
						To: Cul-de-Sac									
(2029) Foxcroft Rd	0.43	440	R			From: 61-627					NA		NA		08/29/2002
						To: 61-2028									
(2029) Foxcroft Rd	0.11	130	R			From: Cul-de-Sac					NA		NA		08/29/2002
						To: SR 337									
(2030) Berwyn Way	0.18	230	R			From: SR 337					NA		NA		08/29/2002
						To: 61-2031									
(2031) Afton Ct	0.04	110	R			From: 61-2030					NA		NA		08/29/2002
						To: Cul-de-Sac									
(2032) Dayle Acres Rd	0.24	110	R			From: SR 337					NA		NA		08/29/2002
						To: Dead End									
(2033) Chatham Rd	0.18	70	R			From: 61-2039					NA		NA		1999
						To: 61-2036									
(2033) Chatham Rd	0.12	80	R			From: 61-627					NA		NA		1999
						To: 61-2035									
(2034) Windjammer Rd	0.42	270	R			From: Cutty Sark Lane					NA		NA		09/25/2002
						To: 61-2035									
(2034) Windjammer Rd	0.24	300	R			From: 61-2035					NA		NA		09/25/2002
						To: 61-627									
(2034) Windjammer Rd	0.07	520	R			From: 61-2034 NORTH					NA		NA		09/25/2002
						To: 61-2034 WEST									
(2035) Cuttysark Ln	0.14	90	R			From: 61-2034 EAST					NA		NA		1999
						To: 61-2039									
(2035) Cuttysark Ln	0.17	90	R			From: 61-2039					NA		NA		1999
						To: 61-2038									
(2036) Kendal Way	0.10	40	R			From: 61-2038					NA		NA		1999
						To: 61-2037									
(2036) Kendal Way	0.05	40	R			From: 61-2037					NA		NA		1999
						To: 61-2033									
(2036) Kendal Way	0.10	40	R			From: 61-2033					NA		NA		1999
						To: 61-2014									
(2036) Kendal Way	0.15	30	R			From: Cul-de-Sac					NA		NA		1999
						To: Cul-de-Sac									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
(2037) Brighton Mews	0.08	60	R			From:	Cul-de-Sac					NA			NA		1999
						To:	61-2036										
(2038) Fincastle Ct	0.07	60	R			From:	61-2036					NA			NA		1999
						To:	Cul-de-Sac										
(2039) Burning Tree Ln	0.04	20	R			From:	61-629					NA			NA		1999
						To:	61-2049										
(2039) Burning Tree Ln	0.06	40	R			From:	61-2048					NA			NA		1999
						To:	61-2047										
(2039) Burning Tree Ln	0.07	80	R			From:	61-2047					NA			NA		1999
						To:	61-2036										
(2039) Burning Tree Ln	0.15	110	R			From:	61-2036					NA			NA		1999
						To:	61-2033										
(2039) Burning Tree Ln	0.11	100	R			From:	61-2033					NA			NA		1999
						To:	61-2013										
(2039) Burning Tree Ln	0.17	110	R			From:	Dead End; Gap Terminus					NA			NA		1999
						To:	Cul-de-Sac; Gap Terminus										
(2039) Burning Tree Ln	0.06	40	R			From:	61-2064					NA			NA		1999
						To:	61-2034										
(2040) Lighthouse Dr	0.07	230	R			From:	SR 125					NA			NA		09/25/2002
						To:	61-2041 SOUTH										
(2040) Lighthouse Dr	0.14	100	R			From:	61-2041 SOUTH					NA			NA		1986
						To:	61-2034										
(2040) Lighthouse Dr	0.08	70	R			From:	61-2041 NORTH					NA			NA		09/25/2002
						To:	Cul-de-Sac										
(2041)	0.25	60	R			From:	61-2040 SOUTH					NA			NA		09/25/2002
						To:	61-2040 NORTH										
(2041)	0.23	80	R			From:	61-2040 SOUTH					NA			NA		09/25/2002
						To:	61-2040 NORTH										
(2042) Kingsway Ct	0.05	60	R			From:	SR 125					NA			NA		09/25/2002
						To:	Cul-de-Sac										
(2043) Presley Ct	0.04	60	R			From:	SR 125					NA			NA		09/25/2002
						To:	Cul-de-Sac										
(2044) Sleepy Point Way	0.59	310	R			From:	Cul-de-Sac					NA			NA		09/25/2002
						To:	61-629										
(2045) Sleepy Ridge Ct	0.18	270	R			From:	61-2044					NA			NA		09/25/2002
						To:	Cul-de-Sac										
(2046) River Breeze Rd	0.20	50	R			From:	Cul-de-Sac					NA			NA		1999
						To:	61-629										

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(2047) Foxwood Pl	0.10	120	R			From:	61-2039					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2048) Swansea Circle	0.05	60	R			From:	61-2039					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2049) Woodberry Cres.	0.04	40	R			From:	61-2039					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2050)	0.11	90	R			From:	US 17					NA		NA	NA	11/14/2002
						To:	61-2051									
(2050)	0.22	180	R			From:	61-2056					NA		NA	NA	11/14/2002
						To:	61-2051									
(2051) Meeting Rd	0.34	140	R			From:	61-2050					NA		NA	NA	11/14/2002
						To:	61-2055									
(2052)	0.18	100	R			From:	Cul-de-Sac					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2053)	0.08	90	R			From:	Cul-de-Sac					NA		NA	NA	11/14/2002
						To:	61-2051									
(2053)	0.08	90	R			From:	Dead End					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2054)	0.08	90	R			From:	61-2051					NA		NA	NA	11/14/2002
						To:	Dead End									
(2055)	0.24	180	R			From:	Cul-de-Sac					NA		NA	NA	11/14/2002
						To:	Dead End									
(2056)	0.24	200	R			From:	Dead End					NA		NA	NA	11/14/2002
						To:	61-2050									
(2057) Lookout Circle	0.20	220	R			From:	Dead End					NA		NA	NA	11/14/2002
						To:	61-2050									
(2058) Club Rd	0.11	110	R			From:	Dead End					NA		NA	NA	11/14/2002
						To:	61-2050									
(2060) Schoolhouse Ln	0.07	70	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	61-2034									
(2061) Arrowhead Ct	0.07	70	R			From:	61-2034					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2062) Duckwood Ct	0.04	70	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	61-2034									
(2063) Dockside Cres.	0.08	190	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	61-2039									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(2064) Chelsea Mews	0.05	190	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 61-2039										
(2065)	0.16	NA				From: 61-00626(B)/					NA		NA			
						To: 61-02067(B)/										
(2066)	0.14	NA				From: 61-02065(L)/					NA		NA			
						To: 61-02067(B)/										
(2067)	0.30	NA				From: Cul-de-Sac					NA		NA			
						To: Cul-de-Sac										
(2068) Hargrove Landing	0.50	210	R			From: SR 337					NA		NA		11/14/2002	
						To: Cul-de-Sac										
(2069) Hargrove Trace	0.06	100	R			From: 61-2068					NA		NA		11/14/2002	
						To: Cul-de-Sac										
(2070)	0.21	120	R			From: 61-2074					NA		NA		11/14/2002	
						To: 61-629										
(2070)	0.16	120	R			From: Dead End					NA		NA		11/14/2002	
						To: Dead End										
(2071) Darden Farm Ln	0.09	90	R			From: 61-2070					NA		NA		11/14/2002	
						To: 61-2072										
(2072) Caroline Cres.	0.32	140	R			From: 61-2071 Darden Farm Ln					NA		NA		11/14/2002	
						To: Cul-de-Sac										
(2073) Carter Ln	0.08	160	R			From: 61-2075					NA		NA		11/14/2002	
						To: 61-2070										
(2074) Bruce Farm Dr	0.06	110	R			From: 61-2075					NA		NA		11/14/2002	
						To: 61-2070										
(2075) Beech Grove Ln	0.25	140	R			From: 61-627					NA		NA		11/14/2002	
						To: Cul-de-Sac										
(2076)	0.34	NA				From: Cul-de-Sac					NA		NA			
						To: 61-2072 Caroline Cres.										
(2077)	0.18	NA				From: 61-2076					NA		NA			
						To: 61-2072 Caroline Cres.										
(2078)	0.20	NA				From: 61-2076					NA		NA			
						To: 61-2072 Caroline Cres.										
(2080)	0.52	NA				From: 61-00629(B)/61-02081(U)/					NA		NA			
						To: 61-00629(B)/61-02081(U)/										
(2081)	0.32	NA				From: 61-00629(B)/61-02080(U)/					NA		NA			
						To: 61-00629(B)/61-02080(U)/										
(2082)	0.08	NA				From: Cul-de-Sac					NA		NA			
						To: 61-02081(B)/										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2083)	0.12	NA				From: Cul-de-Sac					NA		NA		
						To: 61-02080(B)/									
(2084)	0.08	NA				From: Cul-de-Sac					NA		NA		
						To: 61-02080(B)/									
(2085)	0.18	NA				From: 61-02080(B)/					NA		NA		
						To: Cul-de-Sac									
(2090)	0.20	NA				From: 61-02091(B)/					NA		NA		
						To: 61-00629(B)/									
(2091)	0.18	NA				From: Cul-de-Sac					NA		NA		
						To: 61-02092(R)/									
(2092)	0.14	NA				From: 61-02091(R)/					NA		NA		
						To: Cul-de-Sac									
(2093)	0.22	NA				From: 61-02091(B)/					NA		NA		
						To: Cul-de-Sac									
(2094)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 61-02093(B)/									
(2100) Edinburgh Ct	0.37	90	R			From: Cul-de-Sac					NA		NA		1999
						To: 61-605									
(2101)	0.06	190	R			From: 61-604					NA		NA		1999
						To: 61-2103									
(2101)	0.19	40	R			From: 61-2103					NA		NA		1999
						To: 61-2102									
(2101)	0.14	60	R			From: 61-2102					NA		NA		1999
						To: US 460									
(2102) Glenwood Dr	0.05	80	R			From: 61-2101					NA		NA		1999
						To: 61-2103									
(2102) Glenwood Dr	0.06	140	R			From: 61-2103					NA		NA		1999
						To: 61-604									
(2103) Catalina Ave	0.14	40	R			From: 61-2101					NA		NA		1999
						To: 61-2102									
(2110) Prudence Rd	0.21	760	R			From: Cul-de-Sac					NA		NA		1999
						To: US 460									
(2115) Winona Trail	0.48	120	R			From: 61-633					NA		NA		1999
						To: 61-2116									
(2116) Pontiac Circle	0.07	20	R			From: 61-2115					NA		NA		1999
						To: Cul-de-Sac									
(2120) Princeview Dr	0.18	60	R			From: 61-682					NA		NA		1999
						To: Cul-de-Sac									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b><u>City of Suffolk</u></b>																
(2121) Labrador Ct	0.03	30	R			From:	61-682					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2122) Windemere Ct+A832	0.03	40	R			From:	61-682					NA		NA	NA	1999
						To:	Cul-de-Sac									
(2126) Starcher Ct	0.31	360	R			From:	Dead End					NA		NA	NA	1999
						To:	61-604									
(2127) Shirley Dr	0.12	290	R			From:	61-2128					NA		NA	NA	1999
						To:	61-604									
(2128) Tason Dr	0.17	200	R			From:	0.17 MS 61-2127					NA		NA	NA	1999
						To:	61-2127									
(2128) Tason Dr	0.19	60	R			From:	61-623; 61-2140 SOUTH					NA		NA	NA	1999
						To:	61-2155									
(2130) McLauren Dr	0.36	2600	R			From:	61-2130 EAST					NA		NA	NA	11/14/2002
						To:	61-2130 WEST									
(2131) Amberly Circle	0.27	250	R			From:	61-2131					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2132) Amberly Ct	0.05	80	R			From:	61-2131					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2133) Fieldcrest Ct	0.04	60	R			From:	61-2131					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2134) Compton Ct	0.07	100	R			From:	61-2130					NA		NA	NA	11/14/2002
						To:	Cul-de-Sac									
(2135) Cambridge Dr	0.21	300	R			From:	61-2130					NA		NA	NA	11/14/2002
						To:	61-2155									
(2136) Oakglen Dr	0.14	290	R			From:	61-2130					NA		NA	NA	11/14/2002
						To:	61-2135									
(2137) Heather Glen Dr	0.15	320	R			From:	Scotsfield Drive					NA		NA	NA	11/14/2002
						To:	61-2130									
(2140) Burbage Lake Circle	0.12	100	R			From:	61-623					NA		NA	NA	1999
						To:	61-2141									
(2140) Burbage Lake Circle	0.07	80	R			From:	61-2141					NA		NA	NA	1999
						To:	61-2143									
(2140) Burbage Lake Circle	0.19	60	R			From:	61-2143					NA		NA	NA	1999
						To:	61-2145									
(2140) Burbage Lake Circle	0.09	20	R			From:	61-2145					NA		NA	NA	1999
						To:	61-2145									
(2140) Burbage Lake Circle	0.05	20	R			From:	61-2145					NA		NA	NA	1999
						To:	61-2143									
(2140) Burbage Lake Circle	0.62	NA				From:	61-623; 61-2130; 61-2140					NA		NA	NA	
						To:	61-623; 61-2130; 61-2140									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2141) Wet Marsh Ct	0.06	20	R			From:	61-2140					NA		NA	1999
(2141) Wet Marsh Ct	0.10	50	R			To:	61-2142					NA		NA	1999
						To:	Cul-de-Sac								
(2142) Leefield Ct	0.10	50	R			From:	61-2141					NA		NA	1999
						To:	Cul-de-Sac								
(2143)	0.17	130	R			From:	61-2140					NA		NA	1999
(2143)	0.08	70	R			To:	61-2144					NA		NA	1999
(2143)	0.10	100	R			From:	61-2140					NA		NA	1999
						To:	Cul-de-Sac								
(2144) Pelican View Ct	0.10	130	R			From:	61-2143					NA		NA	1999
						To:	Cul-de-Sac								
(2145) Olde Bullocks Circle	0.30	150	R			From:	61-2140					NA		NA	1999
						To:	61-2140 SOUTH								
(2146) Crosswinds Ct	0.04	30	R			From:	61-2140					NA		NA	1999
						To:	Cul-de-Sac								
(2147) Blue Teal Ct	0.04	60	R			From:	Cul-de-Sac					NA		NA	11/14/2002
						To:	61-2140								
(2148) Creek+A853side Ct	0.11	140	R			From:	61-2140					NA		NA	11/14/2002
						To:	Cul-de-Sac								
(2149) Overlook Ct	0.04	70	R			From:	61-2140					NA		NA	11/14/2002
						To:	Cul-de-Sac								
(2150) Forest Lake Ct	0.08	140	R			From:	Cul-de-Sac					NA		NA	11/14/2002
						To:	61-2140								
(2151) Duck Landing Ct	0.07	90	R			From:	Cul-de-Sac					NA		NA	11/14/2002
						To:	61-2140								
(2152) Goldeneye Ct	0.03	30	R			From:	Cul-de-Sac					NA		NA	11/14/2002
						To:	61-2140								
(2153) Edgefield Ct	0.07	80	R			From:	Cul-de-Sac					NA		NA	11/14/2002
						To:	61-2140								
(2154) Lake Cove Ct	0.10	120	R			From:	61-2140					NA		NA	11/14/2002
						To:	Cul-de-Sac								
(2155) Burbage Dr	0.20	830	R			From:	61-2130					NA		NA	11/14/2002
						To:	61-623								
(2156) Calvert Ct	0.13	260	R			From:	61-2155					NA		NA	11/14/2002
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2157) Kent Ct	0.06	100	R			From: 61-2156					NA		NA	NA	11/14/2002
						To: Cul-de-Sac									
(2158) Glenrose Dr	0.24	140	R			From: 61-2155					NA		NA	NA	11/14/2002
						To: 61-623; 61-2162									
(2159) Worcester Way	0.15	230	R			From: 61-2158					NA		NA	NA	11/14/2002
						To: Cul-de-Sac									
(2160) Coxley Ln	0.18	270	R			From: 61-2158					NA		NA	NA	11/14/2002
						To: Cul-de-Sac									
(2161) Lance Ct	0.05	80	R			From: 61-2160					NA		NA	NA	11/14/2002
						To: Cul-de-Sac									
(2162) Castlewood Circle	0.49	690	R			From: 61-623; 61-2158					NA		NA	NA	11/14/2002
						To: 61-623									
(2163)	0.14	110	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2164)	0.12	220	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2165)	0.12	210	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2166) Ashcrest Ct	0.04	180	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: 61-2162									
(2167) Lamplight Ct	0.16	90	R			From: 61-2162					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2168) Moss Side Ct	0.04	90	R			From: 61-2167					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2169)	0.16	210	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2170)	0.11	210	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2171) Harewood Ln	0.09	190	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: 61-2162									
(2172) Townsend Pl	0.18	220	R			From: 61-623					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2173) Braebourne Ct	0.19	210	R			From: 61-2172					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									
(2174) Ashmeade Ct	0.07	200	R			From: Cul-de-Sac					NA		NA	NA	11/06/2002
						To: 61-2172									
(2175) Ivanhoe Ct	0.28	260	R			From: 61-623					NA		NA	NA	11/06/2002
						To: Cul-de-Sac									

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(2176) Leyton Pl	0.12	200	R			From: 61-2175					NA		NA		NA	11/06/2002
						To: Cul-de-Sac										
(2177) Dickens Ct W	0.08	90	R			From: Cul-de-Sac					NA		NA		NA	11/06/2002
						To: 61-2178; 61-2175										
(2178) Dickens Ct E	0.08	90	R			From: 61-2177; 61-2175					NA		NA		NA	11/06/2002
						To: Cul-de-Sac										
(2180)	0.11	180	R			From: 61-623					NA		NA		NA	11/06/2002
						To: 61-2182										
(2181) Chambers Ln	0.10	190	R			From: 61-2183					NA		NA		NA	11/06/2002
						To: 61-2180										
(2182)	0.26	250	R			From: Cul-de-Sac					NA		NA		NA	11/06/2002
						To: 61-2180										
(2183) Meekins Way	0.07	80	R			From: 61-623					NA		NA		NA	11/06/2002
						To: 61-2182										
(2185) Burbage Acres Dr	0.40	210	R			From: Cul-de-Sac					NA		NA		NA	11/06/2002
						To: 61-623										
(2186) Sheffield Ct (S)	0.06	280	R			From: Cul-de-Sac					NA		NA		NA	11/06/2002
						To: 61-2187; 61-2185										
(2187) Sheffield Ct (N)	0.06	250	R			From: 61-2186; 61-2185					NA		NA		NA	11/06/2002
						To: Cul-de-Sac										
(2188) Loxley Ct	0.05	170	R			From: 61-2185					NA		NA		NA	11/06/2002
						To: Cul-de-Sac										
(2189) Winthrope Dr	0.21	220	R			From: Cul-de-Sac					NA		NA		NA	11/06/2002
						To: 61-2185										
(2190) Kilbourne Way	0.07	150	R			From: 61-2189					NA		NA		NA	11/12/2002
						To: Cul-de-Sac										
(2191) Dover Dr	0.05	150	R			From: 61-2185					NA		NA		NA	11/12/2002
						To: 61-2192										
(2192) Aberdeen Pl	0.13	220	R			From: Cul-de-Sac					NA		NA		NA	11/12/2002
						To: Cul-de-Sac										
(2193) Orkney Ct	0.04	200	R			From: 61-2185					NA		NA		NA	11/12/2002
						To: Cul-de-Sac										
(2194) Cheshire Dr	0.11	210	R			From: Cul-de-Sac					NA		NA		NA	11/12/2002
						To: 61-2185										
(2195) Yorkshire Dr	0.06	180	R			From: Cul-de-Sac					NA		NA		NA	11/12/2002
						To: 61-2194										
(2196) Liverpool Ln	0.05	200	R			From: Cul-de-Sac					NA		NA		NA	11/12/2002
						To: 61-2185										

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2201) Apple St	0.05	840	R			From:	61-658					NA		NA	11/12/2002
(2201) Apple St	0.10	170	R			To:	61-2202					NA		NA	11/12/2002
						To:	Dead End								
(2202) Whitewood St	0.03	47	R			From:	Dead End					NA		NA	11/12/2002
(2202) Whitewood St	0.07	190	R			To:	61-2204					NA		NA	11/12/2002
(2202) Whitewood St	0.07	330	R			From:	61-2203					NA		NA	11/12/2002
						To:	61-2201								
(2203) White Ash Ct	0.05	80	R			From:	61-2202					NA		NA	11/12/2002
						To:	Dead End								
(2204) White Elm Ct	0.03	60	R			From:	61-2202					NA		NA	11/12/2002
						To:	Dead End								
(2210) Arbor Rd	0.08	440	R			From:	61-626					NA		NA	11/12/2002
						To:	61-2212								
(2210) Arbor Rd	0.06	350	R			From:	61-2213					NA		NA	11/12/2002
						To:	61-2214								
(2210) Arbor Rd	0.07	280	R			From:	61-2214					NA		NA	11/12/2002
						To:	61-621								
(2211) Concord Dr	0.07	280	R			From:	61-626					NA		NA	11/12/2002
						To:	61-2212								
(2211) Concord Dr	0.15	200	R			From:	61-2214					NA		NA	11/12/2002
						To:	61-2210								
(2212) Scuppernong Dr	0.08	60	R			From:	61-2210					NA		NA	11/12/2002
						To:	61-2211								
(2213) Arbor Ct	0.04	90	R			From:	61-2210					NA		NA	11/12/2002
						To:	Cul-de-Sac								
(2214) Vin Yard Ln	0.08	140	R			From:	61-2210					NA		NA	11/12/2002
						To:	61-2211								
(2214) Vin Yard Ln	0.11	110	R			From:	61-2211					NA		NA	11/12/2002
						To:	Dead End								
(2215) Whitfield Way	0.06	90	R			From:	61-621					NA		NA	11/12/2002
						To:	Cul-de-Sac								
(2216) Bernhowe Manor Ln	0.29	170	R			From:	US 17					NA		NA	11/12/2002
						To:	Cul-de-Sac								
(2220) Deerfield Dr	0.20	130	R			From:	Cul-de-Sac					NA		NA	11/12/2002
						To:	61-2226								
(2220) Deerfield Dr	0.15	300	R			From:	61-2225					NA		NA	11/12/2002
						To:	61-2225								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2220) Deerfield Dr	0.11	390	R			From:	61-2225					NA		NA	11/12/2002
(2220) Deerfield Dr	0.03	460	R			To:	61-2221					NA		NA	11/12/2002
(2220) Deerfield Dr	0.04	500	R			From:	61-2222					NA		NA	11/12/2002
						To:	61-626								
(2221) Deerfield Ct	0.03	60	R			From:	Cul-de-Sac					NA		NA	10/30/2002
						To:	61-2220								
(2222) Buckhorne Cres.	0.04	90	R			From:	61-2220					NA		NA	10/30/2002
						To:	61-2223								
(2222) Buckhorne Cres.	0.09	90	R			From:	61-2223					NA		NA	10/30/2002
						To:	61-2224								
(2222) Buckhorne Cres.	0.04	150	R			From:	61-626					NA		NA	10/30/2002
						To:	Cul-de-Sac								
(2223) Fawn Ct	0.03	30	R			From:	61-2222					NA		NA	10/30/2002
						To:	61-2222								
(2224) Buckhorne Ct	0.05	40	R			From:	61-2222					NA		NA	10/30/2002
						To:	Cul-de-Sac								
(2225) Weatherby Way	0.08	130	R			From:	61-2220					NA		NA	10/30/2002
						To:	61-2226								
(2225) Weatherby Way	0.30	260	R			From:	61-2226					NA		NA	10/30/2002
						To:	61-626								
(2226) Ithaca Trail	0.22	130	R			From:	61-2220					NA		NA	10/30/2002
						To:	61-2225								
(2230)	0.23	80	R			From:	Grant St					NA		NA	10/30/2002
						To:	61-658								
(2230)	0.18	100	R			From:	WCL Chesapeake					NA		NA	10/30/2002
						To:	61-658								
(2231) John St	0.21	390	R			From:	61-658					NA		NA	10/30/2002
						To:	WCL Chesapeake								
(2232) Coultrane Ave	0.12	48	R			From:	61-2246					NA		NA	10/30/2002
						To:	61-658								
(2232) Coultrane Ave	0.12	90	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658								
(2233) Miles Ave	0.11	70	R			From:	61-658					NA		NA	10/30/2002
						To:	0.11 ME 61-658								
(2233) Miles Ave	0.09	70	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658								
(2234) Anderson Ave	0.17	100	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658								
(2235) Cove St	0.12	20	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2236) Marlin Ave	0.24	130	R			From:	61-658					NA		NA	10/30/2002
						To:	Dead End								
(2237) Wise St	0.15	150	R			From:	61-2231 WCL Chesapeake					NA		NA	10/30/2002
						To:	61-2238								
(2238) Ellington Ave	0.11	50	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-2237								
(2239)	0.04	40	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658								
(2239)	0.15	270	R			From:	WCL Chesapeake					NA		NA	10/30/2002
						To:	61-623								
(2240) James St	0.06	110	R			From:	61-2241					NA		NA	10/30/2002
						To:	61-2242								
(2240) James St	0.07	70	R			From:	61-654					NA		NA	10/30/2002
						To:	61-654								
(2241) Hoffler St	0.11	130	R			From:	61-654					NA		NA	10/30/2002
						To:	61-2240								
(2242) Ellen St	0.09	60	R			From:	61-654					NA		NA	10/30/2002
						To:	61-2240								
(2243) Ellington Ave	0.09	10	R			From:	Dead End					NA		NA	10/30/2002
						To:	61-658; 61-2244								
(2244) Hubbard St	0.24	30	R			From:	61-658; 61-2243					NA		NA	11/21/2002
						To:	Dead End								
(2245) Clifton St	0.10	5	R			From:	61-658					NA		NA	11/21/2002
						To:	Dead End								
(2246)	0.05	45	R			From:	61-2247					NA		NA	11/21/2002
						To:	61-2232								
(2247)	0.04	40	R			From:	Dead End					NA		NA	11/21/2002
						To:	61-2246								
(2250) Camellia Dr	0.06	900	R			From:	SR 135 SOUTH					NA		NA	11/21/2002
						To:	61-2254 SOUTH								
(2250) Camellia Dr	0.08	660	R			From:	61-2254 SOUTH					NA		NA	11/21/2002
						To:	61-2253 SOUTH								
(2250) Camellia Dr	0.07	580	R			From:	61-2251					NA		NA	11/21/2002
						To:	61-2251								
(2250) Camellia Dr	0.18	510	R			From:	61-2252					NA		NA	11/21/2002
						To:	61-2252								
(2250) Camellia Dr	0.05	320	R			From:	61-2255					NA		NA	11/21/2002
						To:	61-2255								
(2250) Camellia Dr	0.29	240	R			From:	61-2253 NORTH					NA		NA	11/21/2002
						To:	61-2253 NORTH								

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b><u>City of Suffolk</u></b>															
(2250) Camellia Dr	0.06	300	R			From:	61-2253 NORTH				NA		NA	NA	11/21/2002
(2250) Camellia Dr	0.06	350	R			To:	61-2254 NORTH				NA		NA	NA	11/21/2002
						To:	SR 135 NORTH								
(2251) Vernon Dr	0.11	30	R			From:	61-2250				NA		NA	NA	11/21/2002
						To:	61-2252								
(2252)	0.21	90	R			From:	Cul-de-Sac				NA		NA	NA	11/21/2002
(2252)	0.11	180	R			To:	61-2250				NA		NA	NA	11/21/2002
(2252)	0.06	310	R			From:	61-2251				NA		NA	NA	11/21/2002
(2252)	0.06	850	R			To:	61-2253				NA		NA	NA	11/21/2002
(2252)	0.06	980	R			To:	61-2254				NA		NA	NA	11/21/2002
(2252)	0.06	40	R			From:	61-820				NA		NA	NA	1999
						To:	SR 135								
(2253) Brookwood Dr	0.13	150	R			From:	61-2250 SOUTH				NA		NA	NA	11/21/2002
(2253) Brookwood Dr	0.06	810	R			To:	61-2252				NA		NA	NA	11/21/2002
(2253) Brookwood Dr	0.21	840	R			To:	61-2255				NA		NA	NA	11/21/2002
(2253) Brookwood Dr	0.18	840	R			From:	61-823; 61-658 S				NA		NA	NA	11/21/2002
(2253) Brookwood Dr	0.06	47	R			From:	61-2250 NORTH				NA		NA	NA	11/21/2002
(2254)	0.17	200	R			To:	61-823; 61-658 SOUTH				NA		NA	NA	11/21/2002
(2254)	0.10	130	R			From:	61-823; 61-658 S				NA		NA	NA	11/21/2002
(2254)	0.17	120	R			To:	61-2250				NA		NA	NA	11/21/2002
(2254)	0.12	120	R			To:	61-2252				NA		NA	NA	11/21/2002
(2254)	0.06	110	R			From:	0.10 MN 61-2252				NA		NA	NA	11/21/2002
(2255) Maplewood Dr	0.10	200	R			To:	Cul-de-Sac				NA		NA	NA	11/21/2002
(2255) Maplewood Dr	0.20	170	R			From:	61-2250 NORTH				NA		NA	NA	11/21/2002
(2256) Hardy Dr	0.05	100	R			To:	Cul-de-Sac				NA		NA	NA	11/21/2002
(2257)						From:	61-2253				NA		NA	NA	11/21/2002
						To:	61-2255								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
(2258)	0.07	130	R			From:	61-2253					NA		NA	NA	11/21/2002
						To:	Cul-de-Sac									
(2259) Green Ash Ct	0.09	60	R			From:	61-2252					NA		NA	NA	11/21/2002
						To:	Dead End									
(2265) Fennell Ln	0.14	110	R			From:	61-659 Pughsville Rd					NA		NA	NA	1999
						To:	61-2266									
(2265) Fennell Ln	0.16	120	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	61-2265									
(2266) Fennell Ct	0.10	90	R			From:	Cul-de-Sac					NA		NA	NA	11/08/2002
						To:	61-2265									
(2275) Crowdly Blvd	0.13	220	R			From:	61-2276					NA		NA	NA	11/08/2002
						To:	61-658									
(2276) Plummer Blvd.	0.42	310	R			From:	61-658					NA		NA	NA	11/08/2002
						To:	Cul-de-Sac									
(2277) Brent St	0.15	80	R			From:	Cul-de-Sac					NA		NA	NA	11/08/2002
						To:	61-2276									
(2278) Skinner Blvd.	0.15	120	R			From:	61-2281					NA		NA	NA	11/08/2002
						To:	61-2276									
(2279) Person St	0.12	80	R			From:	0.12 MW 61-2278					NA		NA	NA	11/08/2002
						To:	61-2278									
(2279) Person St	0.12	70	R			From:	Dead End					NA		NA	NA	11/08/2002
						To:										
(2280) Frank St	0.12	110	R			From:	0.12 MW 61-2278					NA		NA	NA	11/08/2002
						To:	61-2278									
(2280) Frank St	0.12	90	R			From:	Dead End					NA		NA	NA	11/08/2002
						To:										
(2281) Nathaniel St	0.12	90	R			From:	0.12 MW 61-2278					NA		NA	NA	11/08/2002
						To:	61-2278									
(2281) Nathaniel St	0.12	110	R			From:	Dead End					NA		NA	NA	11/08/2002
						To:										
(2283)	0.07	NA				From:	61-2380					NA		NA	NA	
						To:	Cul-de-Sac									
(2284)	1.02	NA				From:	US 17					NA		NA	NA	
						To:	61-2286									
(2284)	1.44	NA				From:	SR 135					NA		NA	NA	
						To:										
(2285)	0.09	NA				From:	Dead End					NA		NA	NA	
						To:	61-02284(B)/									
(2286)	0.61	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	61-2295									

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2286)	0.52	NA				From:	61-2295							NA	NA
						To:	61-2284								
(2287)	0.03	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286; 61-2288								
(2288)	0.17	NA				From:	61-2286; 61-2287							NA	NA
						To:	Dead End								
(2289)	0.08	NA				From:	61-2290							NA	NA
						To:	61-2288								
(2290)	0.28	NA				From:	61-2286							NA	NA
						To:	Cul-de-Sac								
(2291)	0.24	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286; 61-2294								
(2292)	0.03	NA				From:	61-2291							NA	NA
						To:	Cul-de-Sac								
(2293)	0.04	NA				From:	61-2291							NA	NA
						To:	Cul-de-Sac								
(2294)	0.04	NA				From:	61-2286							NA	NA
						To:	Cul-de-Sac								
(2295)	0.08	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286								
(2296)	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286								
(2297)	0.13	NA				From:	61-2298							NA	NA
						To:	61-2286								
(2298)	0.34	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286								
(2299)	0.26	NA				From:	Cul-de-Sac							NA	NA
						To:	Cul-de-Sac								
(2300)	1.40	NA				From:	61-2284							NA	NA
						To:	61-2302; Shadow of:730828								
(2301)	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2302)	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2303)	0.18	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2304)	0.05	NA				From:	61-2303							NA	NA
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2305)	0.05	NA				From:	61-2303							NA	NA
						To:	Cul-de-Sac								
(2306)	0.11	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2307)	0.08	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2308)	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2309)	0.10	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2310)	0.09	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2311)	0.04	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2300								
(2312)	0.05	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2313)	0.16	NA				From:	61-02300(B)/							NA	NA
						To:	61-02300(B)/61-02315(R)/								
(2314)	0.11	NA				From:	61-2313							NA	NA
						To:	Cul-de-Sac								
(2315)	0.13	NA				From:	61-2300							NA	NA
						To:	61-2316								
(2316)	0.12	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2317)	0.05	NA				From:	61-2300							NA	NA
						To:	Cul-de-Sac								
(2350) Steeplechase Lane	0.93	NA				From:	Cul-de-Sac							NA	NA
						To:	61-757 Bennetts Creek Park Rd								
(2351) Huntsman Court	0.03	NA				From:	61-2350 Steeplechase Lane							NA	NA
						To:	Cul-de-Sac								
(2352) Halter Cove	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2350 Steeplechase Lane								
(2353) Martingale Court	0.07	NA				From:	61-2350 Steeplechase Lane							NA	NA
						To:	Cul-de-Sac								
(2354) Preakness Circle	0.04	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2350 Steeplechase Lane								
(2355) Waterjump Cresent	0.15	NA				From:	61-2350 Steeplechase Lane							NA	NA
						To:	61-2361 Huntclub Chase								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2356) Canal Turn	0.05	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2357) Hennesy Cup Way	0.08	NA				From: 61-2350 Steeplechase Lane					NA		NA		
			To: Cul-de-Sac												
(2358) Bridlepath Lane	0.15	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2359) Coachhouse Court	0.05	NA				From: 61-2350 Steeplechase Lane					NA		NA		
			To: Cul-de-Sac												
(2360) Paddock Circle	0.04	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2361) Huntclub Chase	0.62	NA				From: 61-2350 Steeplechase Lane					NA		NA		
			To: 61-757 Bennetts Creek Park Rd												
(2362) Pacers Place	0.03	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2361 Huntclub Chase												
(2363) Derby Cove	0.07	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2361 Huntclub Chase												
(2364) Pasture Cove	0.04	NA				From: 61-2361 Huntclub Chase					NA		NA		
			To: Cul-de-Sac												
(2365) Blaze Court	0.06	NA				From: Cul-de-Sac					NA		NA		
			To: Cul-de-Sac												
(2366) Traverse Circle	0.03	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2361 Huntclub Chase												
(2367) Cantering Court	0.04	NA				From: 61-2361 Huntclub Chase					NA		NA		
			To: Cul-de-Sac												
(2368) Finishline Arch	0.20	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2369) Cavaletti Chase	0.10	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2368 Finishline Arch												
(2370) Curry Comb Point	0.03	NA				From: 61-2350 Steeplechase Lane					NA		NA		
			To: Cul-de-Sac												
(2371) Gold Cup Point	0.03	NA				From: 61-2350 Steeplechase Lane					NA		NA		
			To: Cul-de-Sac												
(2372) Pony Club Point	0.03	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2373) Arabian Point	0.03	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2350 Steeplechase Lane												
(2374) Farrier Cove	0.07	NA				From: Cul-de-Sac					NA		NA		
			To: 61-2361 Huntclub Chase												

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2375) Corral Cove	0.04	NA				From:	61-2361 Huntclub Chase							NA	NA
						To:	Cul-de-Sac								
(2376)	0.43	NA				From:	Cul-de-Sac							NA	NA
						To:	61-757 Bennetts Creek Park Rd								
(2377)	0.05	NA				From:	61-2376							NA	NA
						To:	Cul-de-Sac								
(2378)	0.17	NA				From:	61-2376							NA	NA
						To:	61-2380								
(2379)	0.14	NA				From:	61-2376							NA	NA
						To:	61-2378								
(2380)	0.60	NA				From:	Cul-de-Sac							NA	NA
						To:	Cul-de-Sac								
(2381)	0.04	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2378								
(2382)	0.07	NA				From:	61-2378							NA	NA
						To:	Cul-de-Sac								
(2384)	0.06	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2380								
(2385)	0.12	NA				From:	61-2380							NA	NA
						To:	61-757 Bennetts Creek Park Rd								
(2386)	0.04	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2385								
(2387)	0.04	NA				From:	61-2385							NA	NA
						To:	Cul-de-Sac								
(2388)	0.05	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2380								
(2389)	0.05	NA				From:	61-2380							NA	NA
						To:	Cul-de-Sac								
(2390)	0.06	NA				From:	61-2380							NA	NA
						To:	61-757 Bennetts Creek Park Rd								
(2400)	0.06	NA				From:	61-2299							NA	NA
						To:	Cul-de-Sac								
(2401)	0.13	NA				From:	61-2299							NA	NA
						To:	Cul-de-Sac								
(2402)	0.04	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286								
(2403)	0.11	NA				From:	61-2286							NA	NA
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Suffolk</b>															
(2404)	0.09	NA				From:	61-2405							NA	NA
						To:	61-2286								
(2405)	0.15	NA				From:	61-2406							NA	NA
						To:	Cul-de-Sac								
(2406)	0.08	NA				From:	Cul-de-Sac							NA	NA
						To:	61-2286								
(2407)	0.14	NA				From:	61-2286							NA	NA
						To:	Cul-de-Sac								
(2408)	0.04	NA				From:	61-2407							NA	NA
						To:	Cul-de-Sac								
(2430)	0.48	NA				From:	SR 337 Nansemond Parkway							NA	NA
						To:	61-2433								
(2431)	0.72	NA				From:	Dead End							NA	NA
						To:	Dead End								
(2432)	0.36	NA				From:	Dead End							NA	NA
						To:	Dead End								
(2433)	0.23	NA				From:	Dead End							NA	NA
						To:	Dead End								
(2434)	0.12	NA				From:	61-2431							NA	NA
						To:	61-2433								
(2435)	0.39	NA				From:	61-2431							NA	NA
						To:	61-626 Shoulders Hill Rd								
(2436)	0.06	NA				From:	Dead End							NA	NA
						To:	61-2431								
(2437)	0.07	NA				From:	Dead End							NA	NA
						To:	61-2435								
(2438)	0.03	NA				From:	61-2435							NA	NA
						To:	Dead End								
(9215) Forest Glen Dr	0.55	1300	R			From:	Forest Glen High School							NA	NA
						To:	US 58; 61-738								11/08/2002
(9217) John Yeates High Scho	0.18	570	R			From:	John Yeates High School							NA	NA
						To:	61-627								11/08/2002
(9218) Elephants Fork Elem. S	0.31	630	R			From:	Elephants Fork Elem Sch							NA	NA
						To:	FR-676								11/08/2002
(9220) John F. Kennedy High S	0.24	1400	R			From:	John F Kennedy High Sch							NA	NA
						To:	SR 337								11/08/2002
(9224) Kilby Shores Elem. Sch	0.05	190	R			From:	Kilby Shores Elem Sch							NA	NA
						To:	0.50 MN Dead End								11/08/2002

Virginia Department of Transportation  
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(9224) Kilby Shores Elem. Sch	0.16	550	R			From:	0.05 MN Dead End								NA	11/08/2002		
						To:	61-1722 Kilby Shores Rd											
(9266) Holland Elem. School	0.09	220	R			From:	Holland Elem School								NA	NA	1986	
						To:	Dead End											
(9268) Kings Fork Primary Sch	0.03	20	R			From:	Site of Kings Fork Sch								NA	NA	11/08/2002	
						To:	61-635; 61-634											
(9270) Robertson Middle Scho	0.12	100	R			From:	Robertson Middle Sch								NA	NA	11/08/2002	
						To:	61-1604											
(9271) Oakland Elem. School	0.06	200	R			From:	Oakland Elem Sch								NA	NA	11/08/2002	
						To:	SR 10; 61-741											
(9272) Swern Middle School	0.10	140	R			From:	SW Middle Sch								NA	NA	11/08/2002	
						To:	61-613											
(9273) Nansemond Pkwy Elem.	0.25	500	R			From:	Nansemond Pkwy Elem								NA	NA	11/08/2002	
						To:	Sch; SR 337											
(9280) Florence Bowser Elem.	0.10	170	R			From:	F Bowser Elem Sch								NA	NA	11/08/2002	
						To:	SR 337											
(9281) Mt. Zion Middle School	0.09	280	R			From:	Mt Zion Middle Sch								NA	NA	11/08/2002	
						To:	US 460											
(9627) Drr Middle School	0.20	140	R			From:	Driver Middle School								NA	NA	11/08/2002	
						To:	0.20 ME 61-629											
(9627) Drr Middle School	0.09	90	R			From:	61-629								NA	NA	11/08/2002	
						To:												
(8501) Pinner St	0.63	8300	G	97%	1%	2%	1%	1%	0%	C	0.103	F	0.503	9000	G	2004		
						To:	Moore Ave											
(8501) Pinner St	0.41	13000	G	97%	1%	2%	1%	1%	0%	F	0.093	F	0.516	14000	G	2004		
						To:	Old CL Suffolk											
(8505) South Broad St	0.15	1500	G	96%	2%	1%	0%	1%	0%	F	0.111	F	0.617	1600	G	2004		
						To:	Washington St											
(8505) North Broad St	0.68	1000	G	96%	2%	1%	0%	1%	0%	C	0.116	F	0.796	1100	G	2004		
						To:	East Riverview Dr											
(8505) Western Ave	0.12	1400	G	96%	2%	1%	0%	1%	0%	F	0.091	F	0.663	1500	G	2004		
						To:	West Constance Rd											
(8507) Wellons St	0.65	2300	G	94%	2%	1%	1%	2%	0%	C	0.104	F	0.503	2500	G	2004		
						To:	Kilby Ave											
(8507) Market St	0.43	5400	G	96%	1%	2%	1%	0%	0%	C	0.102	F	0.593	5800	G	2004		
						To:	Saratoga St											
(8507) Market St	0.06	7900	G	96%	1%	2%	1%	0%	0%	F	0.099	F	0.546	8600	G	2004		
						To:	Main St											
(8508) Finney Ave	0.20	7600	G	97%	1%	1%	0%	0%	0%	C	0.098	F	0.571	8200	G	2004		
						To:	Pinner Ave											

Virginia Department of Transportation  
Mobility Management Division

2004  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail									
<b>City of Suffolk</b>																		
(8509) 133 Saratoga St	0.31	4500	G	96%	1%	3%	1%	0%	0%		C	0.096	F	0.505	4900	G	2004	
(8509) 133 Saratoga St	0.12	4600	G	96%	1%	3%	1%	0%	0%		F	0.104	F	0.547	4900	G	2004	
				From	Market St					To								
(8510) 133 Hall Ave	0.43	5300	G	97%	1%	2%	1%	0%	0%		C	0.096	F	0.56	5700	G	2004	
				From	Saratoga St					To								
(8511) 133 Factory St	0.87	2800	G	94%	1%	2%	1%	1%	0%		C	0.094	F	0.534	3100	G	2004	
				From	SCL Suffolk					To	Washington St							
(8512) 133 Fayette St	0.17	1100	G	86%	2%	3%	4%	5%	0%		C	0.098	F	0.589	1200	G	2004	
				From	Carolina Rd					To	Cedar St							
(8512) 133 Cedar St	0.04	1100	G	92%	2%	3%	3%	1%	0%		F	0.099	F	0.773	1200	G	2004	
				From	Fayette St					To	Madison Ave							
(8512) 133 Madison Ave	0.33	580	G	92%	2%	3%	3%	1%	0%		C	0.115	F	0.541	630	G	2004	
				From	Cedar St					To	County St							
(8512) 133 Madison Ave	0.11	1200	G	92%	2%	3%	3%	1%	0%		F	0.11	F	0.562	1300	G	2004	
				From	County St					To	Factory St							
(8514) 133 Bank St	0.20	1600	G	98%	0%	2%	0%	0%	0%		C	0.144	F	0.579	1800	G	2004	
				From	North Main St					To	Pinner St							
(8813) 133 County St	0.18	4000	G	76%	1%	3%	3%	17%	0%		F	0.079	F	0.537	4300	G	2004	
				From	Old Suffolk Corp Limits					To	Madison Ave							
(8813) 133 County St	0.27	4400	G	76%	1%	3%	3%	17%	0%		C	0.084	F	0.511	4800	G	2004	
				From	Madison Ave					To	Washington St							
(8814) 133 Moore Ave	0.64	5900	G	80%	1%	4%	2%	13%	0%		C	0.092	F	0.621	6400	G	2004	
				From	Washington St					To	Pinner St							
Burbage Lake Circle	640	G				Repass Beach Rd						0.1	F	0.591	640	G	2004	
						To	Wet Marsh Ct											
County Street	6300	G				Polk Street						0.078	F	0.504	6300	G	2004	
						To	E. Washington Street											
Finney Avenue	7500	G				N. Main Street						0.096	F	0.541	7500	G	2004	
						To	Hill Street											
James Avenue	380	G				Smith Street						0.133	F	0.615	380	G	2004	
						To	W. Washington Street											
Kensington Blvd	5300	G				Ashford Dr						C	0.091	F	0.638	5300	G	2004
						From	Godwin Blvd											
Quince Road	150	G				Pioneer Ave						C	0.117	F	0.529	150	G	2004
						To	Lummis Rd											
Weatherby Way	220	G				Ithacha Tr						0.099	F	0.652	220	G	2004	
						To	Shoulders Hill Rd											